

**VERSION 7.0****Fiscal Analysis –Buffer Mitigation Rules****(15A NCAC 2B .0295, .0242, .0244, .0252, .0260, .0268, and .0609)****Prepared by NC Division of Water Quality staff****October 10, 2012****Rule Citation Numbers –****15A NCAC 2B .0295: Mitigation Program Requirements for Protection and Maintenance of Riparian Buffers****15A NCAC 02B .0242: Mitigation for Existing Buffers in the Neuse River Basin****15A NCAC 02B .0244: Mitigation for Existing Buffers in the Catawba River Basin****15A NCAC 02B .0252: Randleman Lake Mitigation for Existing Buffers****15A NCAC 02B .0260: Mitigation for Existing Buffers in the Tar-Pamlico River Basin****15A NCAC 02B .0268: Jordan Lake Mitigation for Existing Buffers****15A NCAC 02B .0609: Goose Creek Watershed Buffer Mitigation Rule****(Appendix)****DENR Division - Division of Water Quality**

**Agency Contact:**           **Amy Chapman**  
   **Division of Water Quality**  
   **1650 Mail Service Center**  
   **Raleigh, NC 27604**  
   **(919)- 807-6400**  
   <mailto:Amy.Chapman@ncdenr.gov>

**Impact Summary:**

<b>State Government:</b>	<b>Yes</b>
<b>N.C. Department of Transportation:</b>	<b>Yes</b>
<b>Local Governments:</b>	<b>Yes</b>
<b>Federal Government:</b>	<b>Yes</b>
<b>Small Businesses:</b>	<b>Yes</b>
<b>Substantial Impact:</b>	<b>Yes</b>

**Authorizing Statutes:** G.S. 143-214.5; G.S. 143-214.7; G.S. 143-214.20; G.S. 143-215.3(a)(1); G.S. 143-215.6A; G.S. 143-215.6B; G.S. 143-215.6C; G.S. 143-215.8A; G.S. 143 215.8B; G.S. 143B-282(c),(d); S.L. 1998, c. 221; S.L. 1999, c. 329, s. 7.1, S.B. 824-2003; S.L. 2005-190; S.L. 2006-259.

**Statement of Necessity:** These proposed rule changes in Rule 2B .0295 will provide mitigation options not currently available to DOT, developers, and private individuals. In addition to providing greater regulatory flexibility, the proposed changes incorporate contemporary technical and operational techniques into the rules. These proposed amendments adhere to the Principles of Executive Order 70 Rules and were developed through a public stakeholder process. The new rules advance the public interest and are designed to achieve their objectives in a cost-effective and timely manner.

The division also seeks to repeal the current buffer mitigation rules (2B .0242, .0244, .0252, .0260, .0268, and .0609), since they are proposed to be consolidated and replaced by 15A NCAC .02B .0295, “Mitigation Program Requirements for Protection and Maintenance of Riparian Buffers”. The purpose of this consolidation is to bring consistency to the current riparian buffer mitigation rules. A reduction in the number of rules is in the public interest and consistent with the principles of Executive Order 70.

## **I. Executive Summary:**

First of all, the proposed rule will consolidate six existing buffer mitigation rules into one buffer mitigation rule. This purpose of this consolidation is to bring consistency to the currently riparian buffer mitigation rules. The current buffer mitigation rules that will be repealed and essentially combined into rule .0295 include:

- 15A NCAC 02B .0242: Mitigation for Existing Buffers in the Neuse River Basin
- 15A NCAC 02B .0244: Mitigation for Existing Buffers in the Catawba River Basin
- 15A NCAC 02B .0252: Randleman Lake Mitigation for Existing Buffers
- 15A NCAC 02B .0260: Mitigation for Existing Buffers in the Tar-Pamlico River Basin
- 15A NCAC 02B .0268: Jordan Lake Mitigation for Existing Buffers
- 15A NCAC 02B .0609: Goose Creek Watershed Buffer Mitigation Rule

The second part of this rulemaking would provide additional mitigation options for the regulated community and allow for the flexibility that has been requested by the various stakeholder groups in these mitigation rules. Stakeholders have expressed concern to the Division of Water Quality (Division) that they are unable to build their projects because they cannot achieve the amount of buffer mitigation required in the current buffer mitigation rules. The proposed rule would address this issue by providing a variety of new mitigation options for those areas where the current buffer mitigation rules are not feasible. An example of this is that in the Tar-Pamlico 05 8-digit Hydrologic Unit (HUC), there are no more viable buffer mitigation sites that would adhere to the current buffer mitigation rules. Stakeholders have stressed the necessity of the consolidated buffer mitigation rule to allow for flexibility in difficult situations such as this. In several instances, if the stakeholders are unable find acceptable buffer mitigation for their proposed or actual permits, then thousands of jobs could potentially be lost. It is important to note that this proposed rule will not expand the area subject to riparian buffer rules.

Finally, the rules address related mitigation issues to ensure that the replacement for the unavoidable impacted buffers will reduce future nutrient loading. The proposed rules are authorized by G.S. 143-214.20 which states (in part) “Construction of an alternative measure (of buffer mitigation) that reduces nutrient loading as well as or better than the riparian buffer that is lost.”

These options were developed to give regulated parties greater flexibility and potentially lower cost of compliance by providing additional options for buffer mitigation. Other proposed changes to the buffer mitigation rules may reduce the cost of mitigation on a case-by-case basis (for instance the allowance of

buffer preservation) depending on the extent to which the regulated community and mitigation providers take advantage of this new provision in the rule. Similarly, the proposed rules on mitigation location may increase cost depending on which option the Environmental Management Commission (EMC) chooses following public hearing. Finally the portion of the rule on accounting for buffer, nutrient offset and stream mitigation credit (.0295 (k)) may or may not increase mitigation cost depending on which option the EMC selects following public hearing and comment. The table below summarizes estimated annual costs and benefits and states whether it was possible to quantify them based on the amount of available information. A more detailed breakdown of cost and benefit estimates is located in Tables 4-8.

**Table 1: Estimated Annual Costs and Benefits Presented in this Analysis, Quantified or Un-quantified**

	Un-quantified*	Quantified*
<b>Costs:</b>		
Completion Bond and Non-wasting Endowment		\$110,000/year
Mitigation Location Change		\$0 - \$1,830,000/year, depending on option EMC chooses
Credit Accounting		\$0 - \$1,500,000/year depending on option EMC chooses.
Additional cost from more expensive mitigation options (Structural Options)	X	
<b>Benefits:</b>		
Cost savings from more advantageous mitigation location	X (expected to be at least as high as additional costs for mitigation location change)	
Cost savings from cheaper mitigation options	X	
Additional Development Potential	X	
Additional Buffer Acreage	X (unclear impact on water quality; potential net benefits from nutrient removal of \$20,000/acre)	
Preservation of Unmapped Streams	X	
Sewer Easements		\$0-\$490,000 benefit/year depending on option EMC chooses.
Buffer Mitigation Beyond the 5-Year Monitoring Period		\$3.4 million one-time benefit

\* Based on the percentage of buffer mitigation required by different parties during 2005-2010, DENR estimates that most of the impacts (90%) listed in this table would be incurred by NC DOT and by private development.

Based on this analysis, the proposed rules will have a net benefit to stakeholders by allowing them to construct projects the current buffer mitigation rules prohibit. General economic theory asserts that if a site developer chooses to use one of these options then, to that individual, the increased cost is lower than the expected project benefits. Projects undertaken using optional mitigation options would result in a net benefit of undetermined value. Based on 2005-2010 data on entities seeking mitigation, the agency estimates that more than half of the costs and benefits would be ultimately incurred by DOT, and more than a third by private developers. Aside from the sewer easement benefit to municipalities, other state agencies and local governments would only see a small portion of the costs and benefits presented in Table 1. DENR does not expect any significant changes related to overseeing the implementation of most of the options in these rules, with the exception of Option 2 for buffer and stream mitigation accounting.

There also may be public benefit in the form of less water pollution at the estuary if these proposed rules increase the total amount of buffer acreage. Although, water quality in some locations before the estuary point may be affected, depending on hydrological and geological properties of the location and if mitigation occurs further from the impact area. Given the uncertain impact of water quality, DENR is inviting the public to comment on this issue.

The main source of uncertainty in this analysis is the number of options available for particular choices as well as the inherently variable cost of land and applicability of specific options for specific sites. Through the public hearing process, stakeholders will comment on the options presented in this analysis to assist the EMC in selecting final rule language. The fiscal note has investigated the potential cost and benefits associated with different options and the division will amend the note after the public comment period to reflect any policy changes.

## **II. Background and Description of Proposed Rules:**

This fiscal analysis was prepared to assist members of the EMC and the public in their review of the proposed Alternative Buffer Mitigation Rules (15A NCAC 2B .0295). Requests from the regulated community for more flexibility to achieve mitigation prompted this rulemaking. The division developed these rules with extensive input from stakeholders meetings held on February 9, 2009, December 9, 2009 and April 6 and 19, 2010. The draft rules were presented to the Water Quality Committee (WQC) of the EMC on September 2009, November 2009, November 2010, January 2011, March 2011, July 2011, September 2011, January 2012 and May 2012. In July 2012, the rules were taken to the full EMC. The WQC requested consideration of three different alternatives for calculating the amount of required mitigation based on location considerations and for the accounting of buffer, stream and nutrient offset credits.

Several stakeholders have expressed concerns about the lack of buffer mitigation options. Presently the two options are payment into a mitigation bank or planting a buffer along a stream that currently is not planted. This issue is important to address because in some areas of the Tar-Pamlico basin, there are no more viable buffer mitigation sites for compliance with the current buffer mitigation rules. Stakeholders, including companies and professional site developers, are unable to proceed with projects if they need

to mitigate for buffers in that area. Potentially thousands of jobs could be lost if alternative buffer mitigation measures are not allowed.

These proposed rule amendments adhere to the Principles of Executive Order 70 Rules and seek to reduce the impact on regulated parties by allowing more mitigation options. The proposed rule change serves the public interest and is designed to achieve their objectives in a cost-effective and timely manner. None of these alternative mitigation options would be required. Rather, stakeholders and mitigation providers would pursue these options on a case-by-case basis. These amendments also are intended to protect the applicable estuaries and increase the water quality in these estuaries. Other proposed rule changes would update standard practices, scientific information, and the information provided during the stakeholder process outlined above. An analysis of each of the main provisions proposed in rule .0295, above what is currently required in the rules proposed repealed, follows in the next section of this fiscal analysis. This analysis uses the present practice of buffer mitigation based on the average requirements for buffer mitigation from 2005 thru 2010 from the Division's Basinwide Management System (BIMS) permit tracking system as a baseline. The main proposed rule provisions are:

- A. Provisions that apply to all buffer mitigation options;
- B. Approaches that apply to all mitigation proposals; and
- C. Optional methods of buffer mitigation allowed in the proposed rules.

#### **A. Buffer mitigation provisions**

Three new provisions in the rules would apply to any proposed approach for buffer mitigation. These are:

- a. Conservation easements;
- b. Completion bonds; and
- c. Non-wasting endowments for long term operation and maintenance.

Conservation easements are in the current buffer mitigation rules. Completion bonds and non-wasting endowments are standard requirements of compensatory mitigation for wetland and stream mitigation for 404/401 permitting under the Clean Water Act for many years, but have not been required consistently to buffer mitigation requirements for the state's riparian buffer protection programs. As such, these requirements may or may not increase the cost of buffer mitigation compared to the present cost of mitigation as outlined in Section III below. The proposed changes require that these new measures provide equivalent types and levels of protection to what is currently in the buffer mitigation rules.

#### **B. Approaches applying to all mitigation proposals**

- a. **Mitigation Location.** The present rules require location of the mitigation to be as close or closer to the impact “as feasible”. The division and the mitigation banking community have long interpreted this rule to mean that mitigation will be required in the standard 8-digit Hydrologic Unit (HUC) as used for the 404/401 permitting programs.<sup>1</sup> A HUC’s number is inversely related to the size of its watershed. The larger the HUC number, the smaller its watershed.

The proposed rule change would allow for mitigation outside of the standard 8-digit HUC, as long as a location multiplier is applied after the area of mitigation is computed. To determine the area of mitigation under the present rules, an impact multiplier is applied to the area of buffers impacted by the project: if Zone 1<sup>2</sup> of the buffers is impacted, a multiplier of 3 is applied to the area of impact (a multiplier of 2 in the Catawba River Basin), and if Zone 2<sup>3</sup> of the buffers is impacted, a multiplier of 1.5 is applied to the area of impact. None of these options would increase or decrease water quality benefits to the estuary. The proposed rule maintains the impact multipliers and offers three options for location multipliers as follows:

- i. Option A - Mitigation would continue to be allowed within the 8-digit HUC, and then it would also be allowed at a higher multiplier (2.0) in the adjacent HUC. Example: If mitigation is done in an adjacent HUC and assuming 200 square feet of Zone 1 buffer impacts, the area of mitigation would have to be 1,200 sq ft [=200sqft of impact × 3 impact multiplier is required for Zone 1 impacts × 2 for an adjacent HUC multiplier= 1,200 sq ft.
- ii. Option B - Mitigation on-site would benefit from a reduced multiplier of 0.75; mitigation within the 12-digit HUC at the subwatershed level would only be subject to Zone 1 and Zone 2 impact multipliers; mitigation within the 8-digit HUC would be at a higher (1.5) multiplier; and mitigation would be allowed within the adjacent 8-digit HUC at a higher (2) multiplier.

---

<sup>1</sup> Note that a single 8-digit HUC occupies a larger area than a single 12-digit HUC. For instance, there are four 8-digit HUC’s in the Neuse basin and seventy-five 12-digit HUCs in the same river basin.

<sup>2</sup> For intermittent and perennial streams, Zone 1 begins at the most landward limit of the top of the bank or the rooted herbaceous vegetation and extends landward a distance of 30 feet on all sides of the surface water, measured horizontally on a line perpendicular to a vertical line marking the edge of the top of the bank. For ponds, lakes and reservoirs located within a natural drainage way, Zone 1 begins at the most landward limit of the normal water level or the rooted herbaceous vegetation and extends landward a distance of 30 feet, measured horizontally on a line perpendicular to a vertical line marking the edge of the surface water or rooted herbaceous vegetation.

<sup>3</sup> Zone 2 starts at the outer edge of Zone 1 and extends landward 20 feet as measured horizontally on a line perpendicular to the surface water.

**Table 2: Mitigation Option B**

Adjacent 8-digit HUC	Within 8 digit HUC	Within 12 digit HUC	Mitigation option
n/a	n/a	0.75	1) On site mitigation
2.0	1.5	1	2) All other types of mitigation

Example: If mitigation is done within the 12-digit HUC with on-site mitigation and assuming 200 square feet of Zone 1 buffer impacts, the area of mitigation would be 450 sq ft [=200sqft of buffer impact × 3 impact multiplier is required for Zone 1 impacts × 0.75 for the 12 digit HUC multiplier].

- iii. Option C - Mitigation on-site would be at a reduced (0.75) ratio, within the 12-digit HUC at a reduced (0.75) ratio, and then within the adjacent 8-digit HUC at a higher (2.0) multiplier.

**Table 3: Mitigation Option C**

Adjacent 8-digit HUC	Within 8-digit HUC	Within 12-digit HUC	Mitigation option
n/a	n/a	0.75	1) On site mitigation
2.0	1.0	0.75	2) All other types of mitigation

Example: If mitigation is done in an adjacent 8-digit HUC with coastal headwater stream mitigation and assuming 200 square feet of Zone 1 buffer impacts, the area of mitigation would be 1,200 sq ft [=200sqft of impact × 3 impact multiplier is required for Zone 1 impacts × 2 for an adjacent 8-digit HUC multiplier for all other types of mitigation].

- b. **Accounting for buffer, nutrient offset and stream mitigation credit.** The rule proposes three options to address this issue. The current rules do not address accounting for buffer, nutrient and stream mitigation credit. The division currently uses Option 1 outlined below but this issue has generated considerable controversy. Comparing these different proposals will give the EMC, regulated community and others more information about the benefits and drawbacks to each option.
  - i. Option 1 - Buffer (or nutrient offset) and stream mitigation credits can be counted for both sets of credits on a particular mitigation site. However, buffer and nutrient offset credits cannot be provided at the same location on the same site, nor can sites that are offering wetland mitigation also provide buffer or nutrient offset credit. The division presently uses this option for the existing rules.
  - ii. Option 2 - Buffer (or nutrient offset) and stream mitigation credits could only be counted for both sets of credits if the impact also was to both streams and buffers.

- This option would require the division to determine if impacts were to buffers only (impacts which are parallel to streams) rather than to both streams and buffers (impacts which cross streams). The type of required mitigation would then be matched up with the type of mitigation (stream and buffer versus buffer only). This would complicate the tracking of buffer and stream mitigation for mitigation providers and may result in some stream mitigation credits being unusable for compensatory mitigation in instances where only buffer mitigation is required. The potential benefit is that stakeholders would have more opportunity to obtain buffer mitigation credits since more buffer mitigation opportunities would exist. As in Option 1, buffer and nutrient offset credits cannot be provided at the same location on the same site nor can sites that are offering wetland mitigation also provide buffer or nutrient offset credit. Presently the division makes no such distinction.
- iii. Option 3 – Buffer (or nutrient offset) and stream mitigation would not overlap at all in this option. In this case, the buffers planted next to stream mitigation sites could not be used for buffer credit unless the mitigation provider was willing to completely forego stream credit at the site. In many cases, stream mitigation is needed to have an effective buffer mitigation project. This means that there would be unrecoverable costs for the stream channel work with this option, which would have to be offset by higher mitigation fees as outlined below in Section III. As in Option 1, buffer and nutrient offset credits cannot be provided at the same location on the same site nor can sites that are offering wetland mitigation also provide buffer or nutrient offset credit.

### C. Optional methods of buffer mitigation

The proposed rule change would allow several optional measures to the traditional buffer mitigation of planting trees in non-wooded buffer adjacent to streams. **None of these options would be required.** Rather, stakeholders and mitigation providers would pursue these options on a case-by-case basis. These additional options are being proposed to give the regulated community more flexibility in achieving the required mitigation. These options will enable developers to have projects in otherwise undevelopable areas. These options may cost more than traditional mitigation and if the developers chose to use these options it is in indication that they expect to make a net profit from the project even with increased cost. Based on the stakeholder input these are the proposed optional methods:

- a. **Restoration and enhancement options** – Allowing some buffer credits for sewer easements would benefit certain stakeholders that must maintain sewer lines in the protected riparian buffer. Allowing sewer easements for buffer mitigation credit would open mitigation options in this scenario. The proposed rule presents two options for public comment that deal with the amount of credit that would be offered.

- b. Constructed projects** – The proposed rules would allow mitigation projects that have been constructed to be used as alternative mitigation. Two options are proposed for public comment:
- i. Option 1 allows the use of constructed projects as long as they are still in the required monitoring phase on the date the proposed rule become effective, and
  - ii. Option 2 allows their use for 10 years after they have been released by the Division, as long as they are released before the proposed rule become effective.
- c. Non-structural options**
- i. Coastal Headwater Stream Mitigation – This involves a relatively new way of conducting stream mitigation in subtle stream valleys in the outer coastal plain where extensive earth moving and engineering design are limited to filling of any existing ditches and planting appropriate trees. This practice has been done at about ten sites in the past five years with good success in replacing functioning riparian wetland buffers while minimizing mitigation cost.
  - ii. Mitigation along unmapped streams – Presently the division interprets the existing rules such that acceptable mitigation sites must be along streams shown on the most current version of the 1:24,000 United States Geological Survey (USGS) topographic map or published County Soil Survey. The division estimates about 95 percent of the stream length in any given area is captured by the use of these maps. However, the remaining approximate 5 percent of the stream length cannot be used as mitigation sites.
    - 1) Restoration and enhancement of unmapped streams – The proposed rules would allow buffer restoration or enhancement along streams not depicted on these maps, thereby providing additional sites for buffer mitigation.
    - 2) Preservation of stream buffers along unmapped streams – The proposed rules would allow mitigation credit for preservation of wooded buffers along unmapped streams in these watersheds at a 5:1 ratio. There would still be a requirement for 1:1 restoration or enhancement (ratio is applied to size of impact area before zone and locational multipliers) to ensure the amount of buffers along streams in these watersheds is not diminished. Since protection of these buffers would be determined on a case-by-case basis, it is not clear how much this alternative would be used by developers in these watersheds. However, given the more favorable ratio it is likely that stakeholders would pursue this option more frequently than the option which allows preservation of buffers along mapped streams.
  - iii. Preservation of stream buffers along mapped streams – The proposed rules have two options.
    - 1) Option 1: Would allow mitigation credit for preservation of wooded buffers along streams shown on the USGS or County Soils Survey maps at a 10:1 ratio. There would still be a requirement for 1:1 restoration or

enhancement (ratio is applied to impact area before zone and locational multipliers) in order to make certain that the amount of buffers along streams in these watersheds is at least stable. For example, if you impact 100 linear feet of stream, you would have to restore or enhance 100 linear feet of stream with a 50-foot buffer along both sides of the stream and preserve 1,000 linear feet of stream that is currently buffered. Since protection of these buffers would be determined on a case-by-case basis, it is not clear how much this alternative would be used by stakeholders in these watersheds.

- 2) Option 2: Would allow mitigation credit for preservation of wooded buffers along streams shown on the USGS or County Soils Survey maps at a 10:1 ratio in non-urban areas and a 3:1 ratio in urban areas. There would still be a requirement for 1:1 restoration or enhancement in order to make certain that the amount of buffers along streams in these watersheds is at least stable.
- iv. Restoration of narrower buffers along urban streams- This option allows restoration of 30-foot wide buffers along urban streams rather than the required 50-foot wide buffer. Full or partial buffer credit would be given depending on buffer width and whether appropriate on-site stormwater management is provided. Municipalities that desire to develop a mitigation bank for their own impacts and NC Ecosystem Enhancement Program (EEP) projects in public parks will probably be the major users of this option.
 

Enhancement of grazing areas – The present rules do not provide buffer mitigation credit for excluding grazing livestock from erodible stream banks. The proposed rules would allow buffer mitigation credit to be given for exclusion of livestock from areas with limited tree planting. This option would provide credit for selected sites that today are ineligible for buffer mitigation credit. Although these sites are not widespread throughout watersheds, this option could potentially have a significant impact on reducing livestock nutrient input (pollution) into streams.
- d. **Structural options** - Stormwater Best Management Practices (BMPs). The proposed rules allow engineered solutions to nutrient removal including constructed wetlands, bio-retention areas, infiltration devices and sand filters, as well as wet ponds followed by measures for diffuse flow. These practices may be proposed in areas where other options are limited since these engineered approaches tend to be more expensive than planting trees along non-wooded streams. Stormwater BMPs are standard designs with which the engineering and regulatory communities are very familiar based on several decades of experience in designing, reviewing, constructing and maintaining these facilities especially in urban areas.

- e. **Other options as approved by the EMC** - The rules contain a provision for stakeholders or mitigation providers to develop other alternative approaches for nutrient reduction and propose them to the EMC for buffer credit. The proposed method of mitigation would have to be placed out to public notice and comment by the division before presentation to the EMC for formal approval.

### III. Potential Economic Impact Associated with 15A NCAC 2B .0295 – Alternative Buffer Mitigation Rules

**Baseline cost of buffer mitigation** – The baseline cost for buffer mitigation was determined by searching the division’s Basinwide Management System (BIMS) database, which tracks buffer impacts and corresponding buffer mitigation requirements. The division has complied the mitigation requirements for 2005 through 2010 (see Table 4).

**Table 4: Buffer impacts and mitigation required from 2005 to 2010**

	Amount of buffer impact approved (square feet)*	Amount of buffer mitigation required (square feet)
<b>2005</b>	4,562,214	1,626,301
<b>2006</b>	6,269,646	10,014,325
<b>2007</b>	4,005,858	585,160
<b>2008</b>	6,506,069	7,511,487
<b>2009</b>	4,927,865	1,407,728
<b>2010</b>	1,925,690	977,728
<b>Average</b>	4,699,557	3,687,122

\*These impacts include allowable, allowable with mitigation and prohibited uses that are currently in the buffer rules. Only allowable with mitigation and prohibited uses require mitigation.

As of January 31, 2012, the cost of buffer mitigation increased from 96 cents to 99 cents per square foot, per rule 02B .0269, based on the construction costs index factor published in the *Engineering New Record*. The division used the \$0.99 per square foot rate and the average amount of buffer mitigation in 2005-2010 to estimate the average buffer mitigation costs associated with the proposed mitigation rule to be about \$3,650,000. Session Law 2011-394 (HB 119) makes a change in the provision for requiring buffer mitigation that could affect these calculations. The Session Law essentially states that mitigation will not be required for construction of a single family residence located on a lot adjacent to salt marsh. To determine the effect of this provision on the amount of mitigation required, BIMS was searched for all projects in this timeframe (July 2005 thru June 2010) which were adjacent to SA, SB or SC waters which we assume could have salt marsh buffers. A total of 35 projects (from a total of 343 projects adjacent to these waters which required buffer mitigation) were identified which required a total of 40,882 square feet of buffer mitigation. In general, these impacts are relatively small with

correspondingly small buffer mitigation requirements. Since this amount is a very small percentage of the total mitigation required over this timeframe (0.2 percent), this analysis was not adjusted to reflect this policy change.

Given that there is no particular trend in the amount of buffer mitigation requirement per year, the six year average amount and 99 cents per square foot of mitigation cost 4 was used in the following analysis to determine the potential additional cost of other options.

DWQ queried BIMS for the same timeframe to identify what groups are providing buffer mitigation across the state. This analysis shown in Table 5 below shows DOT and private land developers were required to provide the vast majority of buffer mitigation. Therefore, DWQ assumes that most of the impacts (both costs and benefits) of these proposed rule changes would be incurred by these two parties, with DOT incurring half the impacts.

**Table 5- Applicants and percentage of total square feet of buffer mitigation from 2005 to 2010**

Applicant	Percentage of Buffer Mitigation
NCDOT	54.73
Private Development	35.48
Local Government	4.52
Federal Government	4.15
Single Family Residential Lots	1.11
State Government Other Than DOT	0.01

### **Additional cost for various provisions in proposed rules**

#### **A. Provisions Applying to all Required Mitigation**

The rules contain three provisions that would apply to all mitigation proposals - conservation easements, completion bonds, and non-wasting endowments for long-term operation and maintenance. Conservation easements and completion bonds are payable to the division to ensure land purchase, construction, monitoring and maintenance are completed on a buffer mitigation site. Conservation easements are already required on all stream and wetland mitigation sites. Therefore, this provision will have no additional cost compared to the present cost of buffer mitigation since mitigation bankers presently calculate this option into mitigation sites. Also, completion bonds, while not currently required in rule, are a standard practice on most sites, and including the bonds as a requirement in the proposed rules would not create an impact in reality.

Completion bonds and non-wasting endowments (or equivalent measures) are instruments that ensure the cost of long term monitoring and maintenance are covered. These measures are becoming more common for mitigation sites but are not universally required for buffer mitigation. The purpose of non-

wasting endowments is to generate enough annual interest from the endowment to hire staff for periodic visits to sites in the future to make certain that the buffers functioning to remove nutrients from urban and rural stormwater runoff. The cost of non-wasting endowments varies from location to location and with the level of required oversight so it is difficult to find a single number to represent the cost of the non-wasting endowment. Based on estimates from the NC EEP and discussions with private mitigation bankers in North Carolina, an average of no more than about three-percent of the overall cost of mitigation seems reasonable. The endowment principle would be collected at the time of payment to the EEP program, effectively raising the cost by three cents per square foot of mitigation. Therefore requiring non-wasting endowments and completion bonds (or equivalent measures) could add about \$110,000 annually to the cost of buffer mitigation for whichever one is used by the applicant. The division derived this figure by multiplying three cents by the average annual square feet of buffer mitigation and the current cost of mitigation per square foot ( $3\% \times \$0.99 \times 3,687,122 = \$109,500$ ).

## **B. Approaches Applying to all Mitigation Proposals**

### **a. Mitigation Location**

The proposed rules have three options as follows:

- i. Option A: Mitigation within the 8 digit HUC and then at a higher multiplier (2.0) in the adjacent HUC.
- ii. Option B: Mitigation on-site at a reduced (0.75) multiplier, within the 12-digit HUC, at the subwatershed level (using the standard multipliers), within the 8-digit HUC at a higher (1.5) multiplier, and then within the adjacent 8-digit HUC at a higher (2) multiplier.
- iii. Option C: Mitigation on-site at a reduced (0.75) multiplier, within the 12-digit HUC at a reduced (0.75) multiplier, and then within the adjacent 8-digit HUC at a higher (2.0) multiplier.

Option A (mitigation within the 8-digit HUC) is similar to the present process or requiring 1:1 mitigation with the 8-digit HUC, but also allows mitigation in the adjacent 8-digit HUC. Option A would most probably have no additional cost in comparison to the current rules since the double amount of mitigation required for the adjacent HUC, and implicitly the higher land costs, would deter many from using that option. Note that land costs are the biggest component of mitigation costs.

Option B (on-site or 12-or-8-digit HUC) would only require 75 percent of the mitigation if it is done on site, the present amount of mitigation would be required in the 12-digit HUC and then 50 percent more mitigation would be required if the mitigation was in the 8-digit HUC but not in the 12-digit HUC where the impact occurred. There would be some additional costs for a higher multiplier for within 8-digit HUC mitigation, which is the most likely type of mitigation location to be chosen. On-site mitigation is usually very limited since most streams have existing wooded buffers, so there would not be many opportunities for savings from the lower multiplier and lower land costs for on-site mitigation. Again, mitigation in the adjacent HUC is expected to be used seldom due to higher land costs.

Option C would require less mitigation than the current rules if mitigation is performed on-site or within the 12-digit HUC. Again, adjacent 8-digit HUC or on-site mitigation is expected to be very limited. In addition, given fewer mitigation options available in smaller HUCs and the potentially higher cost to perform mitigation in those HUCs, there might not be any savings from Option C versus what the current requirements are.

Data on the availability of mitigation sites and on the location of mitigation sites relative to impact sites are not readily available, so the following analysis is based on division staff's professional judgment and experience on buffer projects. Given the small size and relatively large number of 12-digit HUC units (for instance, there are about seventy-five, 12-digit HUC's in the Neuse and Tar-Pamlico basins in contrast to the four 8-digit HUC's in those basins) leads to staff to use best professional judgment to estimate that mitigation in the 8-digit HUC would still be the norm with a few exceptions of on-site mitigation and mitigation within the 12-digit HUC. The division also believes that Option A could be more expensive than Options B and C due to the absence of the 12-digit HUC lower multiplier option for the rare cases an applicant would have available sites for mitigation in the 12-digit HUC. Options B and C could be cheaper having the 12-digit HUC lower multiplier option, and could lead to decreases in the total annual cost, at the rate of \$0.25 per square foot if mitigation is possible within the 12-digit HUC. Any additional cost that are incurred from having higher multipliers for adjacent 8-digit HUCs would be offset by the benefits the regulated party would incur (otherwise the adjacent 8-digit HUC would not be chosen). Option B, however, due to the requirements of a higher multiplier for the 8-digit HUC than the current rules, could increase annual costs by about \$1,830,000 [= 0.5 × (about 3,690,000 sq ft of required mitigation per year × 99 cents)].

Note that the proposed location mitigation options may have an indirect impact on property owners in some parts of the state. To the extent that mitigation will be performed in sites with a higher location multiplier, and depending on the land prices in the selected location, mitigation providers could incur higher land related costs that would translate into benefits for property owners. Conversely, owners may be negatively impacted if the overall size of areas of mitigation is smaller or mitigation is performed on less expensive plots of land. Given the uncertainties related to which mitigation location language will be chosen by EMC and what choices mitigation seekers will make as a result, it is difficult to determine what the net impact to property owners may be, but it is likely to vary throughout the state.

The division feels there is no difference in the three location options in water quality benefits to the estuary. However, these options might lead to changes in water quality upstream depending on the amount of impact and mitigation, as well as hydrologic and geologic properties of some locations.

#### **b. Accounting for buffer, nutrient offset and stream mitigation credit**

Three credit accounting options are presented in the proposed rules. These options were developed during a stakeholder meeting held in Raleigh on December 9, 2009. The division and EEP staff reviewed these options in January 2011 and estimated the additional cost associated with the options. The cost varied depending on whether stream restoration is needed on any particular site or whether simply planting trees would suffice. For Option 2, the accounting that would be required by the division and mitigation providers (including private bankers and the EEP) would be complex but possible. The

following costs were estimated for each option compared to the present approach that the division uses.

**Option 1** - would allow the counting of both buffer and stream mitigation credits on a site. Nutrient offset credits and buffer credits could not occur on the same site. Similarly, wetland mitigation credit could not also be counted as buffer or nutrient offset credit. All of these procedures are consistent with the process currently followed by the division so there is no additional cost associated with this option.

**Option 2** - is an option that is a compromise between the way the division does business now with buffer and stream mitigation (Option 1) and how some private mitigation bankers have voiced they would like to see buffer and stream mitigation done (Option 3). Option 2 is preferred by several environmental conservation groups and would allow buffer and stream mitigation at the same site if the impact was to both streams and buffers. For instance, an impact from the construction of a road crossing of a stream channel could do mitigation at a stream and buffer mitigation site. However, if the impact was to buffers only (for instance for a sewer line that runs parallel to a stream rather than crossing the stream), then mitigation would be at a buffer only site. Any stream mitigation credit associated with that site would not be available for 401 Certification (the permit). This option could be more expensive than the current practice since many buffer mitigation sites also require grading of the landscape to create a stream channel and this cost could not be recovered from the site under this proposed option. The higher cost also reflects the fact that the site costs could not be used to support stream mitigation credit. Based on division and EEP staff estimates of the cost of mitigation and what percent of buffer projects also require channel work, the division believes that this option would increase costs at least 24 percent for a stable channel and 41 percent for an unstable channel. These cost increases are based on staff's professional knowledge of these practices. So, the estimated cost increase would be between \$880,000 and \$1,500,000 [=24% or 41% × (about 3,690,000 sq ft of required mitigation per year × 99 cents)]. Of the 39 buffer and nutrient offset mitigation projects done by the EEP, only two (5 percent) required streambank work in addition to tree planting. Therefore, the actual cost would be closer to the 24 percent increase rather than the 41 percent increase, and the 24 percent cost increase assumption is used in this analysis. Furthermore, this option would also significantly increase DENR's staff time since buffer mitigation is currently tracked separately from stream and wetland mitigation and reconciling the two would be difficult and time consuming. The Division is unable to quantify at this time what the impact on staff time might be.

**Option 3** - would not allow buffer mitigation to occur on sites where stream mitigation credits are generated. This is a rather simple option to track with existing accounting systems but would greatly increase the cost of mitigation. Division and EEP staff estimate based on best professional judgment that this option would increase costs by about 41 percent for stable streams and 99 percent for unstable streams since any work done on the channel could not be covered without raising mitigation fees. The estimated impact would be an increase of between \$ 1,500,000 and \$3,600,000 [=41% or 99% × (about 3,690,000 sq ft of required mitigation per year × 99 cents)]. Since only 5 percent of the 39 buffer and nutrient offset mitigation projects done by the EEP required streambank work in addition to tree planting (i.e. were unstable stream projects), the actual cost increase would be closer to the 41 percent rather than 99 percent, and the 41 percent cost increase assumption is used in this analysis.

### C. Optional methods for buffer mitigation

The proposed rules also would create optional methods of buffer mitigation to allow the regulated community greater flexibility and potentially lower the cost of compliance. The three categories of methods include non-structural options, structural options and other options as approved by EMC. It is unclear whether the availability of greater mitigation alternatives in itself would result in any significant savings in terms of costs related to locating and securing a mitigation site.

#### a. Constructed Projects

The proposed rules would allow for buffer mitigation credit past the five-year monitoring period and there are two options proposed for EMC's consideration:

- i. **Option 1:** Would allow for buffer mitigation projects constructed within the required monitoring period as of the effective date of this Rule to be eligible for use as alternative buffer mitigation. Projects that have completed monitoring and have been released by the division as of the effective date of this Rule are not eligible for use as alternative buffer mitigation.
- ii. **Option 2:** Projects that have been constructed and are within the required monitoring period on the effective date of this Rule are eligible to use alternative buffer mitigation. Projects that have completed monitoring and have been released by the division on or before the effective date of this Rule are eligible to use alternative buffer mitigation for a period of ten years from the effective date of this Rule.

There should be no change in cost or benefit from Option 1. Giving final mitigation credit at the end of the five-year monitoring period is consistent with how buffer mitigation projects are currently handled. Option 2 would allow for about three projects to be accepted for mitigation. The benefit to the stakeholders (one by private industry and two by mitigation banks) would be approximately \$3.4 million, based on information they provided. This option is being requested by stakeholders that were installing alternative buffer mitigation projects, but due to the length of time the rulemaking process is taking, they will not get credit past the normal 5-year monitoring period.

The private industry project has 19.57 acres of buffer impact for which they need mitigation. The mitigation required is 46.28 acres (Zone 1:  $11.28 \times 3 = 33.84$  acres and Zone 2:  $8.29 \times 1.5 = 12.44$  acres). Potential buffer credit, including the coastal headwater valleys they have already planted, is 100 acres. Only 28 acres of buffer restored could be counted in accordance with the current rules. Therefore, 72 acres would be additional buffer credit if the proposed rules pass. This benefit cost would be  $72 \text{ acres} \times 43,560 \text{ sq ft} \times 99 \text{ cents} = \$3.1 \text{ million}$ . If they can't receive the coastal headwater valley credit, they could only receive 28 acres of buffer mitigation credit which would be  $28 \text{ acres} \times 43,560 \times 99 \text{ cents} = \$1.2 \text{ million}$ .

Two mitigation banks seeking buffer mitigation credit for cattle exclusion measures they have already undertaken have paid \$305,000 (\$115,000 for one bank and \$190,000 for the other bank).

This net one-time benefit with the two banks (\$115,000 + \$190,000=\$305,000) and one private industry project (\$3.1 million) being able to gain credit for buffer mitigation currently not allowed in the rules would equal \$3.4 million.

#### **b. Non-structural options**

By creating more opportunities for the regulated community to perform mitigation themselves rather than paying into the Riparian Buffer Restoration Fund or a mitigation bank, the proposed rule might lead to the regulated community incurring more costs related to conservation easements (mostly related to land costs ), completion bonds, and non-wasting endowments (see discussion above for the potential cost of a non-wasting endowment). However, the regulated community also benefit from not paying the Fund or mitigation bank fees. The potential cost and benefit associated with each of the new mitigation options are presented below.

**Coastal Headwater Wetland mitigation** – This type of mitigation is somewhat cheaper than standard stream mitigation since less engineering and site manipulation is needed. The EEP and a private developer have each restored about five of these streams. Compared to traditional mitigation, coastal headwater mitigation costs about 10 percent less according to these sources. The average cost for doing this form of mitigation would be \$0.89 per square foot. The division does not expect this form of mitigation to be used often due to the fact it is limited to coastal buffered counties and the lack of availability of coastal headwater wetlands.

**Restoration of buffers along unmapped streams** – The cost of this mitigation would be the same as mitigation along mapped streams since the costs of design, land acquisition, planting, stream work, and monitoring would be exactly the same. The advantage of this option is that it would expand the possible number of buffer mitigation sites, which would allow some flexibility and perhaps decrease the time spent on identifying a mitigation site. However, since the use of the two maps covers about 95 percent of the stream length, the number of additional sites would be limited. The USGS topographic maps underestimate streams on the coast but overestimate streams in the piedmont. Soil survey maps from NRCS overestimate streams on the coast, but underestimate streams in the piedmont. Based on division research, taking these two maps together as the current buffer rules require will provide a 95 percent accuracy in locations of buffered streams in the buffered basins in North Carolina. With only 5 percent of the overall streams in the buffered basins not being accurately shown on one of the two maps, the division staff thinks very few projects will be able to utilize the restoration of unmapped streams option in the proposed rules.

**Preservation of stream buffers along unmapped streams** –This option would allow the preservation of buffers along unmapped streams at a 5:1 ratio along with 1:1 buffer restoration. This option would again only be useful for stakeholders with large amounts of unmapped streams on their property, which is a rare occurrence. A smaller number of streams would need to have a conservation easement and non-wasting endowment since only 5 percent of the overall streams in the buffered basins could

potentially be captured in this option. The overall cost of this option would only be a little less than the preservation of stream buffers along mapped streams. Based on the cost of conservation easements and non-wasting endowments, the division estimates that this option would cost less than traditional mitigation but anticipates that it could only rarely be utilized. The USGS topographic maps underestimate streams on the coast but overestimate streams in the piedmont. Soil survey maps from NRCS overestimate streams on the coast, but underestimate streams in the piedmont. Based on division research, taking these two maps together as the current buffer rules require provides a 95 percent accuracy in locations of buffered streams in the buffered basins in North Carolina. With only 5 percent of the overall streams in the buffered basins not being accurately shown on one of the two maps, DWQ thinks very few streams will be able to utilize the preservation of unmapped streams option in the proposed rules.

**Preservation of stream buffers along mapped streams** – This option would allow mitigation credit at a 10:1 ratio for preservation. The agency is requesting public comment on an option to allow 10:1 preservation for non-urban streams, but at a rate of 3:1 for urban streams. With either option, there would also be the requirement for a 1:1 buffer restoration or enhancement. The practicality of this option varies widely depending on the site but it could be a valuable option for large, private developments that will preserve the remaining streams on a site or for urban projects where locating a large preservation site could be very problematic. Preserving an area of stream buffer in urban areas, even if it is smaller, would have a positive effect on the water quality in the applicable basins. In these cases, the costs for preservation will be the conservation easement and non-wasting endowment along with the required 1:1 restoration or enhancement. This option could reduce the cost of mitigation for large developments with sufficient amounts of stream to preserve, although they may experience higher costs related to land. We assume that preservation will only be a viable option for residential developments (since only those developments are likely to contain large amounts of buffers to preserve) and possibly for public projects such as sewer lines and greenway since the municipalities that pursue these projects often own land along streams. Projects such as road crossings and commercial development were not considered as likely to utilize this option since the NC Department of Transportation typically only purchases rights-of-way for the road itself and commercial development typically is on a relatively small parcel which would be unlikely to have significant amounts of streams.

**Restoration of narrower buffers along urban streams** – This option would allow 30-foot wide buffers (rather than 50-foot wide buffers) along urban streams. The cost of the buffers would be 40 percent less ( $1 - 30/50$ ), or about 40 cents less per square foot of buffer, and conservation easement costs related to land may be lower, but this saving would probably be more than offset by the requirement for on-site stormwater management. This cost varies tremendously by site and cannot be generally estimated; the construction costs alone vary \$4,000 to \$60,000 per acre of site, or about \$0.1-1.4 per square foot (NC State University, 2003 and IHS Global Insight Inflation data). However, the division believes that any savings of buffer planting will be more than offset by the cost for construction of on-site stormwater Best Management Practices. The practical benefit of this option is that it would increase the number of potential mitigation sites greatly in urban areas. This option will also allow stakeholders to gain credit on streams that are highly eroding due to larger stormwater inputs from the development around the streams that would greatly benefit from a restored buffer that is narrower than what is

currently allowed in the buffer mitigation rules. Overall, the division thinks this option would not be cheaper than traditional mitigation. Stakeholders have stated during the policy development process that having this option is necessary for areas where this may be the only option for obtaining buffer mitigation credit. This is an indication that stakeholders value the benefit of having a greater number of developable sites more than the potential increase in cost.

**Sewer Easements** – The proposed rule would allow for some credit to be gained from properties where there is a sewer easement.

**Option 1:** The portion of the sewer easement located in Zone 1 or Zone 2 of the buffers could not be counted towards buffer mitigation credit. This is due to the fact that per the current buffer mitigation rules and this proposed rule, in order to obtain mitigation credit you must plant the buffer. However, under the proposed rule, the applicant may get narrower buffer credit in accordance with (k)(2)(D) of this rule.

**Option 2:** If the proposed mitigation site contains a sewer easement, the portion of the easement located within Zone 1 will not be for buffer mitigation credit, but credit would be granted for a dedicated sewer easement in Zone 2 buffer if:

1. the sewer easement is at least 30 feet wide, and
2. the sewer easement is maintained in a condition which meets the vegetative requirements of the collection system permit, and
3. the applicant will restore or enhance the forested buffer in Zone 1 adjacent to the sewer easement.

The sewer easement option would benefit stakeholders, especially municipalities, who maintain sewer lines in protected riparian buffers. Allowing this option would increase mitigation options and would result in lower mitigation costs for these stakeholders. However, this relaxation of the Zone 1 forested buffer required in the current buffer rule will result in weakened protection of the estuary. This means there would be diminished public water quality benefits associated with this option.

Using data from 2005-2010 in the BIMS database, division staff calculated that there were 41 utility line projects (water or sewer lines) that required buffer mitigation totaling 496,312 square feet of required buffer mitigation. This could equate to a benefit to municipalities of \$491,000 (496,312 square feet × 99 cents) of buffer mitigation if Option 2 is chosen.

**Enhancement of grazing areas** – This option would allow grazed areas with scattered trees to be counted as buffer restoration or enhancement at a 2:1 ratio. The cost of this option would be about double the cost of traditional mitigation since the only cost that would not have to be borne by the mitigation would be to lower the cost of planting depending on the site. Fencing would be the notable extra cost associated with this use. However, this option would again increase the number of potential mitigation sites. Costs associated with this use would be approximately \$1.20 a linear foot per Soil and Water Conservation Program estimates. An estimate on how much this would add to a project is unknown due to the variability in the size of the mitigation projects.

### c. Structural options

Structural options allowed by this proposed rule include constructed wetlands, bio-retention facilities, infiltration devices and wet ponds followed by wooded filter strips. The costs of these facilities are (in general) much higher than the simple planting of trees along un-wooded stream channels. In addition, the cost of designing, constructing and operating constructed wetlands can be highly variable (Hathaway and Hunt 2007, Virginia Water Resources Research Center 2011). It is not clear how large a constructed wetland would have to be to be used in place of planting a wooded buffer along streams since the rules require that the proponent get EMC approval for the calculation method for the particular site. In general, the division thinks that structural options would likely be more expensive than traditional buffer mitigation but that the exact cost would vary from site to site. The lower cost estimate for this option is estimated to be \$91,000 (Hathaway and Hunt 2007, Virginia Water Resources Research Center 2011). The main advantage of this option is that it would increase the number of potential mitigation options in locations where such choices may become limited (such as in urban areas or locations such as Tar-Pamlico 04 and 05 where stream densities are naturally low). Therefore, there would be a time savings to the stakeholders due to the increased mitigation options. The division asked several stakeholders to place a value on this option. Several developers stated that having this as an option could greatly cut planning costs on larger projects where the amount of available buffer mitigation could be very limited or scarce. In situations where this option is used, stakeholders are willing to pay for structural options and anticipate this option's benefits are equal to or greater than the costs.

Other options as approved by the EMC – This provision in the rule would allow a stakeholder or mitigation provider to propose another type of buffer mitigation that neither the division nor the stakeholders have anticipated to date. Since this option is so broad, an estimate of the cost of this option is not possible until the exact option is proposed to the EMC. Presumably, a stakeholder or mitigation provider would only propose a less expensive option when compared to traditional mitigation if traditional mitigation options were still available in a certain area. This option could cost division staff time to review and prepare a presentation to the EMC for approval. Costs associated with staff time would be dependent on how often these other options were being proposed by stakeholders. The division does not expect other options to be used often, so costs should be minimal.

The impact discussion above does not account for the fact that providing additional opportunities for mitigation might result in the regulated community building more projects that require buffer mitigation than before. Additionally, while some of the options above are estimated to increase the cost of mitigation, it is assumed that any person that opts for that method of mitigation is deriving an additional benefit that is at least equal to the additional cost estimated.

#### IV. Water Quality Benefits of Riparian Buffers

Riparian buffers have been well documented to provide crucial water quality benefits including transformation and removal of nutrients, removal of sediment, removal of toxicants such as heavy metals, removal of pathogens such as bacteria and viruses, provision of shade for in-stream temperature control, stabilization of stream banks, and provision of leaves and woody material to stream channels for aquatic life support. The extensive scientific research done in North Carolina and across the world has made it clear that a wooded buffer is essential to the health of the aquatic ecosystem of the adjacent water. Some of this research is summarized below. Because the water quality benefits of buffers vary greatly from site to site, quantification of these benefits into dollar values is challenging. In addition, these benefits will only be potentially realized at the estuary point in instances when the proposed rule change increases the total amount of buffers. Also, in areas where buffer mitigation is no longer available, such as in Tar-Pamlico 04 and 05 HUC, nutrients to the Tar-Pamlico estuary could increase. The hope with these proposed rules is to allow for more options, other than planting a buffer, to counter any increases in nutrients to the estuaries for those who are running into this problem of no viable buffer restoration sites.

**Nutrient transformation and removal** – Riparian buffers can remove significant amounts of nitrogen and phosphorus and thereby protect downstream waters from eutrophication. For instance, Mayer, *et al.* (2007) conducted an extensive review of the scientific literature on the removal of nitrogen by riparian buffers and provided a regression equation to predict the removal of total nitrogen by various widths of riparian buffers. His work found that a 50-foot wide buffer removed about 70 percent of the total nitrogen entering the buffer through stormwater. Similarly, for phosphorus, research has shown riparian buffers have significant reductions in phosphorus levels in stormwater runoff (Wenger 1999) with a 9 meter (30-foot) wide buffer removing 46 to 79 percent of total phosphorus.

**Sediment removal** – Riparian buffers can remove significant amounts of sediment. For instance, Dillaha, *et al.* (1988) found that even a fairly narrow buffer of 15 feet was able to remove 76 to 87 percent of sediment. Wider buffers (30 feet) were more effective and removed from 88 to 95 percent of sediment depending on slope. On steeper slopes, wider buffers are probably needed but in general, the 50-foot buffer required by state riparian buffer rules will remove the vast majority of sediment.

**Toxicant removal** – Buffers remove significant amounts of toxicants such as heavy metals or organic pollutants found in stormwater runoff. Wenger (1999) summarized various publications and based on the limited data available in the scientific literature, concluded that buffers at least 50-feet wide are needed with wider buffers on steeper slopes.

**Pathogen removal** – Buffers can remove significant amounts of these pathogens – bacteria and viruses from stormwater. For instance, Trask, *et al.* (2004) reported that buffers were very effective in removing *Cryptosporidium parvum* from simulated runoff. Similarly, Collins, *et al.* (2004) found that fecal bacteria (*Escherichia coli* and *Campylobacter*) were removed by buffer strips and concluded that buffers of at least 15-feet in width were needed to markedly reduce the levels of fecal bacteria in simulated runoff. Finally, Stout, *et al.* (2005) examined runoff transport of fecal coliforms from manure and concluded that buffers can remove significant amounts of these pollutants. In general, it is clear that buffers such

as those required by the state's riparian buffer rules can remove significant amounts of bacteria from stormwater runoff.

**Provision of shade** – Wooded riparian buffers can significantly reduce stream temperatures during the hot, summer months. Wenger (1999) that a width of at least 30-feet was important for temperature control. Researchers in Georgia (Jones, et al 2006) examined the importance of wooded buffers to trout populations in the Appalachian Mountains in Georgia. They concluded that streams with 50-foot wide buffers had higher temperatures than those with 100-foot wide buffers with a predicted 66 to 97 percent reduction in trout populations in streams with the narrower buffers.

**Stabilization of stream banks** – Wooded buffers have significant effect on stabilizing stream banks and preventing their erosion and impact on downstream waters. Wenger (1999) concluded that buffer widths sufficient for other purposes should also be sufficient to prevent stream bank erosion. Therefore, the 50-foot state riparian buffer width should have significant benefits in stabilizing streambanks.

**Provision of leaves and woody debris**- Woody debris and trees leaves are essential inputs of energy and nutrients into streams since they (and the bacteria and fungi growing on them) provide food for aquatic insects which are the base of the aquatic food chain. Little research has been done on the width needed to provide this essential function but research reported from the piedmont of North Carolina (Dorney, personal communication, September 23, 2011) showed that about 95 percent of tree leaves in forested riparian buffers fall within 50-feet of the stream channel. Therefore once again, the 50-foot state riparian buffer width should have significant benefits in providing leaves to stream ecosystems

It is clear that wooded riparian buffers are essential to healthy streams and provide essential and highly beneficial effects on water quality. In fact, it can be stated from this work that without wooded buffers along streams, water quality will dramatically decrease. A study done concerning lake water quality in the United States (Kramer, *et al.* 2006) concluded that riparian buffers were a more cost effective way than retrofitting a stormwater best management practice to address phosphorus which resulted in decreased lake water quality in 24 of the 25 lakes studied. Protection and restoration of wooded buffers provides a significant economic benefit to water quality since they can be used in place of more expensive water treatment measures.

Assuming that the cost of nutrient removal provides a lower bound estimated of the value placed on nutrient reduction, the Division used information from the NCEEP program to estimate some of these benefits in monetary terms.

The North Carolina EEP nutrient offset credit rate is \$18.49/lb for nitrogen (N) and \$142.02/lb for phosphorus (P). EEP Estimates that over a 30-year period, one acre of forested riparian buffer prevents 2,273 lbs---N and 146.4 lbs---P from reaching surface waters. Therefore, assuming constant removal cost rates, one acre of forested riparian buffer has a value of: \$18.49/lb X 2,273 lbs---N---30 years = \$42,027.77 and \$142.02/lb X 146.4 lbs---P---30 years = \$20,793.19.

Wooded riparian buffers provide both ecosystem services through different mechanisms. The combined nutrient removal value for one acre of restored forested riparian buffer over a 30-year period is

\$62,820. The price for a riparian buffer mitigation credit through North Carolina EEP is \$0.99/square foot, which translates to \$43,124/acre. Assuming the value placed on water quality is mimicked by the costs EEP incurs to remove nitrogen and phosphorous, the net benefit of an acre of riparian buffer would be about \$20,000 over a 30-year period. Given all the options available to the regulated community, it is unclear how many more acres of riparian buffers would result from the proposed rule change.

From the non-structural options that the proposed rule presents, the most likely to be employed is the narrower buffers along urban streams, where projects would receive either partial credit or be required to build some stormwater BMPs. While it is unclear whether cost savings from the narrower buffer offset the BMP costs, there is some indication that the public benefits from restoration and BMP would surpass the costs. A 2004 study along the Little Tennessee River found that the benefit cost ratio for riparian restoration plus a BMP ranged from about 4 for 2 miles of restoration to 16 for 6 miles of restoration (Holmes et. al., 2004).

While water quality in the estuary is not expected to deteriorate, there may be undesired effects in certain locations where the mitigation would be further away from the impact, or may be provided in a form that is not as efficient at providing the same water quality benefits given the geological and hydrological properties of the location. A study on two different sections of buffer on the same stream showed the two sections performed differently despite being in close proximity to one another (Messer et. al., 2012).

## **V. Summary of Costs and Benefits for Proposed Rules.**

The impacts of various options outlined in the rules are described above. These costs are summarized in Tables 6 through 8 below.

The overall cost and benefit of these flexible buffer mitigation rules will vary across the state depending on construction and land costs as well as the availability of traditional buffer mitigation sites. Perhaps the area of the state where these options will be most useful is in coastal plain locations such as Tar-Pamlico 04 and 05 area. This 8-digit HUC is centered on the Washington, NC area and (as is typical of coastal plain areas) is naturally characterized by few streams. In addition, these streams usually have wooded buffers since the buffer areas are often riparian wetlands and too wet for agriculture. For these reasons, locating traditional buffer mitigation sites in this area has become problematic. The availability of these options will provide an expanded list of buffer mitigation possibilities needed to compensate for unavoidable buffer impact for important development activities such as roadway improvements.

**Table 6 – Summary of Annual Costs of Various Options in the Proposed Rules compared to the 2005 – 2010 Baseline: Provisions that would apply to all buffer mitigation options**

<b>Item</b>	<b>Description of option</b>	<b>Percent increase in cost</b>	<b>Estimated additional annual cost or benefit</b>
Conservation easement	Agreement that limits use of land	0 percent	Zero additional cost-already required for mitigation sites
Completion bonds	Financial agreement that insures a project has the money to be completed	0 percent	Zero additional cost-already standard practice for mitigation sites
Non-wasting endowment	Agreement so funds are available for periodic site visits to insure buffers are functioning	3 percent	\$110,000 estimated annual cost-not universally required for buffer mitigation sites

**Table 7 - Summary of Annual Costs of Various Options in the Proposed Rules compared to the 2005 – 2010 Baseline: Approaches in the Rules which would apply to all mitigation proposals.**

<b>Item</b>	<b>Description of option</b>	<b>Percent increase in cost</b>	<b>Estimated additional annual cost or benefit</b>
Mitigation Location Option A	8-digit HUC	0 percent	Zero additional cost or benefit
Option B	On-site followed by 12-digit HUC as standard area and 8-digit HUC with 1.5 multiplier	Up to 50 percent increase due to 1.5 multiplier for 8-digit HUC	\$1,830,000 of additional annual cost; some benefit from reduced ratio for mitigation in the 12 digit HUC
Option C	On-site followed by 12-digit HUC as standard area and 8-digit HUC with 1.0 multiplier	Unclear	Zero additional cost for those mitigating in 8-digit HUC; some benefit from reduced ratio for mitigation in the 12 digit HUC but might be offset by higher cost and fewer mitigation options

<b>Item</b>	<b>Description of option</b>	<b>Percent increase in cost</b>	<b>Estimated additional annual cost or benefit</b>
Accounting for buffer, nutrient offset and stream mitigation credit	Option 1 – No restriction on accounting	0 percent	Zero additional cost or savings. This option is currently how division handles buffer and stream mitigation
	Option 2 – align impacts with mitigation	24 percent annual increase	\$880,000 of additional annual cost; plus additional DENR staff time
	Option 3 – disallow buffer credit on stream mitigation sites	41 percent annual increase	\$1,500,000 of additional annual cost
Mitigation credit for alternative measures			
Option 1	Credit after five- year monitoring period release	0 percent Would be a benefit with additional options gaining credit	No additional cost
Option 2	Credit up to ten years from effective date of the rule	0 percent	Could be up to \$3.4 million in additional benefits (one- time benefit)

**Table 8 - Summary of Annual Costs of Various Options in the Proposed Rules compared to the 2006 – 2010 Baseline: Optional methods of buffer mitigation allowed in the proposed rules**

<b>Item</b>	<b>Description of option</b>	<b>Percent increase in cost</b>	<b>Estimated additional annual cost or benefit</b>
Non-structural options	Coastal headwater stream mitigation	-10 percent	10 percent cheaper than current methods
	Restoration of buffers along unmapped streams	0 percent	There will be no additional costs and more sites will be available for mitigation. There is a time savings by stakeholders being able to gain credit for restoring buffers on streams not mapped on their property

Item	Description of option	Percent increase in cost	Estimated additional annual cost or benefit
	Preservation of buffers along unmapped streams	Slightly less costly than traditional mitigation.	This option will lower costs but can seldom be used since unmapped streams ( 5 percent of total) could use this option.
	Preservation of buffers along mapped streams	Less costly than traditional mitigation.	There would be more opportunities to perform mitigation saving stakeholders time to identify a mitigation area, as well as a small cost difference between this option and traditional mitigation.
	Restoration of narrower buffers along urban streams	Variable and cannot be determined since the higher cost of the required on-site stormwater management may or may not offset the lower cost associated with a narrower buffer.	Overall cost implications will be site specific and this option will increase the number of sites available for mitigation
Sewer Easement Mitigation Credit: Option 1:	No credit for grassed easements in the buffer	No increase	No increase
Option 2:	Credit for grassed easements in the buffer	Could lead to increased nutrient run-off to the estuaries due to less forested buffers	\$491,000 benefit for municipalities
Enhancement of grazed areas		Costs \$1.20 per linear foot	This method would be double the cost of traditional methods but would increase the number of available sites.


Item	Description of option	Percent increase in cost	Estimated additional annual cost or benefit
Structural options	Various options including constructed wetlands, bioretention, and infiltration devices	Cost of structural options are substantially higher than standard buffer mitigation.	This method is more costly but will increase the number of mitigation sites. These solutions may work in situations where projects would be unable to proceed otherwise.
Other options as approved by the EMC		Any such option would be proposed by stakeholders or mitigation providers and presumably would only be proposed if it were less expensive than traditional mitigation.	N/A
Water Quality Benefits		None	If rule change results in more acres of riparian buffer, there could be a benefit of about \$20,000 over 30 years.

Based on this analysis, staff thinks these proposed rules will not be cost prohibitive and will have a net benefit to stakeholders by allowing them to construct projects the current buffer mitigation rules prohibit. Local governments and state facilities are subject to these costs whenever buffer mitigation is required for their projects.

#### VI. Threshold Decision After Preliminary Rules Evaluation

The total cost of this rule package depends on the specific options selected by the EMC and the actions of future permit applicants. With certainty, annual costs will increase by about \$110,000 for the creation of non-wasting endowments. These costs will be proportional to the number of mitigation credits each project needs to purchase. One action the EMC is considering would be to reduce the mitigation area from an 8-digit HUC to the 12-digit HUC. The division estimates that this change, in addition to the non-wasting endowment, would increase costs by \$1,830,000. There are three different options for buffer

mitigation accounting. If Option 1 is selected, costs will not increase. Selection of Option 2 would result in additional estimated costs between \$880,000 and \$1,500,000 each year, although the lower estimate is more likely. Option 3 would be the most costly option and result in a range of annual estimated cost increase between \$1,500,000 to \$3,600,000, although the lower estimate is more likely. The following chart depicts the flow of decisions and known costs.



We do not know if stakeholders will use these methods, the frequency of use or the scope of future projects. However, general economic theory asserts that if a site developer chooses to use one of these options, then to that individual, the increased cost is lower than the expected project benefits. Projects undertaken using optional mitigation options would result in a net benefit of undetermined value.

Some of the benefits from these proposed rule changes are quantifiable such as the \$3.4 million dollar benefit for extending the timeline for alternative mitigation credit, \$490,000 for sewer easement credit and other benefits have values that we are unable to estimate. The greatest benefit of these rule changes is that they will give land developers, local governments, and state agencies such as DOT, more ways to perform mitigation and to find acceptable mitigation sites closer to the impacted site. Projects that may not have been possible to develop in the past will now be more feasible. In general, these options will provide valuable options for stakeholders and mitigation providers in situations where traditional mitigation options are scarce or exhausted. In those instances, the provision of these options would allow important development to proceed, which otherwise would be prevented from occurring by the lack of compensatory mitigation. If these options lead to an increase in buffer preservation, the

public will experience some or all of the benefits presented in section IV. DENR does not have enough data and information to be able to provide any significant estimates for the number of additional projects that would be built as a result of having additional mitigation options.

## **VII. Uncertainties in Analysis**

The main source of uncertainty in this analysis is the number of options available for particular choices as well as the inherently variable cost of land and applicability of specific options for specific sites. Once the EMC conducts public hearings and then narrows the options, there will be more information to inform a more precise estimate of the cost of these rules. Through the public hearing process, stakeholder will comment on the options presented in this analysis to assist the EMC in selecting final rule language. This rule package was designed with several different alternative courses of action. This fiscal note has investigated the potential cost and benefits associated with different options. The Environmental Management Commission will make a final determination on the actual proposed rule language after these alternatives are taken out for public comment.

If this proposed mitigation rule is not initiated, then projects in certain HUCs will not be allowed to be constructed. Currently, applicants are able to build their projects in most HUCs, but some HUCs such as Tar-Pam 04 and 05 do not have available buffer restoration sites and therefore there are no viable buffer mitigation sites. The inability to meet the mitigation per the current buffer rules could cost the state jobs with the projects failure to build per the current buffer mitigation rules.

If this proposed mitigation rule is passed, then more buffer impact projects could be permitted. However, the division does not think that water quality would be reduced to these estuaries. Per this rule, buffers would be restored in areas where a buffer does not currently exist and other alternative options could be used that would replace the functions of the buffer that may be removed with the permitted buffer projects.

There is an uncertainty of the actual square feet of buffer mitigation required from 2005-2010 because the data that was used in this analysis does include data prior to the recession that the United States is currently experiencing.

Structural options are new to the rule so it will be difficult to place a cost or benefit to these. In the beginning these options may be more expensive than currently used restoration, but these could ultimately become cheaper over time with more applicants using these or other alternative options.

## References

- a. Collins, R, A. Donnison, C.Ross and M. McLeod, 2004. Attenuation of effluent-derived faecal microbes in grass buffer strips. *New Zealand Journal of Agricultural Research* 47:565-574.
- b. Dillaha, T.A., J.H. Sherrod, D. Lee, S. Mostaghimi, and V. O. Shanholtz. 1988. Evaluation of vegetative filter strips as a best management practice for feed lots. *Journal of the Water Pollution Control Federation* 60(7):1231-1238.
- c. Hathaway, J and W. Hunt. 2007. Stormwater BMP costs. N.C. State University. <http://www.bae.ncsu.edu/stormwater/PublicationFiles/DSWC.BMPcosts.2007.pdf>
- d. Holmes, T.P., Bergstrom, J.C., Huszar, E., Kask, S.B. and Orr, F. 2004. Contingent valuation, net marginal benefits, and the scale of riparian ecosystem restoration. *Ecological Economics* 49: 19– 30.
- e. Jones. K.L., G.C. Poole, J.L.Meyer, W. Bumback and E.A. Kramer. 2006. Quantifying expected ecological response to natural resource legislation: a case study of riparian buffers, aquatic habitat and trout populations. *Ecology and Society* 11(2):15.
- f. Kramer, D.B., S. Polasky, A. Starfield, B. Palik, L. Westphal, S. Snyder, P. Jakes, R. Hudson, and E. Gustafson. 2006. A comparison of alternative strategies for cost-effective water quality management in lakes. *Environmental Management* 38 (3):411-425.
- g. Mayer,P.M., S.K. Reynolds, M.D. McCutchen and T.J. Canfield. 2007. Meta-Analysis of Nitrogen Removal in Riparian Buffers. *Journal of Environmental Quality* 36(4):1172-1190.
- h. Messer, T.L., Burchell, M.R., Grabow, G.L., and Osmond, D.L. 2012. Groundwater nitrate reductions within upstream and downstream sections of a riparian buffer. *Ecological Engineering* 47: 297– 307
- i. NC State University. An Analysis of Cost and Benefits of Structural Stormwater Best Management Practices in North Carolina. 2003. <http://www.bae.ncsu.edu/people/faculty/hunt/bmpcosts&benefits.pdf>
- j. Palmer Land Trust. Conservation Easement Costs. <http://palmerlandtrust.org/land-conservation-tools/conservation-easements/conservation-easement-costs>
- k. Stout, W.L., Y.A. Pachepsky, D.R. Shelton, A. M. Sadeghi, L.S. Saporito and A.N. Sharpley. 2005. Runoff transport of faecal coliforms and phosphorus released from manure in grass buffer conditions. *Letters in Applied Microbiology* 41:230-234.
- l. Trask, J.R., R.K. Kalita, M.S. Kuhlenschmidt, R.D. Smith and T.L. Funk. 2004. Overland and near-surface transport of *Cryptosporidium parvum* from vegetated and nonvegetated surfaces. *Journal of Environmental Quality* 33:984-993.
- m. Virginia Water Resources Research Center. 2011. Virginia Stormwater BMP Clearinghouse. <http://vwrrc.vt.edu/swc/BMPCosts.html>
- n. Wenger, S. 1999. A review of the scientific literature on riparian buffer width, extent and vegetation. Office of Public Service and Outreach, Institute of Ecology, University of Georgia. Athens, GA.

## Appendix

### 15A NCAC 02B .0242 NEUSE RIVER BASIN: NUTRIENT SENSITIVE WATERS MANAGEMENT STRATEGY: MITIGATION PROGRAM FOR PROTECTION AND MAINTENANCE OF EXISTING RIPARIAN BUFFERS

The following are the requirements for the Riparian Buffer Mitigation Program for the Neuse Basin.

- (1) ~~PURPOSE.~~ The purpose of this Rule is to set forth the mitigation requirements that apply to the Neuse Basin existing riparian buffer protection program, as described in Rule 15A NCAC 2B .0233.
- (2) ~~APPLICABILITY.~~ This Rule applies to persons who wish to impact a riparian buffer in the Neuse Basin when one of the following applies:
  - (a) A person has received an Authorization Certificate pursuant to 15A NCAC 2B .0233 for a proposed use that is designated as "allowable with mitigation."
  - (b) A person has received a variance pursuant to 15A NCAC 2B .0233 and is required to perform mitigation as a condition of a variance approval.
- (3) ~~THE AREA OF MITIGATION.~~ The required area of mitigation shall be determined by either the Division or the delegated local authority according to the following:
  - (a) The impacts in square feet to each zone of the riparian buffer shall be determined by the Division or the delegated local authority by adding the following:
    - (i) The area of the footprint of the use causing the impact to the riparian buffer.
    - (ii) The area of the boundary of any clearing and grading activities within the riparian buffer necessary to accommodate the use.
    - (iii) The area of any ongoing maintenance corridors within the riparian buffer associated with the use.
  - (b) The required area of mitigation shall be determined by applying the following multipliers to the impacts determined in Sub item (3)(a) of this Rule to each zone of the riparian buffer:
    - (i) Impacts to Zone 1 of the riparian buffer shall be multiplied by 3.
    - (ii) Impacts to Zone 2 of the riparian buffer shall be multiplied by 1.5.
    - (iii) Impacts to wetlands within Zones 1 and 2 of the riparian buffer that are subject to mitigation under 15A NCAC 2H .0506 shall comply with the mitigation ratios in 15A NCAC 2H .0506.
- (4) ~~THE LOCATION OF MITIGATION.~~ The mitigation effort shall be the same distance from the Neuse River estuary as the proposed impact, or closer to the estuary than the impact, and as close to the location of the impact as feasible.
- (5) ~~ISSUANCE OF THE MITIGATION DETERMINATION.~~ The Division or the delegated local authority shall issue a mitigation determination that specifies the required area and location of mitigation pursuant to Items (3) and (4) of this Rule.
- (6) ~~OPTIONS FOR MEETING THE MITIGATION DETERMINATION.~~ The mitigation determination made pursuant to Item (5) of this Rule may be met through one of the following options:
  - (a) Payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to Item (7) of this Rule.
  - (b) Donation of real property or of an interest in real property pursuant to Item (8) of this Rule.
  - (c) Restoration or enhancement of a non-forested riparian buffer. This shall be accomplished by the applicant after submittal and approval of a restoration plan pursuant to Item (9) of this Rule.
- (7) ~~PAYMENT TO THE RIPARIAN BUFFER RESTORATION FUND.~~ Persons who choose to satisfy their mitigation determination by paying a compensatory mitigation fee to the Riparian Buffer Restoration Fund shall meet the following requirements:

- (a) ~~SCHEDULE OF FEES: The amount of payment into the Fund shall be determined by multiplying the acres or square feet of mitigation determination made pursuant to Item (5) of this Rule by ninety six cents per square foot or forty one thousand, six hundred and twenty five dollars per acre.~~
- (b) ~~The required fee shall be submitted to the Division of Water Quality, Wetlands Restoration Program, MAIL SERVICE CENTER 1619, RALEIGH, NC 27699 1619 prior to any activity that results in the removal or degradation of the protected riparian buffer for which a "no practical alternatives" determination has been made.~~
- (c) ~~The payment of a compensatory mitigation fee may be fully or partially satisfied by donation of real property interests pursuant to Item (8) of this Rule.~~
- (d) ~~The Division shall review the fee outlined in Sub item (7)(a) of this Rule every two years and compare it to the actual cost of restoration activities conducted by the Department, including site identification, planning, implementation, monitoring and maintenance costs. Based upon this biennial review, the Division shall recommend revisions to Sub item (7)(a) of this Rule when adjustments to this Schedule of Fees are deemed necessary.~~
- (8) ~~DONATION OF PROPERTY. Persons who choose to satisfy their mitigation determination by donating real property or an interest in real property shall meet the following requirements:~~
- (a) ~~The donation of real property interests may be used to either partially or fully satisfy the payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to Item (7) of this Rule. The value of the property interest shall be determined by an appraisal performed in accordance with Sub item (8)(d)(iv) of this Rule. The donation shall satisfy the mitigation determination if the appraised value of the donated property interest is equal to or greater than the required fee. If the appraised value of the donated property interest is less than the required fee calculated pursuant to Sub item (7)(a) of this Rule, the applicant shall pay the remaining balance due.~~
- (b) ~~The donation of conservation easements to satisfy compensatory mitigation requirements shall be accepted only if the conservation easement is granted in perpetuity.~~
- (c) ~~Donation of real property interests to satisfy the mitigation determination shall be accepted only if such property meets all of the following requirements:~~
- (i) ~~The property shall be located within an area that is identified as a priority for restoration in the Basinwide Wetlands and Riparian Restoration Plan developed by the Department pursuant to G.S. 143-214.10 or shall be located at a site that is otherwise consistent with the goals outlined in the Basinwide Wetlands and Riparian Restoration Plan.~~
- (ii) ~~The property shall contain riparian buffers not currently protected by the State's riparian buffer protection program that are in need of restoration.~~
- (iii) ~~The restorable riparian buffer on the property shall have a minimum length of 1000 linear feet along a surface water and a minimum width of 50 feet as measured horizontally on a line perpendicular to the surface water.~~
- (iv) ~~The size of the restorable riparian buffer on the property to be donated shall equal or exceed the acreage of riparian buffer required to be mitigated under the mitigation responsibility determined pursuant to Item (3) of this Rule.~~
- (v) ~~The property shall not require excessive measures for successful restoration, such as removal of structures or infrastructure. Restoration of the property shall be capable of fully offsetting the adverse impacts of the requested use;~~
- (vi) ~~The property shall be suitable to be successfully restored, based on existing hydrology, soils, and vegetation;~~
- (vii) ~~The estimated cost of restoring and maintaining the property shall not exceed the value of the property minus site identification and land acquisition costs.~~

- ~~(ix) The property shall not contain any building, structure, object, site, or district that is listed in the National Register of Historic Places established pursuant to Public Law 89-665, 16 U.S.C. 470 as amended.~~
- ~~(x) The property shall not contain any hazardous substance or solid waste.~~
- ~~(xi) The property shall not contain structures or materials that present health or safety problems to the general public. If wells, septic, water or sewer connections exist, they shall be filled, remediated or closed at owner's expense in accordance with state and local health and safety regulations.~~
- ~~(xii) The property and adjacent properties shall not have prior, current, and known future land use that would inhibit the function of the restoration effort.~~
- ~~(xiii) The property shall not have any encumbrances or conditions on the transfer of the property interests.~~
- ~~(d) At the expense of the applicant or donor, the following information shall be submitted to the Division with any proposal for donations or dedications of interest in real property:~~
  - ~~(i) Documentation that the property meets the requirements laid out in Sub Item (8)(c) of this Rule.~~
  - ~~(ii) US Geological Survey 1:24,000 (7.5 minute) scale topographic map, county tax map, USDA Natural Resource Conservation Service County Soil Survey Map, and county road map showing the location of the property to be donated along with information on existing site conditions, vegetation types, presence of existing structures and easements.~~
  - ~~(iii) A current property survey performed in accordance with the procedures of the North Carolina Department of Administration, State Property Office as identified by the State Board of Registration for Professional Engineers and Land Surveyors in "Standards of Practice for Land Surveying in North Carolina." Copies may be obtained from the North Carolina State Board of Registration for Professional Engineers and Land Surveyors, 3620 Six Forks Road, Suite 300, Raleigh, North Carolina 27609.~~
  - ~~(iv) A current appraisal of the value of the property performed in accordance with the procedures of the North Carolina Department of Administration, State Property Office as identified by the Appraisal Board in the "Uniform Standards of Professional North Carolina Appraisal Practice." Copies may be obtained from the Appraisal Foundation, Publications Department, P.O. Box 96734, Washington, D.C. 20090-6734.~~
  - ~~(v) A title certificate.~~
- ~~(9) RIPARIAN BUFFER RESTORATION OR ENHANCEMENT. Persons who choose to meet their mitigation requirement through riparian buffer restoration or enhancement shall meet the following requirements:~~
  - ~~(a) The applicant may restore or enhance a non-forested riparian buffer if either of the following applies:~~
    - ~~(i) The area of riparian buffer restoration is equal to the required area of mitigation determined pursuant to Item (3) of this Rule.~~
    - ~~(ii) The area of riparian buffer enhancement is three times larger than the required area of mitigation determined pursuant to Item (3) of this Rule.~~
  - ~~(b) The location of the riparian buffer restoration or enhancement shall comply with the requirements in Item (4) of this Rule.~~
  - ~~(c) The riparian buffer restoration or enhancement site shall have a minimum width of 50 feet as measured horizontally on a line perpendicular to the surface water.~~

- (d) ~~The applicant shall first receive an Authorization Certificate for the proposed use according to the requirements of 15A NCAC 2B .0233. After receiving this determination, the applicant shall submit a restoration or enhancement plan for approval by the Division. The restoration or enhancement plan shall contain the following:~~
- ~~(i) A map of the proposed restoration or enhancement site.~~
  - ~~(ii) A vegetation plan. The vegetation plan shall include a minimum of at least two native hardwood tree species planted at a density sufficient to provide 320 trees per acre at maturity.~~
  - ~~(iii) A grading plan. The site shall be graded in a manner to ensure diffuse flow through the riparian buffer.~~
  - ~~(iv) A fertilization plan.~~
  - ~~(v) A schedule for implementation.~~
- (e) ~~Within one year after the Division has approved the restoration or enhancement plan, the applicant shall present proof to the Division that the riparian buffer has been restored or enhanced. If proof is not presented within this timeframe, then the person shall be in violation of the State's or the delegated local authority's riparian buffer protection program.~~
- (f) ~~The mitigation area shall be placed under a perpetual conservation easement that will provide for protection of the property's nutrient removal functions.~~
- (g) ~~The applicant shall submit annual reports for a period of five years after the restoration or enhancement showing that the trees planted have survived and that diffuse flow through the riparian buffer has been maintained. The applicant shall replace trees that do not survive and restore diffuse flow if needed during that five year period.~~

*History Note: Authority 143-214.1; 143-214.7; 143-215.3(a)(1); S.L. 1998, c. 221;  
Temporary Adoption Eff. June 22, 1999;  
Eff. August 1, 2000.*

#### **15A NCAC 02B .0244 CATAWBA RIVER BASIN: MITIGATION PROGRAM FOR PROTECTION AND MAINTENANCE OF EXISTING RIPARIAN BUFFERS IN THE CATAWBA RIVER BASIN**

The following are the requirements for the Riparian Buffer Mitigation Program for the Catawba River Basin.

- (1) ~~PURPOSE.~~ The purpose of this Rule is to set forth the mitigation requirements that apply to maintain and protect existing riparian buffers on the Catawba River mainstem below Lake James and mainstem lakes from and including Lake James to the North Carolina/South Carolina border in the Catawba River Basin, as described in Rule 15A NCAC 02B .0243.
- (2) ~~APPLICABILITY.~~ This Rule applies to persons who wish to impact a riparian buffer in the Catawba Basin when one of the following applies:
  - (a) A person has received an Authorization Certificate pursuant to 15A NCAC 02B .0243 for a proposed use that is designated as "allowable with mitigation."
  - (b) A person has received a variance pursuant to 15A NCAC 02B .0243 and is required to perform mitigation as a condition of a variance approval.
- (3) ~~THE AREA OF MITIGATION.~~ The required area of mitigation shall be determined by either the Division or a local government with an approved riparian buffer ordinance according to the following:

- (a) The impacts in square feet to each zone of the riparian buffer shall be determined by adding the following:
  - (i) The area of the footprint of the use causing the impact to the riparian buffer.
  - (ii) The area of any clearing and grading activities within the riparian buffer necessary to accommodate the use.
  - (iii) The area of any ongoing maintenance corridors within the riparian buffer associated with the use.
- (b) The required area of mitigation shall be determined by applying the following multipliers to the impacts determined in Sub-item (3)(a) of this Rule:
  - (i) Impacts to Zone 1 of the riparian buffer shall be multiplied by 2.
  - (ii) Impacts to Zone 2 of the riparian buffer shall be multiplied by 1.5.
- ~~(4) THE LOCATION OF MITIGATION. The mitigation effort shall be the same distance from the Catawba River as the proposed impact and as close to the location of the impact as feasible.~~
- ~~(5) ISSUANCE OF THE MITIGATION DETERMINATION. The Division or a local government with an approved buffer program shall issue a mitigation determination that specifies the required area and location of mitigation pursuant to Items (3) and (4) of this Rule.~~
- ~~(6) OPTIONS FOR MEETING THE MITIGATION DETERMINATION. The mitigation determination made pursuant to Item (5) of this Rule may be met through one of the following options:~~
  - ~~(a) Payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to Item (7) of this Rule.~~
  - ~~(b) Donation of real property or of an interest in real property pursuant to Item (8) of this Rule.~~
  - ~~(c) Restoration or enhancement of a non-forested riparian buffer as defined in the Rule 15A NCAC 02B .0243. This shall be accomplished by the applicant after submittal and approval of a restoration plan pursuant to Item (9) of this Rule.~~
- ~~(7) PAYMENT TO THE RIPARIAN BUFFER RESTORATION FUND. Persons who choose to satisfy their mitigation determination by paying a compensatory mitigation fee to the Riparian Buffer Restoration Fund shall meet the following requirements:~~
  - ~~(a) SCHEDULE OF FEES: The amount of payment into the Fund shall be determined by square feet of mitigation determination made pursuant to Item (5) of this Rule by ninety six cents per square foot.~~
  - ~~(b) The required fee shall be submitted to the Division of Water Quality, Wetlands Restoration Program, Mail Service Center 1619, Raleigh, NC 27699-1619 prior to any activity that results in the removal or degradation of the protected riparian buffer for which a "no practical alternatives" determination has been made.~~
  - ~~(c) The payment of a compensatory mitigation fee may be fully or partially satisfied by donation of real property interests pursuant to Item (8) of this Rule.~~
  - ~~(d) The Division shall review the fee outlined in Sub-item (7)(a) of this Rule every two years and compare it to the actual cost of restoration activities conducted by the Department, including site identification, planning, implementation, monitoring and maintenance costs. Based upon this biennial review, the Division shall recommend revisions to Sub-item (7)(a) of this Rule when adjustments to this Schedule of Fees are deemed necessary.~~
- ~~(8) DONATION OF PROPERTY. Persons who choose to satisfy their mitigation determination by donating real property or an interest in real property shall meet the following requirements:~~
  - ~~(a) The donation of real property interests may be used to either partially or fully satisfy the payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to Item (7) of this Rule. The value of the property interest shall be determined by an appraisal performed in accordance with Sub-item (8)(d)(iv) of this Rule. The donation shall satisfy the mitigation determination if the appraised value of the donated property interest is equal to or greater than the required fee. If the appraised value of the~~

- ~~donated property interest is less than the required fee calculated pursuant to Sub item (7)(a) of this Rule, the applicant shall pay the remaining balance due.~~
- (b) ~~The donation of conservation easements to satisfy compensatory mitigation requirements shall be accepted only if the conservation easement is granted in perpetuity.~~
- (c) ~~Donation of real property interests to satisfy the mitigation determination shall be accepted only if such property meets all of the following requirements:~~
- ~~(i) The property shall be located within an area that is identified as a priority for restoration in the Basinwide Wetlands and Riparian Restoration Plan for the Catawba River Basin developed by the Department pursuant to G.S. 143-214.10 or shall be located at a site that is otherwise consistent with the goals outlined in Basinwide Wetlands and Riparian Restoration Plan for the Catawba River Basin.~~
  - ~~(ii) The property shall contain riparian buffers not currently protected by the State's riparian buffer protection program that are in need of restoration.~~
  - ~~(iii) The restorable riparian buffer on the property shall have a minimum length of 1000 linear feet along a surface water and a minimum width of 50 feet. For the Catawba River mainstem below Lake James, the width of the riparian buffer shall begin at the most landward limit of the top of the bank and extend landward a distance of 50 feet, measured horizontally on a line perpendicular to a vertical line marking the edge of the top of the bank. For the mainstem lakes located on the Catawba River mainstem, the width of the riparian buffer shall begin at the most landward limit of the full pond level and extend landward a distance of 50 feet, measured horizontally on a line perpendicular to a vertical line marking the edge of the full pond level.~~
  - ~~(iv) The size of the restorable riparian buffer on the property to be donated shall equal or exceed the acreage of riparian buffer required to be mitigated under the mitigation responsibility determined pursuant to Item (3) of this Rule.~~
  - ~~(v) The property shall not require excessive measures for successful restoration, such as removal of structures or infrastructure. Restoration of the property shall be capable of offsetting the adverse impacts of the requested use.~~
  - ~~(vi) The property shall be suitable to be restored, based on existing hydrology, soils, and vegetation.~~
  - ~~(vii) The estimated cost of restoring and maintaining the property shall not exceed the value of the property minus site identification and land acquisition costs.~~
  - ~~(ix) The property shall not contain any building, structure, object, site, or district that is listed in the National Register of Historic Places established pursuant to Public Law 89-665, 16 U.S.C. 470 as amended.~~
  - ~~(x) The property shall not contain any hazardous substance or solid waste.~~
  - ~~(xi) The property shall not contain structures or materials that present health or safety problems to the general public. If wells, septic, water or sewer connections exist, they shall be filled, remediated or closed at owner's expense in accordance with state and local health and safety regulations.~~
  - ~~(xii) The property and adjacent properties shall not have prior, current, or known future land use that would inhibit the function of the restoration effort.~~
  - ~~(xiii) The property shall not have any encumbrances or conditions on the transfer of the property interests.~~
- (d) ~~At the expense of the applicant or donor, the following information shall be submitted to the Division with any proposal for donations or dedications of interest in real property:~~

- ~~(i) Documentation that the property meets the requirements laid out in Sub Item (8)(c) of this Rule.~~
  - ~~(ii) US Geological Survey 1:24,000 (7.5 minute) scale topographic map, county tax map, USDA Natural Resource Conservation Service County Soil Survey Map, and county road map showing the location of the property to be donated along with information on existing site conditions, vegetation types, presence of existing structures and easements.~~
  - ~~(iii) A current property survey performed in accordance with the procedures of the North Carolina Department of Administration, State Property Office as identified by the State Board of Registration for Professional Engineers and Land Surveyors in "Standards of Practice for Land Surveying in North Carolina." Copies may be obtained from the North Carolina State Board of Registration for Professional Engineers and Land Surveyors, 3620 Six Forks Road, Suite 300, Raleigh, North Carolina 27609.~~
  - ~~(iv) A current appraisal of the value of the property performed in accordance with the procedures of the North Carolina Department of Administration, State Property Office as identified by the Appraisal Board in the "Uniform Standards of Professional North Carolina Appraisal Practice." Copies may be obtained from the Appraisal Foundation, Publications Department, P.O. Box 96734, Washington, D.C. 20090-6734.~~
  - ~~(v) A title certificate.~~
- ~~(9) RIPARIAN BUFFER RESTORATION OR RIPARIAN BUFFER ENHANCEMENT. Persons who choose to meet their mitigation requirement through riparian buffer restoration or enhancement shall meet the following requirements:~~
- ~~(a) The applicant may restore or enhance a non-forested riparian buffer if either of the following applies:
 
    - ~~(i) The area of riparian buffer restoration is equal to the required area of mitigation determined pursuant to Sub Item (3)(b) of this Rule.~~
    - ~~(ii) The area of riparian buffer enhancement is three times larger than the required area of mitigation determined pursuant to Sub Item (3)(b) of this Rule.~~~~
  - ~~(b) The location of the riparian buffer restoration or enhancement shall comply with the requirements in Item (4) of this Rule.~~
  - ~~(c) The riparian buffer restoration or riparian buffer enhancement site shall have a minimum width of 50 feet. For the Catawba River mainstem below Lake James, the width of the riparian buffer shall begin at the most landward limit of the top of the bank and extend landward a distance of 50 feet, measured horizontally on a line perpendicular to a vertical line marking the edge of the top of the bank. For the mainstem lakes located on the Catawba River mainstem, the width of the riparian buffer shall begin at the most landward limit of the full pond level and extend landward a distance of 50 feet, measured horizontally on a line perpendicular to a vertical line marking the edge of the full pond level.~~
  - ~~(d) The applicant shall first receive an Authorization Certificate for the proposed use according to the requirements of 15A NCAC 02B .0243. After receiving this determination, the applicant shall submit a riparian buffer restoration or riparian buffer enhancement plan for approval by the Division. The riparian buffer restoration or riparian buffer enhancement plan shall contain the following:
 
    - ~~(i) A map of the proposed riparian buffer restoration or riparian buffer enhancement site.~~
    - ~~(ii) A vegetation plan. The vegetation plan shall include a minimum of at least two native hardwood tree species planted at a density sufficient to provide 320 trees per acre at maturity.~~~~

- ~~(iii) A grading plan. The site shall be graded in a manner to ensure diffuse flow through the riparian buffer.~~
- ~~(iv) A fertilization plan.~~
- ~~(v) A schedule for implementation.~~
- ~~(e) Within one year after the Division has approved the riparian buffer restoration or riparian buffer enhancement plan, the applicant shall present proof to the Division that the riparian buffer has been restored or enhanced. If proof is not presented within this timeframe, then the person shall be in violation of both the State and a local riparian buffer ordinance.~~
- ~~(f) The mitigation area shall be placed under a perpetual conservation easement that will provide for protection of the property's nutrient removal functions.~~
- ~~(g) The applicant shall submit annual reports for a period of five years after the riparian buffer restoration or riparian buffer enhancement showing that the trees planted have survived and that diffuse flow through the riparian buffer has been maintained. The applicant shall replace trees that do not survive and restore diffuse flow if needed during that five year period.~~

*History Note: Authority G.S. 143-214.1; 143-214.7; 143-215.3(a)(1); S.L. 1999, c. 329, s. 7.1; S.B. 824-2003; Temporary Adoption Eff. June 30, 2001 (exempt from 270 day requirement - S.L. 2001-418 & S.L. 2003-340); Eff. August 1, 2004.*

#### **15A NCAC 02B .0252 RANDLEMAN LAKE WATER SUPPLY WATERSHED: MITIGATION PROGRAM FOR PROTECTION AND MAINTENANCE OF EXISTING RIPARIAN BUFFERS**

The following are the requirements for the Riparian Buffer Mitigation Program for the Randleman Lake Water Supply Watershed:

- ~~(1) PURPOSE. The purpose of this Rule is to set forth the mitigation requirements that apply to the Randleman Lake Water Supply Watershed existing riparian buffer protection program, as described in Rule 15A NCAC 02B .0250.~~
- ~~(2) APPLICABILITY. This Rule applies to persons who wish to impact a riparian buffer in the Randleman Lake water supply watershed when one of the following applies:
 
  - ~~(a) A person has received an Authorization Certificate pursuant to 15A NCAC 02B .0250 for a proposed use that is designated as potentially allowable with mitigation; and~~
  - ~~(b) A person has received a variance pursuant to 15A NCAC 02B .0250 and is required to perform mitigation as a condition of a variance approval.~~~~
- ~~(3) THE AREA OF MITIGATION. The required area of mitigation shall be determined by either the Division or the delegated local authority according to the following:
 
  - ~~(a) The impacts in square feet to each zone of the riparian buffer shall be determined by the Division or the delegated local authority by adding the following:
 
    - ~~(i) The area of the footprint of the use causing the impact to the riparian buffer;~~
    - ~~(ii) The area of the boundary of any clearing and grading activities within the riparian buffer necessary to accommodate the use; and~~
    - ~~(iii) The area of any ongoing maintenance corridors within the riparian buffer associated with the use; and~~~~
  - ~~(b) The required area of mitigation shall be determined by applying the following multipliers to the impacts determined in Sub item (3)(a) of this Rule to each zone of the riparian buffer:
 
    - ~~(i) Impacts to Zone 1 of the riparian buffer shall be multiplied by 3;~~~~~~

- (ii) Impacts to Zone 2 of the riparian buffer shall be multiplied by 1.5; and
  - (iii) Impacts to wetlands within Zones 1 and 2 of the riparian buffer that are subject to mitigation under 15A NCAC 02H .0506 shall comply with the mitigation ratios in 15A NCAC 02H .0506.
- (4) ~~THE LOCATION OF MITIGATION.~~ The mitigation effort shall be the same distance from the Cape Fear River or its tributaries and within the watershed of Lake Randleman as the proposed impact, or closer to the Cape Fear River and within the watershed of Lake Randleman than the impact, and as close to the location of the impact as feasible.
- (5) ~~ISSUANCE OF THE MITIGATION DETERMINATION.~~ The Division or the delegated local authority shall issue a mitigation determination that specifies the required area and location of mitigation pursuant to Items (3) and (4) of this Rule.
- (6) ~~OPTIONS FOR MEETING THE MITIGATION DETERMINATION.~~ The mitigation determination made pursuant to Item (5) of this Rule may be met through one of the following options:
- (a) Payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to Item (7) of this Rule;
  - (b) Donation of real property or of an interest in real property pursuant to Item (8) of this Rule; and
  - (c) Restoration or enhancement of a non forested riparian buffer. This shall be accomplished by the applicant after submittal and approval of a restoration plan pursuant to Item (9) of this Rule.
- (7) ~~PAYMENT TO THE RIPARIAN BUFFER RESTORATION FUND.~~ Persons who choose to satisfy their mitigation determination by paying a compensatory mitigation fee to the Riparian Buffer Restoration Fund shall do so in accordance with 15A NCAC 02B .0269.
- (8) ~~DONATION OF PROPERTY.~~ Persons who choose to satisfy their mitigation determination by donating real property or an interest in real property shall meet the following requirements:
- (a) The donation of real property interests may be used to either partially or fully satisfy the payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to Item (7) of this Rule. The value of the property interest shall be determined by an appraisal performed in accordance with Sub Item (8)(d) (iv) of this Rule. The donation shall satisfy the mitigation determination if the appraised value of the donated property interest is equal to or greater than the required fee. If the appraised value of the donated property interest is less than the required fee calculated pursuant to Item (7) of this Rule, the applicant shall pay the remaining balance due;
  - (b) The donation of conservation easements to satisfy compensatory mitigation requirements shall be accepted only if the conservation easement is granted in perpetuity;
  - (c) Donation of real property interests to satisfy the mitigation determination shall be accepted only if such property meets all of the following requirements:
    - (i) The property shall be located within an area that is identified as a priority for restoration in the Basinwide Wetlands and Riparian Restoration Plan developed by the Department pursuant to G.S. 143 214.10 or shall be located at a site that is otherwise consistent with the goals outlined in the Basinwide Wetlands and Riparian Restoration Plan;
    - (ii) The property shall contain riparian buffers not currently protected by the State's riparian buffer protection program that are in need of restoration;
    - (iii) The restorable riparian buffer on the property shall have a minimum length of 1000 linear feet along a surface water and a minimum width of 50 feet as measured horizontally on a line perpendicular to the surface water;

- ~~(iv) The size of the restorable riparian buffer on the property to be donated shall equal or exceed the acreage of riparian buffer required to be mitigated under the mitigation responsibility determined pursuant to Item (3) of this Rule;~~
  - ~~(v) The property shall not require excessive measures for successful restoration, such as removal of structures or infrastructure. Restoration of the property shall be capable of fully offsetting the adverse impacts of the requested use;~~
  - ~~(vi) The property shall be suitable to be successfully restored, based on existing hydrology, soils, and vegetation;~~
  - ~~(vii) The estimated cost of restoring and maintaining the property shall not exceed the value of the property minus site identification and land acquisition cost;~~
  - ~~(viii) The property shall not contain any building, structure, object, site, or district that is listed in the National Register of Historic Places established pursuant to Public Law 89-665, 16 U.S.C. 470 as amended;~~
  - ~~(ix) The property shall not contain any hazardous substance or solid waste;~~
  - ~~(x) The property shall not contain structures or materials that present health or safety problems to the general public. If wells, septic, water or sewer connections exist, they shall be filled, remediated or closed at owner's expense in accordance with state and local health and safety regulations;~~
  - ~~(xi) The property and adjacent properties shall not have prior, current, and known future land use that would inhibit the function of the restoration effort; and~~
  - ~~(xii) The property shall not have any encumbrances or conditions on the transfer of the property interests; and~~
  - ~~(xiii) The location of the donation of real property shall comply with the requirements in Item (4) of this Rule.~~
- ~~(d) At the expense of the applicant or donor, the following information shall be submitted to the local governments, except state and federal entities shall submit to the Division, with any proposal for donations or dedications of interest in real property:~~
- ~~(i) Documentation that the property meets the requirements laid out in Sub Item (8)(c) of this Rule;~~
  - ~~(ii) US Geological Survey 1:24,000 (7.5 minute) scale topographic map, county tax map, USDA Natural Resource Conservation Service County Soil Survey Map, and county road map showing the location of the property to be donated along with information on existing site conditions, vegetation types, presence of existing structures and easements;~~
  - ~~(iii) A current property survey performed in accordance with the procedures of the North Carolina Department of Administration, State Property Office as identified by the State Board of Registration for Professional Engineers and Land Surveyors in "Standards of Practice for Land Surveying in North Carolina." Copies may be obtained from the North Carolina State Board of Registration for Professional Engineers and Land Surveyors, 3620 Six Forks Road, Suite 300, Raleigh, North Carolina 27609;~~
  - ~~(iv) A current appraisal of the value of the property performed in accordance with the procedures of the North Carolina Department of Administration, State Property Office as identified by the Appraisal Board in the "Uniform Standards of Professional North Carolina Appraisal Practice." Copies may be obtained from the Appraisal Foundation, Publications Department, P.O. Box 96734, Washington, D.C. 20090-6734; and~~
  - ~~(v) A title certificate.~~

- ~~(9) RIPARIAN BUFFER RESTORATION OR ENHANCEMENT. Persons who choose to meet their mitigation requirement through riparian buffer restoration or enhancement shall meet the following requirements:~~
- ~~(a) The applicant may restore or enhance a non forested riparian buffer if either of the following applies:
 
    - ~~(i) The area of riparian buffer restoration is equal to the required area of mitigation determined pursuant to Item (3) of this Rule; and~~
    - ~~(ii) The area of riparian buffer enhancement is three times larger than the required area of mitigation determined pursuant to Item (3) of this Rule;~~~~
  - ~~(b) The location of the riparian buffer restoration or enhancement shall comply with the requirements in Item (4) of this Rule;~~
  - ~~(c) The riparian buffer restoration or enhancement site shall have a minimum width of 50 feet as measured horizontally on a line perpendicular to the surface water;~~
  - ~~(d) Enhancement and restoration shall both have the objective of establishing a forested riparian buffer according to the requirements of this Item. Enhancement, shall be distinguished from the restoration based on existing buffer conditions. Where existing woody vegetation is sparse, that is greater than or equal to 100 trees per acre, but less than 200 trees per acre, a buffer may be enhanced. Where existing woody vegetation is absent, that is less than 100 trees per acre, a buffer may be restored;~~
  - ~~(e) The applicant shall first receive an Authorization Certificate for the proposed use according to the requirements of 15A NCAC 02B .0250. After receiving this determination, the applicant shall submit a restoration or enhancement plan for approval by the local government, except for state and federal entities that shall submit a restoration or enhancement plan for approval to the Division. The restoration or enhancement plan shall contain the following:
 
    - ~~(i) A map of the proposed restoration or enhancement site;~~
    - ~~(ii) A vegetation plan. The vegetation plan shall include a minimum of at least two native hardwood tree species planted at a density sufficient to provide 320 trees per acre at maturity;~~
    - ~~(iii) A grading plan. The site shall be graded in a manner to ensure diffuse flow through the riparian buffer;~~
    - ~~(iv) A fertilization plan; and~~
    - ~~(v) A schedule for implementation;~~~~
  - ~~(f) Within one year after the Division has approved the restoration or enhancement plan, the applicant shall present proof to the Division that the riparian buffer has been restored or enhanced. If proof is not presented within this timeframe, then the person shall be in violation of the State's or the delegated local authority's riparian buffer protection program;~~
  - ~~(g) The mitigation area shall be placed under a perpetual conservation easement that will provide for protection of the property's sediment removal functions; and~~
  - ~~(h) The applicant shall submit annual reports for a period of five years after the restoration or enhancement showing that the trees planted have survived and that diffuse flow through the riparian buffer has been maintained. The applicant shall replace trees that do not survive and restore diffuse flow if needed during that five year period.~~

*History Note: Authority 143-214.1; 143-214.7; 143-215.3(a)(1); S.L. 1998, c. 221; Eff. June 1, 2010.*

**15A NCAC 02B .0260 TAR-PAMLICO RIVER BASIN - NUTRIENT SENSITIVE WATERS  
MANAGEMENT STRATEGY: MITIGATION PROGRAM FOR PROTECTION AND MAINTENANCE  
OF RIPARIAN BUFFERS**

The following are requirements for the Riparian Buffer Mitigation Program for the Tar Pamlico Basin:

- (1) ~~PURPOSE.~~ The purpose of this Rule is to set forth the mitigation requirements that apply to the riparian buffer protection program in the Tar Pamlico Basin, as described in Rule 15A NCAC 2B .0259, and whose surface waters are described in the Schedule of Classifications, 15A NCAC 2B .0316.
- (2) ~~APPLICABILITY.~~ This Rule applies to persons who wish to impact a riparian buffer in the Tar Pamlico Basin when one of the following applies:
  - (a) A person has received an Authorization Certificate pursuant to 15A NCAC 2B .0259 for a proposed use that is designated as "allowable with mitigation."
  - (b) A person has received a variance pursuant to 15A NCAC 2B .0259 and is required to perform mitigation as a condition of a variance approval.
- (3) ~~THE AREA OF MITIGATION.~~ The required area of mitigation shall be determined by either the Division or the delegated local authority according to the following:
  - (a) The impacts in square feet to each zone of the riparian buffer shall be determined by the Division or the delegated local authority by adding the following:
    - (i) The area of the footprint of the use causing the impact to the riparian buffer.
    - (ii) The area of the boundary of any clearing and grading activities within the riparian buffer necessary to accommodate the use.
    - (iii) The area of any ongoing maintenance corridors within the riparian buffer associated with the use.
  - (b) The required area of mitigation shall be determined by applying the following multipliers to the impacts determined in Sub item (3)(a) of this Paragraph to each zone of the riparian buffer:
    - (i) Impacts to Zone 1 of the riparian buffer shall be multiplied by 3.
    - (ii) Impacts to Zone 2 of the riparian buffer shall be multiplied by 1.5.
    - (iii) Impacts to wetlands within Zones 1 and 2 of the riparian buffer that are subject to mitigation under 15A NCAC 2H .0506 shall comply with the mitigation ratios in 15A NCAC 2H .0506.
- (4) ~~THE LOCATION OF MITIGATION.~~ The mitigation effort shall be located the same distance from the Pamlico River estuary as the proposed impact, or closer to the estuary than the impact, and as close to the location of the impact as feasible.
- (5) ~~ISSUANCE OF THE MITIGATION DETERMINATION.~~ The Division or the delegated local authority shall issue a mitigation determination that specifies the required area and location of mitigation pursuant to Items (3) and (4) of this Rule.
- (6) ~~OPTIONS FOR MEETING THE MITIGATION DETERMINATION.~~ The mitigation determination made pursuant to Item (5) of this Rule may be met through one of the following options:
  - (a) Payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to Item (7) of this Rule.
  - (b) Donation of real property or of an interest in real property pursuant to Item (8) of this Rule.
  - (c) Restoration or enhancement of a non-forested riparian buffer. This shall be accomplished by the applicant after submittal and approval of a restoration plan pursuant to Item (9) of this Rule.
- (7) ~~PAYMENT TO THE RIPARIAN BUFFER RESTORATION FUND.~~ Persons who choose to satisfy their mitigation determination by paying a compensatory mitigation fee to the Riparian Buffer Restoration Fund shall meet the following requirements:

- (a) ~~SCHEDULE OF FEES: The amount of payment into the Fund shall be determined by multiplying the acres or square feet of mitigation determination made pursuant to Item (5) of this Rule by ninety six cents per square foot or forty one thousand, six hundred and twenty five dollars per acre.~~
- (b) ~~The required fee shall be submitted to the Division of Water Quality, Wetlands Restoration Program, 1619 Mail Service Center, Raleigh, NC 27699 1619 prior to any activity that results in the removal or degradation of the protected riparian buffer for which a “no practical alternatives” determination has been made.~~
- (c) ~~The payment of a compensatory mitigation fee may be fully or partially satisfied by donation of real property interests pursuant to Item (8) of this Rule.~~
- (d) ~~The Division of Water Quality shall review the fee outlined in Sub item (7)(a) of this Rule every two years and shall compare it to the actual cost of restoration activities conducted by the Department, including site identification, planning, implementation, monitoring and maintenance costs. Based upon this biennial review, the Division of Water Quality shall recommend revisions to Sub item (7)(a) of this Rule when adjustments to this Schedule of Fees are deemed necessary.~~
- (8) ~~DONATION OF PROPERTY. Persons who choose to satisfy their mitigation determination by donating real property or an interest in real property shall meet the following requirements:~~
- (a) ~~The donation of real property interests may be used to either partially or fully satisfy the payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to Item (7) of this Rule. The value of the property interest shall be determined by an appraisal performed in accordance with Sub item (8)(d)(iv) of this Rule. The donation shall satisfy the mitigation determination if the appraised value of the donated property interest is equal to or greater than the required fee. If the appraised value of the donated property interest is less than the required fee calculated pursuant to Sub item (7)(a) of this Rule, the applicant shall pay the remaining balance due.~~
- (b) ~~The donation of conservation easements to satisfy compensatory mitigation requirements shall be accepted only if the conservation easement is granted in perpetuity.~~
- (c) ~~Donation of real property interests to satisfy the mitigation determination shall be accepted only if such property meets all of the following requirements:~~
- (i) ~~The property shall be located within an area that is identified as a priority for restoration in the Basinwide Wetlands and Riparian Restoration Plan developed by the Department pursuant to G.S. 143-214.10 or shall be located at a site that is otherwise consistent with the goals outlined in the Basinwide Wetlands and Riparian Restoration Plan.~~
- (ii) ~~The property shall contain riparian buffers not currently protected by the State’s riparian buffer protection program that are in need of restoration.~~
- (iii) ~~The restorable riparian buffer on the property shall have a minimum length of 1000 linear feet along a surface water and a minimum width of 50 feet as measured horizontally on a line perpendicular to the surface water.~~
- (iv) ~~The size of the restorable riparian buffer on the property to be donated shall equal or exceed the acreage of riparian buffer required to be mitigated under the mitigation responsibility determined pursuant to Item (3) of this Rule.~~
- (v) ~~The property shall not require excessive measures for successful restoration, such as removal of structures or infrastructure. Restoration of the property shall be capable of fully offsetting the adverse impacts of the requested use.~~
- (vi) ~~The property shall be suitable to be successfully restored, based on existing hydrology, soils, and vegetation;~~

- ~~(vii) The estimated cost of restoring and maintaining the property shall not exceed the value of the property minus site identification and land acquisition costs.~~
- ~~(ix) The property shall not contain any building, structure, object, site, or district that is listed in the National Register of Historic Places established pursuant to Public Law 89-665, 16 U.S.C. 470 as amended.~~
- ~~(x) The property shall not contain any hazardous substance or solid waste.~~
- ~~(xi) The property shall not contain structures or materials that present health or safety problems to the general public. If wells, septic, water or sewer connections exist, they shall be filled, remediated or closed at owner's expense in accordance with state and local health and safety regulations.~~
- ~~(xii) The property and adjacent properties shall not have prior, current, and known future land use that would inhibit the function of the restoration effort.~~
- ~~(xiii) The property shall not have any encumbrances or conditions on the transfer of the property interests.~~
- ~~(d) At the expense of the applicant or donor, the following information shall be submitted to the Division with any proposal for donations or dedications of interest in real property:~~
  - ~~(i) Documentation that the property meets the requirements laid out in Sub Item (8)(c) of this Rule.~~
  - ~~(ii) US Geological Survey 1:24,000 (7.5 minute) scale topographic map, county tax map, USDA Natural Resource Conservation Service County Soil Survey Map, and county road map showing the location of the property to be donated along with information on existing site conditions, vegetation types, presence of existing structures and easements.~~
  - ~~(iii) A current property survey performed in accordance with the procedures of the North Carolina Department of Administration, State Property Office as identified by the State Board of Registration for Professional Engineers and Land Surveyors in "Standards of Practice for Land Surveying in North Carolina." Copies may be obtained from the North Carolina State Board of Registration for Professional Engineers and Land Surveyors, 3620 Six Forks Road, Suite 300, Raleigh, North Carolina 27609.~~
  - ~~(iv) A current appraisal of the value of the property performed in accordance with the procedures of the North Carolina Department of Administration, State Property Office as identified by the Appraisal Board in the "Uniform Standards of Professional North Carolina Appraisal Practice." Copies may be obtained from the Appraisal Foundation, Publications Department, P.O. Box 96734, Washington, D.C. 20090-6734.~~
  - ~~(v) A title certificate.~~
- ~~(9) RIPARIAN BUFFER RESTORATION OR ENHANCEMENT. Persons who choose to meet their mitigation requirement through riparian buffer restoration or enhancement shall meet the following requirements:~~
  - ~~(a) The applicant may restore or enhance a non forested riparian buffer if either of the following applies:~~
    - ~~(i) The area of riparian buffer restoration is equal to the required area of mitigation determined pursuant to Item (3) of this Rule.~~
    - ~~(ii) The area of riparian buffer enhancement is three times larger than the required area of mitigation determined pursuant to Item (3) of this Rule.~~
  - ~~(b) The location of the riparian buffer restoration or enhancement shall comply with the requirements in Item (4) of this Rule.~~

- ~~(c) The riparian buffer restoration or enhancement site shall have a minimum width of 50 feet as measured horizontally on a line perpendicular to the surface water.~~
- ~~(d) The applicant shall first receive an Authorization Certificate for the proposed use according to the requirements of 15A NCAC 2B .0259. After receiving this determination, the applicant shall submit a restoration or enhancement plan for approval by the Division. The restoration or enhancement plan shall contain the following:
 
  - ~~(i) A map of the proposed restoration or enhancement site.~~
  - ~~(ii) A vegetation plan. The vegetation plan shall include a minimum of at least two native hardwood tree species planted at a density sufficient to provide 320 trees per acre at maturity.~~
  - ~~(iii) A grading plan. The site shall be graded in a manner to ensure diffuse flow through the riparian buffer.~~
  - ~~(iv) A fertilization plan.~~
  - ~~(v) A schedule for implementation.~~~~
- ~~(e) Within one year after the Division has approved the restoration or enhancement plan, the applicant shall present proof to the Division that the riparian buffer has been restored or enhanced. If proof is not presented within this timeframe, then the person shall be in violation of the State's or the delegated local authority's riparian buffer protection program.~~
- ~~(f) The mitigation area shall be placed under a perpetual conservation easement that will provide for protection of the property's nutrient removal functions.~~
- ~~(g) The applicant shall submit annual reports for a period of five years after the restoration or enhancement showing that the trees planted have survived and that diffuse flow through the riparian buffer has been maintained. The applicant shall replace trees that do not survive and restore diffuse flow if needed during that five year period.~~

*History Note: Authority 143-214.1; 143-214.7; 143-215.3(a)(1); 143-215.6A; 143-215.6B; 143-215.6C; 143B-282(d); S.L. 1999, c. 329, s. 7.1; Temporary Adoption Eff. January 1, 2000; Eff. August 1, 2000.*

## **15A NCAC 02B .0268 JORDAN WATER SUPPLY NUTRIENT STRATEGY: MITIGATION FOR RIPARIAN BUFFERS**

The following are requirements for the Riparian Buffer Mitigation Program for the Jordan watershed, as prefaced in 15A NCAC 02B .0262:

- ~~(1) PURPOSE. The purpose of this Rule is to set forth the mitigation requirements that the local governments in the Jordan watershed and listed in 15A NCAC 02B .0262, and in the cases stated in 15A NCAC 02B .0267(3) the Division, shall apply to the riparian buffer protection program called for in 15A NCAC 02B .0267. Additionally this Rule will help to protect the water supply uses of Jordan Reservoir and of designated water supplies throughout the Jordan watershed. Local programs shall be established to meet or exceed the minimum requirements of this Rule. For the types of buffer activities listed in 15A NCAC 02B .0267(3), the Division shall apply the requirements of this Rule wherever local governments are referenced. The requirements of this Rule shall supersede all locally implemented buffer requirements stated in 15A NCAC 02B .0214 through .0216 as applied to WS II, WS III, and WS IV waters in the Jordan watershed. Local governments may choose to implement more stringent requirements, including the one hundred~~

foot buffer requirement set out in Sub Items (3)(b)(i) of 15A NCAC 02B .0214 through .0216 for high density developments.

- (2) ~~APPLICABILITY. This Rule applies to persons who wish to impact a riparian buffer in the Jordan watershed when one of the following applies:~~
- ~~(a) A person has received an Authorization Certificate pursuant to 15A NCAC 02B .0267 for a proposed use that is designated as "allowable with mitigation;" or~~
  - ~~(b) A person has received a variance pursuant to 15A NCAC 02B .0267 and is required to perform mitigation as a condition of a variance approval.~~
- (3) ~~ISSUANCE OF THE MITIGATION APPROVAL. The local government shall issue a mitigation approval upon determining that a proposal meets the requirements set out in this Rule. The approval shall identify at a minimum the option chosen, the required and proposed areas, and either the mitigation location or the offset payment amount as applicable.~~
- (4) ~~OPTIONS FOR MEETING THE MITIGATION REQUIREMENT. The mitigation requirement may be met through one of the following options:~~
- ~~<http://www.saw.usace.army.mil/WETLANDS/Mitigation/mitbanks.html> (a) Payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to 15A NCAC 02B .0269 contingent upon acceptance of payments by the NC Ecosystem Enhancement Program, or to a private mitigation bank that complies with banking requirements of the US Army Corps of Engineers, currently set out at or from the US Army Corps of Engineers, P.O. Box 1890, Wilmington, NC, 28402-1890, and the applicable trading criteria in 15A NCAC 02B .0273;~~
  - ~~(b) Donation of real property or of an interest in real property pursuant to Item (7) of this Rule; or~~
  - ~~(c) Restoration or enhancement of a non forested riparian buffer pursuant to the requirements of Item (8) of this Rule.~~
- (5) ~~THE AREA OF MITIGATION. The local government shall determine the required area of mitigation, which shall apply to all mitigation options identified in Item (4) of this Rule and as further specified in the requirements for each option set out in this Rule, according to the following:~~
- ~~(a) The impacts in square feet to each zone of the riparian buffer shall be determined by the local government by adding the following:~~
    - ~~(i) The area of the footprint of the use causing the impact to the riparian buffer;~~
    - ~~(ii) The area of the boundary of any clearing and grading activities within the riparian buffer necessary to accommodate the use; and~~
    - ~~(iii) The area of any ongoing maintenance corridors within the riparian buffer associated with the use.~~
  - ~~(b) The required area of mitigation shall be determined by applying the following multipliers to the impacts determined in Sub item (5)(a) of this Rule to each zone of the riparian buffer:~~
    - ~~(i) Impacts to Zone One of the riparian buffer shall be multiplied by three;~~
    - ~~(ii) Impacts to Zone Two of the riparian buffer shall be multiplied by one and one half; and~~
    - ~~(iii) Impacts to wetlands within Zones One and Two of the riparian buffer that are subject to mitigation under 15A NCAC 02H .0506 shall comply with the mitigation ratios in 15A NCAC 02H .0506.~~
- (6) ~~THE LOCATION OF MITIGATION. For any option chosen, the mitigation effort shall be located within the same subwatershed of the Jordan watershed, as defined in Rule .0262 of this Section, and the same distance from the Jordan Reservoir as the proposed impact, or closer to the Reservoir than the impact, and as close to the location of the impact as feasible. Alternatively, the applicant may propose mitigation anywhere within the same subwatershed of the Jordan watershed, as defined in Rule .0262 of this Section, provided that the mitigation proposal accounts for differences in delivery of nutrients to the affected arm of Jordan Reservoir resulting from~~

~~differences between the locations of the buffer impact and mitigation. Additional location requirements for the property donation option are enumerated in Sub-Item (7)(c)(i) of this Rule.~~

~~(7) DONATION OF PROPERTY. Persons who choose to satisfy their mitigation determination by donating real property or an interest in real property shall meet the following requirements:~~

~~(a) The donation of real property interests may be used to either partially or fully satisfy the payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to 15A NCAC 02B .0269. The value of the property interest shall be determined by an appraisal performed in accordance with Sub item (7)(d)(iv) of this Rule. The donation shall satisfy the mitigation determination if the appraised value of the donated property interest is equal to or greater than the required fee. If the appraised value of the donated property interest is less than the required fee calculated pursuant to 15A NCAC 02B .0269, the applicant shall pay the remaining balance due;~~

~~(b) Accepted only if the conservation easement is granted in perpetuity;~~

~~(c) Donation of real property interests to satisfy the mitigation determination shall be accepted only if such property meets all of the following requirements:~~

~~(i) In addition to the location requirements of Item (6), the property shall be located within an area that is identified as a priority for restoration in, or is otherwise consistent with the goals of, the *Basinwide Wetlands and Riparian Restoration Plan for the Cape Fear River Basin* developed by the Department pursuant to G.S. 143-214.10;~~

~~(ii) The property shall contain riparian buffers not currently protected by the State's riparian buffer protection program that are in need of restoration as defined in Sub Item (8)(d) of this Rule;~~

~~(iii) The restorable riparian buffer on the property shall have a minimum length of 1000 linear feet along a surface water and a minimum width of 50 feet as measured horizontally on a line perpendicular to the surface water;~~

~~(iv) The size of the restorable riparian buffer on the property to be donated shall equal or exceed the area of mitigation responsibility determined pursuant to Item (5) of this Rule;~~

~~(v) Restoration shall not require removal of man-made structures or infrastructure;~~

~~(vi) The property shall be suitable to be successfully restored, based on existing hydrology, soils, and vegetation;~~

~~(vii) The estimated cost of restoring and maintaining the property shall not exceed the value of the property minus site identification and transaction costs;~~

~~(viii) The property shall not contain any building, structure, object, site, or district that is listed in the National Register of Historic Places established pursuant to Public Law 89-665, 16 U.S.C. 470 as amended;~~

~~(ix) The property shall not contain any hazardous substance or solid waste;~~

~~(x) The property shall not contain structures or materials that present health or safety problems to the general public. If wells, septic, water or sewer connections exist, they shall be filled, remediated or closed at owner's expense in accordance with state and local health and safety regulations;~~

~~(xi) The property and adjacent properties shall not have prior, current, and known future land use that would inhibit the function of the restoration effort; and~~

~~(xii) The property shall not have any encumbrances or conditions on the transfer of the property interests;~~

~~(d) At the expense of the applicant or donor, the following information shall be submitted to the local government with any proposal for donations or dedications of interest in real property:~~

- (i) Documentation that the property meets the requirements laid out in Sub Item (7)(c) of this Rule;
  - (ii) US Geological Survey 1:24,000 (7.5 minute) scale topographic map, county tax map, USDA Natural Resource Conservation Service County Soil Survey Map, and county road map showing the location of the property to be donated along with information on existing site conditions, vegetation types, presence of existing structures and easements;
  - (iii) A current property survey performed in accordance with the procedures of the North Carolina Department of Administration, State Property Office as identified by the State Board of Registration for Professional Engineers and Land Surveyors in "Standards of Practice for Land Surveying in North Carolina." Copies may be obtained from the North Carolina State Board of Registration for Professional Engineers and Land Surveyors, 3620 Six Forks Road, Suite 300, Raleigh, North Carolina 27609;
  - (iv) A current appraisal of the value of the property performed in accordance with the procedures of the North Carolina Department of Administration, State Property Office as identified by the Appraisal Board in the "Uniform Standards of Professional North Carolina Appraisal Practice." Copies may be obtained from the Appraisal Foundation, Publications Department, P.O. Box 96734, Washington, D.C. 20090-6734; and
  - (v) A title certificate.
- (8) ~~RIPARIAN BUFFER RESTORATION OR ENHANCEMENT.~~ Persons who choose to meet their mitigation requirement through riparian buffer restoration or enhancement shall meet the following requirements:
- (a) ~~The applicant may restore or enhance a non-forested riparian buffer if either of the following applies:~~
    - (i) ~~The area of riparian buffer restoration is equal to the required area of mitigation determined pursuant to Item (5) of this Rule; or~~
    - (ii) ~~The area of riparian buffer enhancement is three times larger than the required area of mitigation determined pursuant to Item (5) of this Rule;~~
  - (b) ~~The location of the riparian buffer restoration or enhancement shall comply with the requirements in Item (6) of this Rule;~~
  - (c) ~~The riparian buffer restoration or enhancement site shall have a minimum width of 50 feet as measured horizontally on a line perpendicular to the surface water;~~
  - (d) ~~Enhancement and restoration shall both have the objective of establishing a forested riparian buffer according to the requirements of this Item. Enhancement shall be distinguished from restoration based on existing buffer conditions. Where existing trees are sparse, that is greater than or equal to 100 trees per acre but less than 200 trees per acre, a buffer may be enhanced. Where existing woody vegetation is absent, that is less than 100 trees per acre, a buffer may be restored;~~
  - (e) ~~The applicant shall first receive an Authorization Certificate for the proposed use according to the requirements of 15A NCAC 02B .0267. After receiving this determination, the applicant shall submit a restoration or enhancement plan for approval by the local government. The restoration or enhancement plan shall contain the following:~~
    - (i) ~~A map of the proposed restoration or enhancement site;~~
    - (ii) ~~A vegetation plan. The vegetation plan shall include a minimum of at least two native hardwood tree species planted at a density sufficient to provide 320 trees per acre at maturity;~~

- ~~(iii) A grading plan. The site shall be graded in a manner to ensure diffuse flow through the riparian buffer;~~
- ~~(iv) A fertilization plan; and~~
- ~~(v) A schedule for implementation;~~
- ~~(f) Within one year after the local government has approved the restoration or enhancement plan, the applicant shall present proof to the local government that the riparian buffer has been restored or enhanced. If proof is not presented within this timeframe, then the person shall be in violation of both the State's and the local government's riparian buffer protection program;~~
- ~~(g) The mitigation area shall be placed under a perpetual conservation easement that will provide for protection of the property's nutrient removal functions; and~~
- ~~(h) The applicant shall submit annual reports for a period of five years after the restoration or enhancement showing that the trees planted have survived and that diffuse flow through the riparian buffer has been maintained. The applicant shall replace trees that do not survive and restore diffuse flow if needed during that five year period.~~

*History Note: Authority 143-214.1; 143-214.5; 143-214.7; 143-215.3(a)(1); 143-215.6A; 143-215.6B; 143-215.6C; 143-215.8B; 143B-282(c); 143B-282(d); S.L. 1999-329, s. 7.1.; S.L. 2005-190; S.L. 2006-259; Eff. August 11, 2009; Amended Eff. September 1, 2011.*

**15A NCAC 02B .0609 SITE SPECIFIC WATER QUALITY MANAGEMENT PLAN FOR THE GOOSE CREEK WATERSHED (YADKIN PEE-DEE RIVER BASIN): MANAGE ACTIVITIES WITHIN RIPARIAN BUFFERS: MITIGATION REQUIREMENTS FOR BUFFER IMPACTS**

~~(a) PURPOSE. The purpose of this Rule is to set forth the mitigation requirements that apply to the Goose Creek Watershed existing riparian buffer protection program, as described in 15A NCAC 02B .0605, .0606, and .0607.~~

~~(b) APPLICABILITY. This Rule applies to persons who wish to impact a riparian buffer in the Goose Creek Watershed when one of the following applies:~~

~~(1) A person has received an Authorization Certificate pursuant to 15A NCAC 02B .0607 for a proposed use that is designated as potentially allowable requiring both DWQ approval and mitigation.~~

~~(2) A person has received a variance pursuant to 15A NCAC 02B .0606 and is required to perform mitigation as a condition of a variance approval.~~

~~(c) THE AREA OF MITIGATION. The required area of mitigation shall be determined by either the Division of Water Quality or the delegated local authority according to the following:~~

~~(1) The impacts in square feet to the riparian buffer shall be determined by the Division of Water Quality or the delegated local authority by adding the following:~~

~~(A) The area of the footprint of the use causing the impact to the riparian buffer.~~

~~(B) The area of the boundary of any clearing and grading activities within the riparian buffer necessary to accommodate the use.~~

~~(C) The area of any ongoing maintenance corridors within the riparian buffer associated with the use.~~

~~(2) The required area of mitigation shall be determined by applying the following multipliers to the impacts determined in Subparagraph (c)(1) of this Rule to each zone of the riparian buffer:~~

~~(A) Impacts to the riparian buffer shall be multiplied by three.~~

~~(B) Impacts to wetlands within the riparian buffer that are subject to mitigation under 15A NCAC 02H .0506 shall comply with the mitigation ratios in 15A NCAC 02H .0506.~~

~~(d) THE LOCATION OF MITIGATION. The mitigation effort shall be within the Goose Creek Watershed, as close to the location of the impact as feasible.~~

~~(e) ISSUANCE OF THE MITIGATION DETERMINATION. The Division of Water Quality or the delegated local authority shall issue a mitigation determination that specifies the required area and location of mitigation pursuant to Paragraph (c) of this Rule.~~

~~(f) OPTIONS FOR MEETING THE MITIGATION DETERMINATION. The mitigation determination made pursuant to Paragraph (e) of this Rule may be met through one of the following options:~~

~~(1) Payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to Paragraph (g) of this Rule.~~

~~(2) Donation of real property or of an interest in real property pursuant to Paragraph (h) of this Rule.~~

~~(3) Restoration or enhancement of a non forested riparian buffer. This shall be accomplished by the applicant after submittal and approval of a restoration plan pursuant to Paragraph (i) of this Rule.~~

~~(g) PAYMENT TO THE RIPARIAN BUFFER RESTORATION FUND. Persons who choose to satisfy their mitigation determination by paying a compensatory mitigation fee to the Riparian Buffer Restoration Fund shall meet the following requirements:~~

~~(1) SCHEDULE OF FEES: The amount of payment into the Fund shall be determined by multiplying the acres or square feet of mitigation determination made pursuant to Paragraph (e) of this Rule by ninety six cents (\$.96) per square foot or forty one thousand, six hundred and twenty five dollars (\$41,625) per acre.~~

~~(2) The required fee shall be submitted to the Division of Water Quality, Wetlands Restoration Program, MAIL SERVICE CENTER 1619, RALEIGH, NC 27699 1619 prior to any activity that results in the removal or degradation of the protected riparian buffer for which a "no practical alternatives" determination has been made.~~

- (3) ~~The payment of a compensatory mitigation fee may be fully or partially satisfied by donation of real property interests pursuant to Paragraph (h) of this Rule.~~
- (4) ~~The Division of Water Quality shall review the fee outlined in Subparagraph (g)(1) of this Rule every two years and compare it to the actual cost of restoration activities conducted by the Department, including site identification, planning, implementation, monitoring and maintenance costs. Based upon this biennial review, the Division of Water Quality shall recommend revisions to Subparagraph (g)(1) of this Rule when adjustments to this Schedule of Fees are deemed necessary.~~
- (h) ~~DONATION OF PROPERTY. Persons who choose to satisfy their mitigation determination by donating real property or an interest in real property shall meet the following requirements:~~
- (1) ~~The donation of real property interests may be used to either partially or fully satisfy the payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to Paragraph (g) of this Rule. The value of the property interest shall be determined by an appraisal performed in accordance with Part (h)(4)(D) of this Rule. The donation shall satisfy the mitigation determination if the appraised value of the donated property interest is equal to or greater than the required fee. If the appraised value of the donated property interest is less than the required fee calculated pursuant to Subparagraph (g)(1) of this Rule, the applicant shall pay the remaining balance due.~~
- (2) ~~The donation of conservation easements to satisfy compensatory mitigation requirements shall be accepted only if the conservation easement is granted in perpetuity.~~
- (3) ~~Donation of real property interests to satisfy the mitigation determination shall be accepted only if such property meets all of the following requirements:~~
- (A) ~~The property shall be located within an area that is identified as a priority for restoration in the Basinwide Wetlands and Riparian Restoration Plan developed by the Department pursuant to G.S. 143-214.10 or shall be located at a site that is otherwise consistent with the goals outlined in the Basinwide Wetlands and Riparian Restoration Plan;~~
- (B) ~~The property shall contain riparian areas for restoration, defined in 15A NCAC 02B .0243, not currently protected by the State's riparian buffer protection program that merit restoration;~~
- (C) ~~The size of the restorable riparian buffer on the property to be donated shall equal or exceed the acreage of riparian buffer required to be mitigated under the mitigation responsibility determined pursuant to Paragraph (c) of this Rule;~~
- (D) ~~The property shall not require excessive measures for successful restoration, such as removal of structures or infrastructure. Restoration of the property shall be capable of fully offsetting the adverse impacts of the requested use;~~
- (E) ~~The property shall be suitable to be successfully restored, based on existing hydrology, soils, and vegetation;~~
- (F) ~~The estimated cost of restoring and maintaining the property shall not exceed the value of the property minus site identification and land acquisition costs;~~
- (G) ~~The property shall not contain any building, structure, object, site, or district that is listed in the National Register of Historic Places established pursuant to Public Law 89-665, 16 U.S.C. 470 as amended;~~
- (H) ~~The property shall not contain any hazardous substance or solid waste;~~
- (I) ~~The property shall not contain structures or materials that present health or safety problems to the general public. If wells, septic, water or sewer connections exist, they shall be filled, remediated or closed at owner's expense in accordance with state and local health and safety regulations;~~
- (J) ~~The property and adjacent properties shall not have prior, current, and known future land use that would inhibit the function of the restoration effort;~~

- ~~(K) The property shall not have any encumbrances or conditions on the transfer of the property interests.~~
- (4) At the expense of the applicant or donor, the following information shall be submitted to the Division of Water Quality with any proposal for donations or dedications of interest in real property:
- ~~(A) Documentation that the property meets the requirements laid out in Subparagraph (h)(3) of this Rule.~~
- ~~(B) US Geological Survey 1:24,000 (7.5 minute) scale topographic map, county tax map, USDA Natural Resource Conservation Service County Soil Survey Map, and county road map showing the location of the property to be donated along with information on existing site conditions, vegetation types, presence of existing structures and easements.~~
- ~~(C) A current property survey performed in accordance with the procedures of the North Carolina Department of Administration, State Property Office as identified by the State Board of Registration for Professional Engineers and Land Surveyors in "Standards of Practice for Land Surveying in North Carolina." Copies may be obtained from the North Carolina State Board of Registration for Professional Engineers and Land Surveyors, 3620 Six Forks Road, Suite 300, Raleigh, North Carolina 27609.~~
- ~~(D) A current appraisal of the value of the property performed in accordance with the procedures of the North Carolina Department of Administration, State Property Office as identified by the Appraisal Board in the "Uniform Standards of Professional North Carolina Appraisal Practice." Copies may be obtained from the Appraisal Foundation, Publications Department, P.O. Box 96734, Washington, D.C. 20090 6734.~~
- ~~(E) A title certificate.~~
- (i) ~~RIPARIAN BUFFER RESTORATION OR ENHANCEMENT.~~ Persons who choose to meet their mitigation requirement through riparian buffer restoration or enhancement shall meet the following requirements:
- ~~(1) The applicant may restore or enhance riparian buffer defined in 15A NCAC 02B .0243 if either of the following applies:~~
- ~~(A) The area of riparian buffer restoration is equal to the required area of mitigation determined pursuant to Paragraph (c) of this Rule; or~~
- ~~(B) The area of riparian buffer enhancement is three times larger than the required area of mitigation determined pursuant to Paragraph (c) of this Rule.~~
- ~~(2) The location of the riparian buffer restoration or enhancement shall comply with the requirements in Paragraph (d) of this Rule.~~
- ~~(3) The riparian buffer restoration or enhancement site shall have a minimum width of 50 feet as measured horizontally on a line perpendicular to the surface water and may include the following:~~
- ~~(A) Restoration/enhancement of existing riparian areas.~~
- ~~(B) Restoration/enhancement and respective preservation of streamside areas when the stream is not depicted on USGS map or Soil Survey.~~
- ~~(C) Preservation of streamside areas when the stream is not depicted on USGS map or Soil Survey.~~
- ~~(D) Restoration/enhancement and respective preservation of streamside areas along first order ephemeral streams that discharge/outlet into intermittent or perennial streams.~~
- ~~(E) Preservation of the streamside area along first order ephemeral streams that discharge/outlet intermittent or perennial stream.~~
- ~~(4) Other individual/innovative mitigation projects may be approved by the Division of Water Quality that meet the purpose of this Rule.~~
- ~~(5) The applicant shall first receive an Authorization Certificate for the proposed use according to the requirements of 15A NCAC 02B .0607. After receiving this determination, the applicant shall submit a restoration or enhancement plan for approval by the Division of Water Quality. The~~

~~Division of Water Quality shall approve plans that meet the requirements of this Rule. The restoration or enhancement plan shall contain the following.~~

- ~~(A) A map of the proposed restoration or enhancement site.~~
- ~~(B) A vegetation plan. The vegetation plan shall include a minimum of two native hardwood tree species planted at a density sufficient to provide 320 trees per acre at maturity.~~
- ~~(C) A grading plan. The site shall be graded in a manner to ensure diffuse flow through the riparian buffer.~~
- ~~(D) A fertilization plan.~~
- ~~(E) A schedule for implementation.~~
- ~~(6) Within one year after the Division of Water Quality has approved the restoration or enhancement plan, the applicant shall present proof to the Division of Water Quality that the riparian buffer has been restored or enhanced. If proof is not presented within this timeframe, then the person shall be in violation of the State's or the delegated local authority's riparian buffer protection program.~~
- ~~(7) The mitigation area shall be placed under a perpetual conservation easement that will provide for protection of the property's nutrient removal functions.~~
- ~~(8) The applicant shall submit annual reports for a period of five years after the restoration or enhancement showing that the trees planted have survived and that diffuse flow through the riparian buffer has been maintained. The applicant shall replace trees that do not survive and restore diffuse flow if needed during that five year period.~~

*History Note: Authority G.S. 143-214.1; 143-215.3(a)(1); 143-215.8A;  
Eff. February 1, 2009.*

#### **15A NCAC 02B .0295 MITIGATION PROGRAM REQUIREMENTS FOR PROTECTION AND MAINTENANCE OF RIPARIAN BUFFERS**

(a) PURPOSE. The purpose of this Rule is to set forth the mitigation requirements that apply to applicants who wish to impact a riparian buffer when one of the following applies:

- (1) The applicant has received an authorization certificate, for impacts that cannot be avoided or practicably minimized, pursuant to 15A NCAC 02B .0233, 15A NCAC 02B .0243, 15A NCAC 02B .0250, 15A NCAC 02B .0259, 15A NCAC 02B .0267 and 15A NCAC 02B .0607 protection and maintenance of existing riparian buffers: purpose, applicability, jurisdiction and exemptions.
- (2) The applicant has received a variance pursuant to 15A NCAC 02B .0233, 15A NCAC 02B .0243, 15A NCAC 02B .0250, 15A NCAC 02B .0259, 15A NCAC 02B .0267 and 15A NCAC 02B .0607 and is required to perform mitigation as a condition of a variance approval.

(b) DEFINITIONS. For the purpose of this Rule, these terms shall be defined as follows:

- (1) "Authority" means either the Division or a local government that has been delegated or designated to implement the riparian buffer program.
- (2) "Division" means the Division of Water Quality of the North Carolina Department of Environment and Natural Resources.
- (3) "Enhancement Site" means riparian zone sites that shall be distinguished from restoration or preservation sites by being characterized by conditions between restoration and preservation.
- (4) "Government Entity" means the State and its agencies and subdivisions, the federal government, and units of local government.
- (5) "Hydrologic Area" means the Watershed Boundary Dataset (WBD), located at <http://datagateway.nrcs.usda.gov> using the eight-digit Hydrologic Unit Code (HUC) prepared by the United States Geological Survey.

- (6) “Monitoring period” means the length of time specified in the approved mitigation plan during which monitoring of vegetation success, stream stability, and other anticipated benefits to the adjacent water as listed in the Authorization Certification is done.
- (7) “Non-wasting endowment” means a fund that generates enough interest each year to cover the cost of the long term monitoring and maintenance.
- (8) “Off-site” means off the property on which the buffer impacts occur but within the most recent version of the Watershed Boundary Dataset (WBD), located at <http://datagateway.nrcs.usda.gov> using the 12 digit HUC prepared by the United States Geological Survey
- (9) “On-site” means on the property on which the impact occurred and which is owned by the applicant or to which the applicant holds an easement adequate to allow the proposed mitigation.
- (10) “Outer Coastal Plain” means the portion of the state shown as the Middle Atlantic Coastal Plain (63) on Griffith, et al (2002) “Ecoregions of North and South Carolina”. Reston, VA, United States Geological Survey.
- (11) “Physiographic province” means one of the four Level III ecoregion shown on Griffith, et al (2002) “Ecoregions of North and South Carolina”. Reston, VA, United States Geological Survey.
- (12) “Preservation Site” means riparian zone sites that are characterized by a closed canopy of tree species of greater than or equal to five inches diameter at breast height (dbh) or characterized by a dense growth of smaller woody stems.
- (13) “Restoration Site” means riparian zone sites that are characterized by an absence of trees greater than or equal to five inches diameter at breast height (dbh), by a lack of dense growth of smaller woody stems, or by open tree canopies such that the planting of woody stems will maximize nutrient removal and other buffer functions. With open tree canopies, the extent of the canopy shall be measured from the outer edge of the drip zone of the tree.
- (14) “Riparian wetland” means a wetland that is found in one or more of the following landscape positions: in a geomorphic floodplain; in a natural topographic crenulation; contiguous with an open water greater than or equal to 20 acres in size; or subject to tidal flow regimes excluding salt/brackish marsh wetlands.
- (15) “Urban” means a percent impervious cover of at least 24% in the watershed upstream of the upper end of the mitigation reach and areas where post-construction stormwater requirements apply according to Session Law 2006-246.

(c) APPLICATION REQUIREMENTS AND MITIGATION OPTIONS. Any applicant who seeks approval to impact riparian buffers covered under this Rule and who has met the requirements of Paragraph (a) shall submit to the Division a written mitigation proposal that calculates the required area of mitigation and describes the area and location of each type of proposed mitigation. The applicant may not impact buffers until the Division has approved the mitigation plan by issuance of written authorization. For all options except payment of a fee under Paragraph (h) or (i), the proposal shall include conservation easements or similar legal mechanisms to ensure perpetual maintenance and protection of the mitigation site’s nutrient removal and other water quality functions, a non-wasting endowment, and a completion bond that is payable to the Division sufficient to ensure that land purchase, construction, monitoring and maintenance are completed. An exception would be where the applicant is a local government and has entered a binding intergovernmental agreement with the Division to complete the project and manage and protect the property consistent with the requirements of this rule, such local government shall not be required to provide a non-wasting endowment or a performance bond. For each mitigation site, the Division shall identify appropriate functional criteria to measure the anticipated benefits of the mitigation to the adjacent water. The Division shall issue a mitigation determination that specifies the area, type and location of mitigation and the water quality benefits to be provided by the mitigation site. The mitigation determination issued according to this rule shall be included as an attachment to the Authorization Certification. The applicant may propose any of the following types of mitigation and shall provide a written demonstration of practicality that takes into account the relative cost and availability of potential options, as well as information addressing all requirements associated with the option proposed:

- (1) Applicant provided on-site or off-site riparian buffer restoration, enhancement or preservation pursuant to Paragraph (g) of this Rule;
- (2) Payment of a compensatory mitigation fee to a mitigation bank if buffer credits are available pursuant to paragraph (h) of this Rule or payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to Paragraph (i) of this Rule. Payment to the Riparian Buffer Restoration Fund shall be an option for applicants other than Government Entities only when credits are not available from a mitigation bank located within the same 8-digit cataloguing unit as the buffer impact pursuant to Paragraph (h) of this Rule is not available;
- (3) Donation of real property or of an interest in real property pursuant to Paragraph (j) of this Rule; and
- (4) Alternative buffer mitigation options pursuant to Paragraph (k) of this Rule;

(d) AREA OF IMPACT. The Authority shall determine the area of impact in square feet to each zone of the proposed riparian buffer impact by adding the following:

- (1) The area of the footprint of the use causing the impact to the riparian buffer;
- (2) The area of the boundary of any clearing and grading activities within the riparian buffer necessary to accommodate the use;
- (3) The area of any ongoing maintenance corridors within the riparian buffer associated with the use, and
- (4) The Authority shall deduct from this total the area of any wetlands that are subject to and compliant with riparian wetland mitigation requirements under 15A NCAC 2H .0506 and are located within the proposed riparian buffer impact area.

(e) AREA OF MITIGATION BASED ON ZONAL AND LOCATIONAL MULTIPLIERS. The Authority shall determine the required area of mitigation for each zone by applying each of the following multipliers to the area of impact calculated under paragraph (d) of this Rule with a 3:1 multiplier for Zone 1 and 1.5:1 multiplier for Zone 2, except that the required area of mitigation for impacts proposed within the Goose Creek watershed as 3:1 for the entire buffer and the Catawba River watershed as 2:1 for Zone 1 and 1.5:1 for Zone 2, and

- (A) In addition to the multipliers listed above in paragraph (e), the applicant must:

Option A: use the following locational multipliers as applicable based on location of the proposed mitigation site relative to that of the proposed impact site. Once the multipliers are determined, an option is to pay for the required mitigation. Payment of a compensatory mitigation fee to a mitigation bank if mitigation credits are available pursuant to Paragraph (h) of this rule or payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to Paragraph (i) of this Rule. Payment to the Riparian Buffer Restoration Fund for applicants other than Government Entities shall be available only when payment to a mitigation bank pursuant to Paragraph (h) of this rule is not available. Alternative mitigation options shown in Paragraph (k) of this rule shall be subject to these locational multipliers. Mitigation may be conducted within an adjacent eight digit HUC at a 2:1 ratio if written documentation of the impracticality of conducting mitigation within the appropriate 8 digit HUC is reviewed and approved by the Division.

Option B: use the following locational multipliers as applicable based on location of the proposed mitigation site relative to that of the proposed impact site. Once the multipliers are determined, an option is to pay for the required mitigation. Payment of a compensatory mitigation fee to a mitigation bank if mitigation credits are available pursuant to Paragraph (h) of this rule or payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to Paragraph (i) of this Rule. Payment to the Riparian Buffer Restoration Fund for applicants other than Government Entities shall be available only when payment to a mitigation bank pursuant to Paragraph (h) of this rule is

not available. Alternative mitigation options shown in Paragraph (k) of this rule shall be subject to the following locational multipliers. Mitigation may be conducted within an adjacent 8 digit HUC at a 2:1 ratio if written documentation of the impracticality of conducting mitigation within the appropriate 8 digit HUC is reviewed and approved by the Division.

<u>Adjacent 8 digit HUC</u>	<u>Within 8 digit HUC</u>	<u>Within 12 digit HUC</u>	<u>Mitigation option</u>
n/a	n/a	0.75	1) On site mitigation
2.0	1.5	1	2) All other types of mitigation

Option C: \_\_\_\_\_ use the following locational multipliers as applicable based on location of the proposed mitigation site relative to that of the proposed impact site. Mitigation options shall be available to applicants. A written demonstration of practicality shall be submitted to the Division for review and approval and shall take into account the cost and availability of these options with the following conditions:

<u>Adjacent 8 digit HUC</u>	<u>Within 8 digit HUC</u>	<u>Within 12 digit HUC</u>	<u>Mitigation option</u>
n/a	n/a	0.75	1) On site mitigation
2.0	1.0	0.75	2) All other types of mitigation

(B) Donation of property shall satisfy all the conditions of Paragraph ( j) of this Rule.

(f) GEOGRAPHIC RESTRICTIONS ON LOCATION OF MITIGATION. Mitigation shall be performed in the same river basin in which the impact is located with the following additional specifications:

(1) In the following cases, mitigation shall be performed in the same watershed in which the impact is located:

(A) Falls Lake Watershed;

(B) Goose Creek Watershed;

(C) Randleman Lake Water Supply Watershed; and

(D) Each subwatershed of the Jordan Lake watershed, as defined in Rule 15A NCAC 2B .0262.

(E) Other watershed restrictions as specified in riparian buffer protection rules adopted by the Commission.

(2) Buffer mitigation for impacts within watersheds with riparian buffer rules that also have federally listed threatened or endangered aquatic species may be done within other watersheds with the same species as long as the impacts are in the same river basin and same physiographic province as the mitigation site.

(g) RIPARIAN BUFFER RESTORATION, OR ENHANCEMENT. Enhancement, and restoration shall have the objective of establishing a forested riparian buffer according to the requirements of this paragraph. Division staff shall make an on-site determination as to whether a potential mitigation site qualifies as a restoration or enhancement site based on the applicable definition in Paragraph (b) of this Rule. Persons who choose to meet their

mitigation requirement through riparian buffer restoration or enhancement, shall also meet the following requirements:

- (1) The restoration area is equal to the required area of mitigation determined pursuant to Paragraph (e) of this Rule; and,
- (2) The enhancement area is three times larger than the required area of mitigation determined pursuant to Paragraph (e) of this Rule.
- (3) The location of the restoration or enhancement shall comply with the requirements of Paragraph (f) of this Rule.
- (4) The location of restoration or enhancement shall comply with any geographic multiplier as specified under Paragraph (e) of this rule
  - (A) For the Catawba River mainstem below Lake James, the width of the riparian buffer shall begin at the most landward limit of the top of the bank and extend landward a distance of 50 feet, measured horizontally on a line perpendicular to a vertical line marking the edge of the top of the bank. For the mainstem lakes located on the Catawba River mainstem, the width of the riparian buffer shall begin at the most landward limit of the full pond level and extend landward a distance of 50 feet, measured horizontally on a line perpendicular to a vertical line marking the edge of the full pond level. Buffer mitigation in the Catawba watershed may be done along the lake shoreline as well as along intermittent and perennial stream channels throughout the watershed.
  - (B) For the Goose Creek Watershed the riparian buffer restoration or enhancement site shall have a minimum width of 50 feet as measured horizontally on a line perpendicular to the surface water and may include restoration or enhancement of existing riparian areas, restoration or enhancement of streamside areas along first order ephemeral streams that discharge/outlet into intermittent or perennial streams, and preservation of the streamside area along first order ephemeral streams that discharge or outlet into intermittent or perennial stream at a 5:1 ratio as long as there is also an amount of restoration or enhancement equivalent to the amount of permitted impact.
- (6) The mitigation site shall provide diffuse flow across the entire buffer width. Any existing impervious cover or stormwater conveyances such as ditches or pipes shall be eliminated and the flow converted to diffuse flow.
- (7) The applicant or mitigation provider shall submit a restoration or enhancement plan for written approval by the Division. The restoration or enhancement plan shall demonstrate compliance with the requirements of Sub-Paragraphs (1) through (4) of this Paragraph and shall contain the following in addition to elements required in Paragraph (c):
  - (A) A map of the proposed restoration or enhancement site;
  - (B) A vegetation plan which shall include a minimum of five native hardwood tree species, where no one species is greater than 25% of planted stems, planted at a density sufficient to provide 320 trees per acre at maturity. The Division may approve alternative planting plans upon consideration of factors including site wetness and plant availability;
  - (C) A grading plan. The site shall be graded in a manner to ensure diffuse flow through the entire riparian buffer, and,
  - (D) A schedule for implementation including a fertilization and herbicide plan that will include protective measures to ensure that fertilizer and herbicide is not deposited downstream from the site and will be applied per manufacturers guidelines. Pesticides used must be certified by EPA for use in or near aquatics sites. Pesticides must be applied in accordance with the manufacturers' instructions, and
  - (E) A monitoring plan including monitoring of vegetative success, stream stability, and other anticipated benefits to the adjacent water as listed in the Authorization Certification.

- (8) Within one year after the Division has approved the restoration or enhancement plan, the applicant or mitigation provider shall present documentation to the Division that the riparian buffer has been restored or enhanced unless the Division agrees in writing to a longer time period due to the necessity for a longer construction period. If documentation is not presented within this timeframe, then the person shall be in violation of the Authority's riparian buffer protection program.
- (9) The mitigation area shall be placed under a perpetual conservation easement or similar legal mechanism to provide for protection of the property's nutrient and sediment removal functions.
- (10) Option 1: If the proposed mitigation site contains a sewer easement, the portion of the easement located within Zone 1 or Zone 2 is not suitable for buffer mitigation. However, the applicant may get narrower buffer credit in accordance with (k)(2)(D) of this rule.

Option 2: If the proposed mitigation site contains a sewer easement, the portion of the easement located within Zone 1 is not suitable for buffer mitigation except that buffer credit for a dedicated sewer easement shall be given to satisfy the Zone 2 buffer requirement if the sewer easement is at least 30 feet wide and it is required to be maintained in a condition which meets the vegetative requirements of the collection system permit, and if the applicant will restore or enhance the forested buffer in Zone 1 adjacent to the sewer easement.

- (11) The applicant or mitigation provider shall submit written annual reports for a period of five years after the restoration or enhancement showing that the trees planted have survived and that diffuse flow through the riparian buffer has been maintained. The applicant shall replace trees that do not survive and restore diffuse flow if needed during that five-year period, and
- (12) A completion bond shall be provided for the mitigation site to account for all land purchase, construction, monitoring and maintenance costs. A non-wasting endowment must be provided for the site to ensure perpetual, long term monitoring and maintenance.

(h) PURCHASE OF BUFFER MITIGATION CREDITS FROM A PRIVATE OR PUBLIC MITIGATION BANK. Applicants who choose to satisfy some or all of their mitigation determination by purchasing mitigation credits from a private or public mitigation bank shall meet the following requirements:

- (1) The mitigation bank from which credits are purchased is listed on the Division's webpage (<http://portal.ncdenr.org/web/wq/swp/ws/401/certsandpermits/mitigation>) and shall have available riparian buffer credits;
- (2) The mitigation bank from which credits are purchased shall be appropriately located as described in Paragraphs (e) and (f) of this Rule; and,
- (3) After receiving a mitigation acceptance letter from the mitigation provider, proof of payment for the credits shall be provided to the Department prior to any activity that results in the removal or degradation of the protected riparian buffer.

(i) PAYMENT TO THE RIPARIAN BUFFER RESTORATION FUND. Applicants who choose to satisfy some or all of their mitigation determination by paying a compensatory mitigation fee to the Riparian Buffer Restoration Fund shall meet the requirements of 15A NCAC 02B .0269 (Riparian Buffer Mitigation Fees to the NC Ecosystem Enhancement Program).

(j) DONATION OF PROPERTY. Applicants who choose to satisfy their mitigation determination by donating real property or an interest in real property shall meet the following requirements:

- (1) The donation of real property interests may be used to either partially or fully satisfy the payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to Paragraph (h) of this Rule. The value of the property interest shall be determined by an appraisal performed in accordance with Part (i)(4)(D) of this Rule. The donation shall satisfy the mitigation determination if the appraised value of the donated property interest is equal to or greater than the required fee. If the appraised value of the donated property interest is less than the required fee calculated pursuant to 15A NCAC 2B .0269, the applicant shall pay the remaining balance due.

- (2) The donation of conservation easements or similar legal mechanism that includes a non-wasting endowment to satisfy compensatory mitigation requirements shall be accepted only if the conservation easement or similar legal mechanism that includes a non-wasting endowment is granted in perpetuity.
- (3) Donation of real property interests to satisfy the mitigation determination shall be accepted only if such property meets all of the following requirements:
- (A) The property shall contain riparian areas not currently protected by the State's riparian buffer protection program that are in need of restoration or enhancement rather than preservation;
- (B) For the Neuse, Tar-Pamlico, Randleman basins and the Jordan Reservoir Watershed, the restorable riparian buffer on the property shall have a collective minimum length of 1,000 linear feet per 2,500 linear feet along a surface water and a minimum width of 50 feet as measured horizontally on a line perpendicular to the surface water. For the Catawba River mainstem below Lake James, the width of the riparian buffer shall begin at the most landward limit of the top of the bank and extend landward a distance of 50 feet, measured horizontally on a line perpendicular to a vertical line marking the edge of the top of the bank. For the mainstem lakes located on the Catawba River mainstem, the width of the riparian buffer shall begin at the most landward limit of the full pond level and extend landward a distance of 50 feet, measured horizontally on a line perpendicular to a vertical line marking the edge of the full pond level;
- (C) The size of the restorable riparian buffer on the property to be donated shall equal or exceed the acreage of riparian buffer required to be mitigated under the mitigation responsibility determined pursuant to Paragraph (e) of this Rule;
- (D) The property shall not require excessive measures for successful restoration, such as removal of structures or infrastructure. Restoration of the property shall be capable of fully offsetting the adverse impacts of the requested use;
- (E) The property shall be suitable to be successfully restored, based on existing hydrology, soils, and vegetation;
- (F) The estimated cost of restoring and maintaining the property shall not exceed the value of the property minus site identification and land acquisition costs unless the applicant supplies financial assurance acceptable to the Division for restoration and maintenance of the buffer;
- (G) The property shall not contain any building, structure, object, site, or district that is listed in the National Register of Historic Places established pursuant to Public Law 89-665, 16 U.S.C. 470 as amended;
- (H) The property shall not contain any hazardous substance or solid waste such that water quality could be adversely impacted, unless the hazardous substance or solid waste can be properly remediated before the interest is transferred;
- (I) The property shall not contain structures or materials that present health or safety problems to the general public. If wells, septic, water or sewer connections exist, they shall be filled, remediated or closed at owner's expense in accordance with state and local health and safety regulations before the interest is transferred;
- (J) The property and adjacent properties shall not have prior, current, or known future land use that would inhibit the function of the restoration effort;
- (K) The property shall not have any encumbrances or conditions that are inconsistent with the requirements of this rule or purposes of the buffer rules.
- (L) Fee simple title to the property or a conservation easement in the property shall be donated to the NC Ecosystem Enhancement Program or a similar organization approved by the Division to conduct the restoration or enhancement; and

- (M) Upon completion of the buffer restoration or enhancement , the property or the easement shall be donated to a local land trust or to a local government or other state organization that is willing to accept the property or easement. The donation shall be accompanied by a non-wasting endowment sufficient to ensure perpetual long-term monitoring and maintenance , except that where a local government has donated a conservation easement and has entered into a binding intergovernmental agreement with the Division to manage and protect the property consistent with the terms of the conservation easement , such local government shall not be required to provide a non-wasting endowment.
- (4) At the expense of the applicant or donor, the following information shall be submitted to the Division with any proposal for donations or dedications of interest in real property:
- (A) Documentation that the property meets the requirements laid out in Subparagraph (i)(3) of this Rule;
- (B) US Geological Survey 1:24,000 (7.5 minute) scale topographic map, county tax map, USDA Natural Resource Conservation Service County Soil Survey Map, and county road map showing the location of the property to be donated along with information on existing site conditions, vegetation types, presence of existing structures and easements;
- (C) A current property survey performed in accordance with the procedures of the North Carolina Department of Administration, State Property Office as identified by the State Board of Registration for Professional Engineers and Land Surveyors in "Standards of Practice for Land Surveying in North Carolina." Copies may be obtained from the North Carolina State Board of Registration for Professional Engineers and Land Surveyors, 3620 Six Forks Road, Suite 300, Raleigh, North Carolina 27609;
- (D) A current appraisal of the value of the property performed in accordance with the procedures of the North Carolina Department of Administration, State Property Office as identified by the Appraisal Board in the "Uniform Standards of Professional North Carolina Appraisal Practice." Copies may be obtained from the Appraisal Foundation, Publications Department, P.O. Box 96734, Washington, D.C. 20090-6734; and,
- (E) A title certificate.
- (k) ALTERNATIVE BUFFER MITIGATION OPTIONS. Some or all of a buffer mitigation requirement may be met through any of the alternative mitigation options described in this Paragraph. Any proposal for alternative mitigation shall meet, in addition to the requirements of Paragraphs (c), (e) and (f), the requirements set out in the sub-paragraph addressing that option as well as the following requirements:
- (1) Any proposal for alternative mitigation shall be provided in writing to the Division and shall meet the following content and procedural requirements for approval by the Division:
- (A) Demonstration of no practical alternative. The application shall describe why traditional buffer mitigation options are not practical for the project;
- (B) The application shall demonstrate that the proposed alternative removes an equal or greater annual mass load of nutrients to surface waters as the buffer that is approved by the Division for impact following the calculation of impact and mitigation areas pursuant to Paragraphs (d) and (e) of this Rule. To estimate the rate of nutrient removal of the impacted buffer, the applicant shall either propose a method acceptable to the Division or use a method previously approved by the Division. Prior to approval, both methods shall be subject to public notice through the 401 Certification Mailing List and public comment in accordance with 15A NCAC 2H .0503;
- (C) Public Notice and Comment. All proposals shall be reviewed by the Division for completeness and then be subject to public comment through 60-day notice on the 401 Certification Mailing List in accordance with 15A NCAC 2H .0503;
- (D) Option 1: Projects that have been constructed and are within the required monitoring period as of the effective date of this Rule are eligible for use as alternative buffer

mitigation. Projects that have completed monitoring and have been released by the Division as of the effective date of this Rule are not eligible for use as alternative buffer mitigation.

Option 2: Projects that have been constructed and are within the required monitoring period on the effective date of this Rule are eligible for use as alternative buffer mitigation. Projects that have completed monitoring and have been released by the Division on or before the effective date of this Rule are eligible for use as alternative buffer mitigation for a period of ten years from the effective date of this Rule.

- (E) Buffer mitigation ratios shall be applied to these alternative buffer mitigation options, and
  - (F) The mitigation area shall be placed under a perpetual conservation easement or similar legal mechanism to provide for protection of the property's buffer functions,
  - (G) A completion bond shall be provided for the mitigation site to account for all land purchase, construction, monitoring and maintenance costs. A non-wasting endowment must be provided for the site to ensure perpetual, long term monitoring and maintenance.
- (2) ALTERNATIVE BUFFER MITIGATION – NON-STRUCTURAL, VEGETATIVE OPTIONS.
- (A) Coastal Headwater Stream Mitigation. Wooded buffers planted along Outer Coastal Plain headwater stream mitigation sites can be approved as riparian buffer mitigation as long as the site meets all applicable requirements of Paragraph (g) of this Rule. In addition, all success criteria including tree species, tree density, diffuse flow and stream success criteria specified by the Division in any required written approval of the site must be met. The area of the buffer shall be measured perpendicular to the length of the valley being restored. The area within the proposed buffer mitigation shall not also be used as wetland mitigation. Monitoring of the site must be for at least five years from the date of planting by providing annual reports for written DWQ approval.
  - (B) Unmapped Stream Buffer Mitigation. Restoration or enhancement of buffers may be conducted on intermittent or perennial streams that are exempt from riparian buffer rules by virtue of not being shown on maps as further specified in individual rules referenced in Paragraph (f). These streams shall be confirmed as intermittent or perennial streams by Division staff or staff from a local delegated program using the 2010 or later version of the Division's stream identification manual. Preservation of these stream buffers that meet the definition of a preservation site may also be proposed in order to permanently protect the buffer from cutting, clearing, filling and grading and similar activities that would affect the functioning of the buffer, provided that the preservation site area is five times larger than the mitigation area required under Paragraph (e) of this Rule, and restoration or enhancement is proposed with an area equal to the mitigation area required under Paragraph (e) of this Rule. The preservation site shall protect at least a 50 foot wide wooded riparian buffer. The proposal shall meet all applicable requirements of Paragraph (g) of this Rule. Applicant shall provide a written description for the Division's approval of the demonstrable threat to the buffer mitigation site and its functioning to provide nutrient removal and other water quality benefits. No existing or new stormwater discharges are allowed thru the buffer.
  - (C) Option 1: Preservation of mapped stream buffers. Buffer preservation may be proposed in order to permanently protect the buffer from cutting, clearing, filling and grading and similar activities that would affect the functioning of the buffer above and beyond the protection afforded by the existing buffer rules on sites that meet the definition of a preservation site along streams, estuaries or ponds that are subject to buffer rules as long as the proposed preservation site area is ten times larger than the mitigation area required

under Paragraph (e) of this Rule, and buffer restoration or enhancement is also proposed with an area equal to the mitigation area required under Paragraph (e) of this Rule. Applicant shall provide a written description for the Division's approval of the demonstrable threat to the buffer mitigation site and its functioning to provide nutrient removal and other water quality benefits. No existing or new stormwater discharges are allowed thru the buffer.

Option 2: Preservation of mapped stream buffers. Buffer preservation may be proposed in order to permanently protect the buffer from cutting, clearing, filling and grading and similar activities that would affect the functioning of the buffer above and beyond the protection afforded by the existing buffer rules on sites that meet the definition of a preservation site along streams, estuaries or ponds that are subject to buffer rules as long as the proposed preservation site area is ten times larger than the mitigation area required under Paragraph (e) of this Rule in non-urban areas and three times larger than the mitigation area required under Paragraph (e) of this Rule in urban areas. In addition, buffer restoration or enhancement is also proposed with an area equal to the mitigation area required under Paragraph (e) of this Rule. Reduced buffer mitigation credit can be given per Paragraph (D) of this Rule in urban areas. Applicant shall provide a written description for the Division's approval of the demonstrable threat to the buffer mitigation site and its functioning to provide nutrient removal and other water quality benefits. No existing or new stormwater discharges are allowed thru the buffer.

(D) Narrower buffers on urban streams. Buffer mitigation with widths less than 50 feet may be proposed along urban streams. If buffers greater than or equal to 31 feet in width are proposed and on-site stormwater management is provided to control local sources of nutrients and other pollutants, then full buffer credit shall be awarded for the mitigation area required under Paragraph (e) of this Rule. A total of 75% of full credit shall be awarded for buffers between 20 and 30 feet wide if on-site stormwater management is provided to control local sources of nutrients and other pollutants. If on-site stormwater management is not provided, then 50% of full credit shall be provided for buffers between 31 and 50 feet wide and 25% of full credit for buffers between 20 and 30 feet wide. Buffers less than 20 feet wide shall receive no buffer credit regardless of whether on-site stormwater management is provided. Any remaining mitigation requirements must be provided at additional mitigation sites.

(E) Enhancement of grazing areas adjacent to streams. Buffer credit at a 2:1 ratio shall be available for an applicant who proposes permanent exclusion of grazing livestock that otherwise degrade the stream and riparian zone through trampling, grazing or waste deposition by fencing the livestock out of the stream and its adjacent buffer. The riparian buffer area contained by fencing shall be two times greater than the mitigation area required under Paragraph (e) of this Rule. The applicant shall document the condition and aerial coverage of canopy and woody understory, and shall propose planting of understory trees and shrubs as well as young canopy tree species as necessary to achieve buffer restoration to the standards identified in Paragraph (g). The applicant shall demonstrate that grazing was the predominant land use for at least the past 20 years and that woody understory is absent as a result of grazing history. Conservation easements or other similar legal mechanism shall ensure perpetual maintenance of permanent fencing.

(3) ALTERNATIVE BUFFER MITIGATION STRUCTURAL STORMWATER TREATMENT OPTIONS.

- (A) For all structural options: Riparian buffer restoration or enhancement is required with an area at least equal to the footprint of the buffer impact, and the remaining mitigation resulting from the multipliers can be met through structural options;
  - (B) Structural measures already required by other local, state or federal rule cannot be used as alternative buffer mitigation, except to the extent such measure(s) exceed the requirements of such rule. Stormwater Best Management Practices (BMPs) -bioretention facilities, constructed wetlands, infiltration devices and sand filter are all potentially approvable Best Management Practices for alternative buffer mitigation. Other Best Management Practices may be approved only if they meet the nutrient removal levels outlined in (3)(C) below. Existing or planned BMPs for a local, state or federal permit may be retrofitted or expanded to improve their nutrient removal if this level of treatment would not be required by other local, state or federal rules. In this case, the predicted increase in nutrient removal may be counted toward alternative buffer mitigation;
  - (C) Minimum treatment levels: Any structural BMP shall provide at least 30% total nitrogen and 35% total phosphorus removal as demonstrated by a scientific and engineering literature review as approved by the Division. The total load reduction from structural BMPs shall be at least equivalent to the original load reduction provided by the existing square feet of buffer being impacted;
  - (D) All proposed structural Best Management Practices shall follow the Division's current or a later version of the 2009 Stormwater Best Management Practice Design Manual. If a proposed structural Best Management Practice is not addressed in this Manual, then a scientific and engineering literature review shall be submitted with the designs for written approval by the Division. The design shall be as effective as the practices described in the Division's stormwater manual;
  - (E) An operation and maintenance plan is required to be approved by the Division for all structural options;
  - (F) Continuous and perpetual maintenance is required for all structural options and shall follow the Division's current or more recent version of the 2009 Stormwater Best Management Practice Design Manual;
  - (G) Annual reports shall be sent in writing to the Division of Water Quality concerning operation and maintenance of all structural options approved under this rule.
  - (H) Removal and replacement of structural options: If a structural option is proposed to be removed and cannot be replaced on site, then a structural measure of equal or better nutrient removal capacity shall be constructed as a replacement with the location as specified by Section (e) of this Rule;
  - (I) Renovation or repair of structural options: If a structural option must be renovated or repaired, it shall be renovated to provide similar or better nutrient removal capacity as originally designed;
  - (J) Structural options as well as their operation and maintenance are the responsibility of the landowner or easement holder unless the Division agrees in writing to operation and maintenance by another responsible party. Structural options shall be shown on the property deed or another document constituting an encumbrance on the property, with a note that operation and maintenance is the responsibility of the landowner, easement holder or other responsible party; and.
  - (K) Bonding and endowment. Provisions for bonding for construction, monitoring and maintenance as well as provision for a long term, non-wasting endowment for monitoring and maintenance shall be provided in the submittal to the Division.
- (4) OTHER ALTERNATIVE BUFFER MITIGATION OPTIONS. Other riparian buffer mitigation options may be considered by the Division on a case-by-case basis after public notice

through the Division's 401 Certification Mailing List and opportunity for comment as long as the options otherwise meet the requirements of this Rule. Division staff shall present recommendations to the Environmental Management Commission for a final decision with respect to any proposal for alternative buffer mitigation options not specified in this Rule.

(I) ACCOUNTING FOR BUFFER CREDIT, NUTRIENT OFFSET CREDIT AND STREAM MITIGATION CREDIT. Buffer mitigation credit, nutrient offset credit, wetland mitigation credit and stream mitigation credit shall be accounted for in accordance with the following:

- (1) Riparian buffers required for Water Supply Watershed rules shall not generate credit for buffer mitigation, nutrient offset mitigation or stream mitigation projects.
- (2) Nutrient offset credits can be generated outside of the stream buffer width required for stream mitigation.
- (3) Buffer and nutrient offset credits cannot be counted in the same square footage for mitigation credit.
- (4) Buffer mitigation or nutrient offset credit cannot be provided within wetlands which provide wetland mitigation credit required by 15A NCAC 2H .0506, as long as riparian wetland mitigation is implemented and
- (5) Option 1: Buffer mitigation or nutrient offset credit can be generated on stream mitigation sites as long as the restored or enhanced riparian buffer is at least 50 feet.

Option 2: Buffer mitigation or nutrient offset credit can be generated and approved on stream mitigation sites for impacts to streams and buffers as long as the restored or enhanced riparian buffer is at least 50 feet wide and is not providing wetland mitigation credit required by 15A NCAC 2H .0506. If impacts are to buffers only, then mitigation can be done on a buffer-only mitigation site. In this case, stream credits will be no longer be available from that stream mitigation site once the buffer credits are subtracted.

Option 3: Buffer mitigation or nutrient offset credit cannot be generated on stream mitigation sites.

*History Note:* Authority 143-214.1; 143-214.5; 143-214.7; 143-214.20; 143-215.3(a)(1); S.L. 1998, c. 221; 143-215.6A; 143-215.6B; 143-215.6C; 143-215.8A; 143-215.8B; 143-282(c); 143B-282(d); S.L. 1999, c. 329, s. 7.1; S.B. 824-2003; S.L. 2005-190; S.L. 2006-259; S.L. 2009-337; S.L. 2009-486.  
Eff. Insert date here.

**Addendum to Fiscal Analysis (Version 7.0) – Buffer Mitigation Rules  
(15A NCAC 02B .0295, .0242, .0244, .0252, .0260, .0268, and .0609)  
Prepared by NC Division of Water Quality staff  
May 14, 2013**

This Addendum has been prepared to update the Fiscal Analysis (FA) based on the results of the N.C. Environmental Management Commission's (EMC) recommendation to adopt 15A NCAC 02B .0295: Mitigation Program Requirements for Protection and Maintenance of Riparian Buffers, and repeal the pertinent portions of the existing riparian buffer rules (15A NCAC 02B .0242: Mitigation for Existing Buffers in the Neuse River Basin; 15A NCAC 02B .0244: Mitigation for Existing Buffers in the Catawba River Basin; 15A NCAC 02B .0252: Randleman Lake Mitigation for Existing Buffers; 15A NCAC 02B .0260: Mitigation for Existing Buffers in the Tar-Pamlico River Basin; 15A NCAC 02B .0268: Jordan Lake Mitigation for Existing Buffers; and 15A NCAC 02B .0609: Goose Creek Watershed Buffer Mitigation Rule).

As part of the recommendation to adopt the new rule, the EMC voted on a number of options that were included in the rule and FA that was approved to go out to public notice. Each of the options is listed below, along with the Hearing Officer's (HO) recommendation and the option adopted by the EMC:

- **15A NCAC 02B .0295(e) (Section II.B.a. of the FA): Mitigation Location.** There were three options proposed. The HO recommended Option C; the EMC adopted Option C.
- **15A NCAC 02B .0295(k)(1)(B) (Section II.C.b. of the FA): Credit on Constructed Mitigation Projects.** There were two options proposed. The HO recommended Option 2; the EMC adopted Option 2.
- **15A NCAC 02B .0295(k)(2)(C) (Section II.C.c.iii. of the FA): Preservation of Stream Buffers on Mapped Streams.** There were two options proposed. The HO recommended Option 2; the EMC adopted Option 2.
- **15A NCAC 02B .0295(k)(2)(E) (Section II.C.a. of the FA): Sewer Easements within the Buffer.** There were two options proposed. The HO recommended Option 2; the EMC adopted Option 2.
- **15A NCAC 02B .0295(l) (Section II.B.b. of the FA): Accounting for Buffer, Nutrient Offsite and Stream Mitigation Credit.** There were three options proposed. The HO recommended Option 3; the EMC adopted Option 1.

The following table summarizes the effect of the final rule as adopted by the EMC:

**Table 9\*: Estimated Annual Costs and Benefits Presented in the Fiscal Analysis, Quantified or Un-quantified**

	Un-quantified**	Quantified**
<b>Costs:</b>		
Completion Bond and Non-wasting Endowment		\$110,000/year
<b>Mitigation Location Change</b>	<b>X (Due to 2.0 multiplier for mitigation out of eight-digit HUC. Division has never had a request for mitigation out of eight-digit HUC)</b>	<b>\$0</b>
<b>Credit Accounting</b>		<b>\$0 (No change; Division currently handles accounting in this manner)</b>
Additional cost from more expensive mitigation options (Structural Options)	X	
<b>Benefits:</b>		
<b>Cost savings from more advantageous mitigation location</b>	<b>X (potential for savings by mitigating within 12-digit HUC)</b>	
Cost savings from cheaper mitigation options	X	
Additional Development Potential	X	
Additional Buffer Acreage	X (unclear impact on water quality; potential net benefits from nutrient removal of \$20,000/acre)	
<b>Preservation of Unmapped Streams</b>	<b>X (due to scarcity of unmapped streams, will seldom be used)</b>	
<b>Sewer Easements</b>		<b>\$490,000 benefit/year</b>
<b>Buffer Mitigation Beyond the 5-Year Monitoring Period</b>		<b>\$3.4 million one-time benefit</b>

\* This table is an amended version of Table 1 as presented in the Fiscal Analysis (Version 7.0) to reflect the options adopted by the EMC on May 9, 2013.

\*\* Based on the percentage of buffer mitigation required by different parties during 2005-2010, DENR estimates that most of the impacts (90%) listed in this table would be incurred by NC DOT and by private development.

**Based on this analysis, these proposed rules will not be cost prohibitive. They will have a net benefit to stakeholders by allowing them to construct projects the current buffer mitigation rules prohibit. Local governments and state facilities are subject to these costs whenever buffer mitigation is required for their projects.**

**ADDENDUM II to**  
**Fiscal Analysis (version 7.0) – Buffer Mitigation Rules**  
**(15A NCAC 2B .0295)**

Prepared by NC Division of Water Resources staff  
October 29, 2014

**Rule Citation Number –**

**15A NCAC 2B .0295: Mitigation Program Requirements for Protection and Maintenance of Riparian Buffers**

**DENR Division - Division of Water Resources**

**Agency Contact: Sue Homewood**  
**Division of Water Resources**  
**585 Waughtown St**  
**Winston Salem, NC 27107**  
**336-771-4964**  
<mailto:Sue.Homewood@ncdenr.gov>

**VI. Background for the Addendum:**

The Environmental Management Commission (EMC) approved on May 9, 2013 the *Mitigation Program Requirements for the Protection and Maintenance of Riparian Buffers* Rule, 15A NCAC 02B .0295. The discussion of the impacts from the rule was included in the Fiscal Analysis previously certified by the Office of State Budget and Management on October 12, 2012 and in the addendum to that analysis from May 14, 2013.

The rule was approved by the Rules Review Commission on July 18, 2013 but received 10 or more letters of objection. The Department of Environment and Natural Resources (DENR) requested the Division of Water Resources (Division) to assemble a stakeholder group to resolve the objections to the rule. The stakeholder group included three officers of the NC Environmental Restoration Association (Environmental Banc & Exchange, Wildlands Engineering, and Restoration Systems), PCS Phosphate, NC Department of Transportation, NC Ecosystem Enhancement Program and the NC Division of Water Resources. The group came to a consensus on all the revisions to the OAH draft rule; those recommendations were provided to DENR in the April 10, 2014 Consolidated Buffer Mitigation Rule Stakeholder Report.<sup>4</sup>

---

<sup>4</sup> NC Department of Environment and Natural Resources. Division of Water Resources. 401 & Buffer Permitting Unit. Proposed Temporary Rule Mitigation Program Requirements for the Protection and Maintenance of Riparian Buffers. [http://portal.ncdenr.org/c/document\\_library/get\\_file?uuid=98eeae33-e5c4-4b54-9c84-93db3485017f&groupId=38364](http://portal.ncdenr.org/c/document_library/get_file?uuid=98eeae33-e5c4-4b54-9c84-93db3485017f&groupId=38364)

Due to the letters of objection, the Rule was subject to legislative review. During the 2014 short session, Session Law 2014-95 disapproved the rule adopted by the EMC on May 9, 2013 and approved by the RRC on July 18, 2013. S.L. 2014-95 also directed the EMC to adopt a *Mitigation Program Requirements for the Protection and Maintenance of Riparian Buffers* Rule, pursuant to G.S. 150B-21.1 (Procedure for adopting a temporary rule), no later than October 1, 2014. It further stated that the rule adopted shall be substantively identical to the recommended rule text contained in the April 10, 2014 Consolidated Buffer Mitigation Rule Stakeholder Report.

The EMC began temporary rulemaking for 15A NCAC 02B .0295 on August 14, 2014 and adopted a temporary rule on September 30, 2014. A public hearing was held August 28, 2014, with a comment period from August 14-September 12, 2014. The temporary rule became effective on October 24, 2014 and will expire on August 14, 2015. On October 24, 2014, the six existing riparian buffer mitigation rules (15A NCAC 02B .0242, .0244, .0252, .0260, .0268, and .0609) were repealed.

This proposed permanent rule (see text in the Appendix to Addendum 2) is necessary to replace the temporary rule, which will expire August 14, 2015.

**VII. Description of Post Legislative Review Changes:**

This proposed permanent amendment implements changes as required by S.L. 2014-95. The revisions are technical and operational in nature and the majority of the Rule will remain unchanged from the version adopted by the EMC on May 9, 2013. The revisions proposed in the Stakeholder Report include improving clarity of rule language through definitions and tables, expanding restoration methods to include natural regeneration, allowing buffer mitigation credit up to 200 feet from the stream bank, providing flexibility for sites with existing impervious surfaces or stormwater conveyances, and allowing mitigation on ephemeral channels and ditches. Table 1 below lists all substantial revisions to the rule after the legislative review.

**Table 1: Substantial revisions incorporated by Statute reference to April 2014 Stakeholder Report**

1. Enhancement credit increased
2. Increase preservation on non-subject urban streams
3. Increase credit opportunities for buffer sites when buffer width is less than 50 feet
a. Remove requirement for stormwater management to be provided for urban streams with buffer widths of less than 50 feet
b. Allow buffer credit for non-urban streams
4. Allow buffer credit for buffers widths greater than 50 feet (urban and non-urban)
5. Allow mitigation on ephemeral streams
6. Allow mitigation on ditches
7. Allow mitigation sites to include impervious cover or stormwater conveyances when they cannot reasonably be removed.

The proposed rule changes would allow several optional measures that were not included in the originally proposed rule. None of these options would be required. These additional options are being proposed to give the regulated community more flexibility in achieving the required mitigation. None of the additional options would be expected to cost substantially more than traditional mitigation but rather, they allow for traditional mitigation to be performed at locations that were not previously allowed, or they provide for more credit to be generated for traditional mitigation options.

1. *Enhancement credit increased* – Previous mitigation rules deemed that buffer enhancement would be credited at a ratio of 3:1. The proposed rules would increase the credit by changing the ratio to 2:1, thereby generating more credit for each acre of buffer restoration. This would provide a benefit to the mitigation community.
2. *Increase preservation credit on non-subject urban streams* – Previous mitigation rules deemed that buffer preservation on non-subject (pursuant to Rules .0233, .0243, .0250, .0259, .0267 or .0607) streams would be credited at a ratio of 5:1. The proposed rule changes this ratio to 3:1 making it identical to the preservation ratio for subject urban streams since preservation in urban areas is more difficult, rather than similar to the preservation ratio of 5:1 for non-subject rural streams.
3. *Increase credit opportunities for buffer sites where the buffer width is less than 50 feet* –
  - a. Remove requirement for on-site stormwater control management – Previous mitigation rules deemed that buffer mitigation credits may be provided at reduced credit ratios (ratios dependent upon the width and providing stormwater management) for buffer restoration along urban streams. The proposed rule removes the requirement for on-site stormwater management.
  - b. Allow buffer credit for non-urban streams when buffer width is less than 50 feet – Previous mitigation rules did not allow mitigation credit to be produced on rural streams with buffer widths of less than 50 feet. The proposed rule allows for buffer mitigation credit for buffer widths of 30 feet or more.
4. *Allow for buffer mitigation credit generated for buffer widths greater than 50 feet* – Previous mitigation rules did not provide for any mitigation credit for buffer widths greater than 50 feet. The proposed rule provides for credit to be produced for buffer widths beyond 50 feet for both urban and non-urban streams. Restoration of buffers with width greater than 50 and up to 100 feet would receive full credit. In addition, restoration of buffers with a width between 101 and 200 feet would receive 50% of the credit, as long as the area beyond 100 feet from the top of the bank comprises no more than 10% of the entire mitigation area.
5. *Allow for buffer mitigation on ephemeral channels* – Previous rules deemed that buffer mitigation could only be performed on intermittent or perennial streams, except in the Goose Creek Watershed. The proposed rule allows for buffer mitigation to be performed on ephemeral channels when they are directly connected to an intermittent or perennial stream, contiguous with the rest of the mitigation site, and the area is no more than 25% of the total mitigation area. The credit ratios for restoration, enhancement and preservation would be the same as for intermittent or perennial streams. would be 3:1 in urban and 5:1 in rural areas. The restoration and enhancement credit would depend on the buffer width.

6. *Allow for buffer mitigation on ditches* – Previous rules deemed that buffer mitigation could only be performed on intermittent or perennial streams. The proposed rule allows for buffer mitigation to be performed on specific ditches under specific conditions, including that the width of the buffer being no less than 30 and no more than 50 feet.
7. *Allow mitigation sites to include impervious cover or stormwater conveyances* – The previous rule had no allowance to impervious cover or stormwater conveyances on a mitigation site. The proposed new change would allow them when they cannot reasonably be removed. However, the mitigation credit may be reduced proportionally as a result.

### **VIII. Costs and Benefits of Post Legislative Review Changes:**

The availability of these additional buffer mitigation options will provide an expanded list of buffer mitigation options needed to compensate for unavailable buffer development activities, especially in areas of the state where buffer mitigations are currently very limited.

Some of the post legislative changes may cost more per mitigation site, for additional land acquisition, planting, stream work and monitoring however the amount would be site specific. However, the advantage of these additional mitigation options are that they would expand the possible number of mitigation sites available to the regulated community. They may also reduce the overall cost for developers or mitigation providers allowing them to select mitigation sites that are the most cost effective, to generate more mitigation credit per site, to reduce costs for legal documentation for land acquisition if each site generates more credit, to reduce costs for construction mobilization by providing more credit per site.

The regulated community has identified these mitigation options as a benefit to the mitigation providers and to developers and specifically requested these post legislative changes through a stakeholder process. Table 2 provides more detail on the expected impact of the post legislative review changes.

The water quality benefits of riparian buffers have been detailed in the Fiscal Analysis previously certified by the Office of State Budget and Management on October 12, 2012. The post legislative review changes provide additional flexibility, and in some cases increased credit, to applicants and mitigation providers. The use of these flexible options will vary across the state based on land and construction costs as well as the availability of traditional buffer mitigation sites but are expected to be minimal and expected to mostly be used in specific areas where traditional mitigation has been difficult to implement. Therefore there is no change in the water quality benefits of riparian buffers, and there are no negative impacts to water quality by the addition of these additional flexible mitigation options.

**Table 2 - Summary of Annual Costs of Post Legislative Review Changes**

<b>Item</b>	<b>Percent change in cost</b>	<b>Estimated additional annual cost or benefit</b>
Enhancement credit increased	33.33 percent decrease	33.33 percent more value to for an enhancement site

Item	Percent change in cost	Estimated additional annual cost or benefit
Increase preservation credit for non-subject urban streams	40 percent decrease	40 percent more value for preservation of non-subject urban streams
Increase credit possibilities for buffer sites where the buffer width is less than 50 feet	0	There will be no additional costs but more sites will be available for mitigation.
Allow mitigation credit for buffers greater than 50 feet	Variably less than traditional mitigation	The additional costs for added buffer planting would be offset by the reduced cost/acre for reduced land acquisition documentation and construction mobilization costs. More credit may be generated on each mitigation site therefore cost/acre will decrease slightly and be variable by site.
Allow mitigation on ephemeral channels	0	There will be more sites available for mitigation savings the regulated community time and funds in identifying mitigation sites.
Allow mitigation on ditches	0	There will be more sites available for mitigation resulting in savings for those regulated.
Allow mitigation sites to include impervious surfaces and/or stormwater conveyances	0	There will be more sites available for mitigation resulting in savings for those regulated.

## APPENDIX TO ADDENDUM 2

### 15A NCAC 02B .0295 MITIGATION PROGRAM REQUIREMENTS FOR PROTECTION AND MAINTENANCE OF RIPARIAN BUFFERS

(a) PURPOSE. The purpose of this Rule is to set forth the mitigation requirements that apply to applicants listed in Subparagraphs (1) and (2) of this Paragraph and to set forth requirements for buffer mitigation providers. Buffer mitigation is required when one of the following applies:

- (1) The applicant has received an authorization certificate for impacts that cannot be avoided or practicably minimized pursuant to Rules .0233, .0243, .0250, .0259, .0267 or .0607 of this Subchapter; or
- (2) The applicant has received a variance pursuant to Rules .0233, .0243, .0250, .0259, .0267 or .0607 of this Subchapter and is required to perform mitigation as a condition of a variance approval.

(b) DEFINITIONS. For the purpose of this Rule, these terms shall be defined as follows:

- (1) "Authority" means either the Division or a local government that has been delegated or designated pursuant to Rules .0233, .0243, .0250, .0259, .0267 or .0607 of this Subchapter to implement the riparian buffer program.
- (2) "Division" means the Division of Water Resources of the North Carolina Department of Environment and Natural Resources.
- (3) "Enhancement Site" means a riparian zone site characterized by conditions between that of a restoration site and a preservation site such that the establishment of woody stems (i.e., tree or shrub species) will maximize nutrient removal and other buffer functions.
- (4) "Hydrologic Area" means the Watershed Boundary Dataset (WBD), located at <http://data.nconemap.com/geoportal/catalog/search/resource/details.page?uuid={16A42F31-6DC7-4EC3-88A9-03E6B7D55653}> using the eight-digit Hydrologic Unit Code (HUC) prepared by the United States Geological Survey.
- (5) "Locational Ratio" means the mitigation ratio applied to the mitigation requirements based on the location of the mitigation site relative to the impact site as set forth in Paragraph (f).
- (6) "Monitoring period" means the length of time specified in the approved mitigation plan during which monitoring of vegetation success and other anticipated benefits to the adjacent water as listed in the authorization certification is done.
- (7) "Non-wasting endowment" means a fund that generates enough interest to cover the cost of the long term monitoring and maintenance.
- (8) "Outer Coastal Plain" means the portion of the state shown as the Middle Atlantic Coastal Plain (63) on Griffith, et al. (2002) "Ecoregions of North and South Carolina." Reston, VA, United States Geological Survey available at no cost at [http://www.epa.gov/wed/pages/ecoregions/ncsc\\_eco.htm](http://www.epa.gov/wed/pages/ecoregions/ncsc_eco.htm).
- (9) "Preservation Site" means riparian zone sites that are characterized by a natural forest consisting of the forest strata and diversity of species appropriate for the Omernik Level III ecoregion.
- (10) "Restoration Site" means riparian zone sites that are characterized by an absence of trees and by a lack of dense growth of smaller woody stems (i.e., shrubs or saplings) or sites that are characterized by scattered individual trees such that the tree canopy is less than 25 percent of the cover and by a lack of dense growth of smaller woody stems (i.e., shrubs or saplings).
- (11) "Riparian buffer mitigation unit" means a unit representing a credit of riparian buffer mitigation that offsets one square foot of riparian buffer impact.
- (12) "Riparian wetland" means a wetland that is found in one or more of the following landscape positions:
  - (A) in a geomorphic floodplain;
  - (B) in a natural topographic crenulation;
  - (C) contiguous with an open water equal to or greater than 20 acres in size; or
  - (D) subject to tidal flow regimes excluding salt/brackish marsh wetlands.
- (13) "Urban" means an area that is designated as an urbanized area under the most recent federal decennial census available at no cost at <http://www.census.gov/> or within the corporate limits of a municipality.

(14) "Zonal Ratio" means the mitigation ratio applied to impact amounts in the respective zones of the riparian buffer as set forth in Paragraph (e) of this Rule.

(c) APPLICATION REQUIREMENTS, MITIGATION SITE REQUIREMENTS AND MITIGATION OPTIONS. Any applicant who seeks approval to impact riparian buffers covered under this Rule who is required by Paragraph (a) shall submit to the Division a written mitigation proposal that calculates the required area of mitigation and describes the area and location of each type of proposed mitigation. The applicant shall not impact buffers until the Division approves the mitigation plan and issues written authorization. For all options except payment of a fee under Paragraphs (j) or (k) of this Rule, the proposal shall include a commitment to provide:

- (1) a perpetual conservation easement or similar legal protection mechanism to ensure perpetual stewardship that protects the mitigation site's nutrient removal and other water quality functions;
- (2) a commitment to provide a non-wasting endowment or other financial mechanism for perpetual stewardship and protection; and
- (3) a commitment to provide a completion bond that is payable to the Division sufficient to ensure that land or easement purchase, construction, monitoring, and maintenance are completed.

For each mitigation site, the Division shall identify functional criteria to measure the anticipated benefits of the mitigation to the adjacent water. The Division shall issue a mitigation determination that specifies the area, type, and location of mitigation and the water quality benefits to be provided by the mitigation site. The mitigation determination issued according to this Rule shall be included as an attachment to the authorization certification. The applicant may propose any of the following types of mitigation and shall provide a written demonstration of practicality that takes into account the relative cost and availability of potential options, as well as information addressing all requirements associated with the option proposed:

- (1) Applicant-provided riparian buffer restoration or enhancement pursuant to Paragraph (i) of this Rule;
- (2) Payment of a compensatory mitigation fee to a mitigation bank if buffer credits are available pursuant to Paragraph (j) of this Rule or payment of a compensatory mitigation fee to the Riparian Buffer Restoration Fund pursuant to Paragraph (k) of this Rule. Payment shall conform to the requirements of G.S. 143-214.20;
- (3) Donation of real property or of an interest in real property pursuant to Paragraph (l) of this Rule; or
- (4) Alternative buffer mitigation options pursuant to Paragraph (m) of this Rule.

(d) AREA OF IMPACT. The authority shall determine the area of impact in square feet to each zone of the proposed riparian buffer impact by adding the following:

- (1) The area of the footprint of the use impacting the riparian buffer;
- (2) The area of the boundary of any clearing and grading activities within the riparian buffer necessary to accommodate the use; and
- (3) The area of any ongoing maintenance corridors within the riparian buffer associated with the use.

The authority shall deduct from this total the area of any wetlands that are subject to and compliant with riparian wetland mitigation requirements under 15A NCAC 02H .0506 and are located within the proposed riparian buffer impact area.

(e) AREA OF MITIGATION REQUIRED ON ZONAL MITIGATION RATIOS. The authority shall determine the required area of mitigation for each zone by applying each of the following ratios to the area of impact calculated under Paragraph (d) of this Rule:

Basin/Watershed	Zone 1 Ratio	Zone 2 Ratio
Neuse River Basin (15A NCAC 02B .0233)	3:1	1.5:1
Catawba River Basin (15A NCAC 02B .0243)	2:1	1.5:1
Randleman Lake Watershed (15A NCAC 02B .0250)	3:1	1.5:1
Tar-Pamlico River Basin (15A NCAC 02B .0259)	3:1	1.5:1
Jordan Lake Watershed (15A NCAC 02B .0267)	3:1	1.5:1
Goose Creek Watershed (15A NCAC 02B .0607)	3:1 <sup>A</sup>	

<sup>A</sup> The Goose Creek Watershed does not have a Zone 1 and Zone 2. The mitigation ratio in the Goose Creek Watershed is 3:1 for the entire buffer.

(f) AREA OF MITIGATION REQUIRED ON LOCATIONAL MITIGATION RATIOS. The applicant shall use the following locational ratios as applicable based on location of the proposed mitigation site relative to that of the proposed impact site. Locational ratios shall be as follows:

Location	Ratio
Within the 12-digit HUC <sup>A</sup>	0.75:1
Within the eight-digit HUC <sup>B</sup>	1:1
In the adjacent eight-digit HUC <sup>B,C</sup>	2:1

<sup>A</sup> Except within the Randleman Lake Watershed. Within the Randleman Lake Watershed the ratio is 1:1.

<sup>B</sup> Except as provided in Paragraph (g) of this Rule.

<sup>C</sup> To use mitigation in the adjacent eight-digit HUC, the applicant shall describe why buffer mitigation within the eight-digit HUC is not practical for the project.

(g) **GEOGRAPHIC RESTRICTIONS ON LOCATION OF MITIGATION.** Mitigation shall be performed in the same river basin where the impact is located with the following additional specifications:

- (1) In the following cases, mitigation shall be performed in the same watershed in which the impact is located:
  - (A) Falls Lake Watershed, as defined in Rule .0275 of this Section;
  - (B) Goose Creek Watershed, as defined in Rule .0601 of this Subchapter;
  - (C) Randleman Lake Water Supply Watershed, as defined in Rule .0248 of this Section;
  - (D) Each subwatershed of the Jordan Lake watershed, as defined in Rule .0262 of this Section; and
  - (E) Other watersheds as specified in riparian buffer protection rules adopted by the Commission.
- (2) Buffer mitigation for impacts within watersheds with riparian buffer rules that also have federally listed threatened or endangered aquatic species may be done within other watersheds with the same federally listed threatened or endangered aquatic species as long as the impacts are in the same river basin and same Omernik Level III ecoregion available at no cost at [http://www.epa.gov/wed/pages/ecoregions/level\\_iii\\_iv.htm](http://www.epa.gov/wed/pages/ecoregions/level_iii_iv.htm) as the mitigation site.

(h) **RIPARIAN BUFFER MITIGATION UNITS.** Mitigation activities shall generate riparian buffer mitigation units as follows:

Mitigation Activity	Square Feet of Mitigation Buffer	Riparian Buffer Mitigation Units Generated
Restoration	1	1
Enhancement	2	1
Preservation on Non-Subject Urban Streams	3	1
Preservation on Subject Urban Streams	3	1
Preservation on Non-Subject Rural Streams	5	1
Preservation on Subject Rural Streams	10	1

(i) **RIPARIAN BUFFER RESTORATION OR ENHANCEMENT.** Division staff shall make an on-site determination as to whether a potential mitigation site qualifies as a restoration or enhancement site as defined in Paragraph (b) of this Rule. Riparian buffer restoration or enhancement sites shall meet the following requirements:

- (1) Buffer restoration or enhancement may be proposed as follows:

Urban Areas		Non-Urban Areas	
Buffer width (ft)	Proposed Percentage of Full Credit	Buffer width (ft)	Proposed Percentage of Full Credit
Less than 20	0 %	Less than 20	0 %
20-29	75 %	20-29	0 %
30-100	100 %	30-100	100 %
101-200 <sup>A</sup>	50 % <sup>A</sup>	101-200 <sup>A</sup>	50 % <sup>A</sup>

<sup>A</sup> The area of the mitigation site beyond 100 linear feet from the top of bank shall comprise no more than 10 percent of the total area of mitigation.

- (2) The location of the restoration or enhancement shall comply with the requirements of Paragraphs (e), (f), and (g) of this Rule. In the Catawba watershed, buffer mitigation may be done along the lake shoreline as well as along intermittent and perennial stream channels throughout the watershed.
  - (3) Diffuse flow of runoff shall be maintained in the riparian buffer. Any existing impervious cover or stormwater conveyances such as ditches, pipes, or drain tiles shall be eliminated and the flow converted to diffuse flow. If elimination of existing stormwater conveyances is not feasible, then the applicant or mitigation provider shall provide a delineation of the watershed draining to the stormwater outfall and the percentage of the total drainage treated by the riparian buffer for Division approval; the Division may reduce credit proportionally.
  - (4) The applicant or mitigation provider shall submit to the Authority a restoration or enhancement plan for written approval by the Division. The restoration or enhancement plan shall demonstrate compliance with the requirements of Subparagraphs (1) through (3) of this Paragraph and shall contain the following in addition to the elements required in Paragraph (c) of this Rule:
    - (A) A map of the proposed restoration or enhancement site;
    - (B) A vegetation plan that shall include a minimum of four native hardwood tree species or four native hardwood tree and native shrub species, where no one species is greater than 50 percent of established stems, established at a density sufficient to provide 260 stems per acre at the completion of monitoring. Native volunteer species may be included to meet performance standards. The Division may approve alternative vegetation plans upon consideration of factors, including site wetness and plant availability to meet the requirements of this Part;
    - (C) A grading plan (if applicable). The site shall be graded in a manner to ensure diffuse flow through the entire riparian buffer;
    - (D) A schedule for implementation, including a fertilization and herbicide plan if applicable; and
    - (E) A monitoring plan, including monitoring of vegetative success and other anticipated benefits to the adjacent water as listed in the authorization certification.
  - (5) Within one year after the Division has approved the restoration or enhancement plan, the applicant or mitigation provider shall present documentation to the Division that the riparian buffer has been restored or enhanced unless the Division agrees in writing to a longer time period due to the necessity for a longer construction period.
  - (6) The mitigation area shall be placed under a perpetual conservation easement or similar legal protection mechanism to provide for protection of the property's nutrient removal and other water quality functions.
  - (7) The applicant or mitigation provider shall submit written annual reports for a period of five years after the restoration or enhancement has been conducted showing that the trees or tree and shrub species planted are meeting success criteria and that diffuse flow through the riparian buffer has been maintained. The applicant or mitigation provider shall replace trees or shrubs and restore diffuse flow if needed during that five-year period. Additional years of monitoring may be required if the objectives under Paragraph (i) have not been achieved at the end of the five-year monitoring period.
  - (8) The mitigation provider shall provide a site specific credit/debit ledger to the Division at regular intervals once credits are established and until they are exhausted.
  - (9) The mitigation provider shall provide a completion bond that is payable to the Division sufficient to ensure that land purchase, construction, monitoring, and maintenance are completed. A non-wasting endowment or other financial mechanism for perpetual maintenance and protection shall be provided.
- (j) PURCHASE OF BUFFER MITIGATION CREDITS FROM A PRIVATE OR PUBLIC MITIGATION BANK. Applicants who choose to satisfy some or all of their mitigation by purchasing mitigation credits from a private or public mitigation bank shall meet the following requirements:
- (1) The mitigation bank from which credits are purchased is listed on the Division's webpage (<http://portal.ncdenr.org/web/wq/swp/ws/401>) and has available riparian buffer credits;
  - (2) The mitigation bank from which credits are purchased shall be located as described in Paragraphs (e), (f), and (g) of this Rule; and

- (3) After receiving a mitigation acceptance letter from the mitigation provider, proof of payment for the credits shall be provided to the Division prior to any activity that results in the removal or degradation of the protected riparian buffer.

(k) **PAYMENT TO THE RIPARIAN BUFFER RESTORATION FUND.** Applicants who choose to satisfy some or all of their mitigation determination by paying a compensatory mitigation fee to the Riparian Buffer Restoration Fund shall meet the requirements of Rule .0269 of this Section. Payment made to the NC Ecosystem Enhancement Program (the Program) shall be contingent upon acceptance of the payment by the Program. The Program shall consider their financial, temporal, and technical ability to satisfy the mitigation request to determine whether they shall accept or deny the request.

(l) **DONATION OF PROPERTY.** Applicants who choose to satisfy their mitigation determination by donating real property or an interest in real property to fully or partially offset an approved payment into the Riparian Buffer Restoration Fund pursuant to Paragraph (k) of this Rule shall meet the following requirements:

- (1) The value of the property interest shall be determined by an appraisal performed in accordance with Part (l)(4)(D) of this Rule. The donation shall satisfy the mitigation determination if the appraised value of the donated property interest is equal to or greater than the required fee. If the appraised value of the donated property interest is less than the required fee calculated pursuant to Rule .0269 of this Section, the applicant shall pay the remaining balance due.
- (2) The donation of real property interests shall be granted in perpetuity.
- (3) Donation of real property interests to satisfy the full or partial payments under Paragraph (k) shall be accepted only if such property meets the following requirements:
  - (A) The property shall be suitable for restoration or enhancement to successfully produce viable riparian buffer compensatory mitigation credits in accordance with Paragraph (i) of this Rule or the property shall be suitable for preservation to successfully produce viable riparian buffer compensatory mitigation credits in accordance with Part (m)(2)(C) of this Rule;
  - (B) The property shall be located in an area where the Program may reasonably utilize the credits, based on historical or projected use, to offset compensatory mitigation requirements;
  - (C) The estimated cost of restoring or enhancing and maintaining the property shall not exceed the projected mitigation credit value of the property minus land acquisition costs, except where the applicant supplies additional funds acceptable to the Program for restoration or enhancement and maintenance of the buffer;
  - (D) The property shall not contain any building, structure, object, site, or district that is listed in the National Register of Historic Places established pursuant to Public Law 89-665, 16 U.S.C. 470 as amended;
  - (E) The property shall not contain any hazardous substance or solid waste such that water quality may be adversely impacted, unless the hazardous substance or solid waste can be properly remediated before the interest is transferred;
  - (F) The property shall not contain structures or materials that present health or safety concerns to the general public. If wells, septic, water, or sewer connections exist, they shall be filled, remediated or closed at owner's expense in accordance with state and local health and safety regulations before the interest is transferred. Sewer connections in Zone 2 may be allowed for projects in accordance with Part (m)(2)(E) of this Rule;
  - (G) The property and adjacent properties shall not have prior, current, or known future land use that may jeopardize the functions of the compensatory mitigation;
  - (H) The property shall not have any encumbrances or conditions that are inconsistent with the requirements of this Rule or purposes of Rules .0233, .0243, .0250, .0259, .0267 or .0607 of this Subchapter;
  - (I) Fee simple title to the property or a perpetual conservation easement on the property shall be donated to the State of North Carolina, a local government, or a qualified holder under N.C. General Statute 121-34 et seq. and 26 USC 170(h) of the Internal Revenue Code as approved by the Department and the donee; and
  - (J) The donation shall be accompanied by a non-wasting endowment or other financial mechanism for perpetual maintenance and protection sufficient to ensure perpetual long-term monitoring and maintenance. However, when a local government has donated a perpetual conservation easement and entered into a binding intergovernmental agreement with the Program to manage and protect the property consistent with the terms of the

perpetual conservation easement, that local government shall not be required to provide a non-wasting endowment.

- (4) At the expense of the applicant or donor, the following information shall be submitted to the Program with any proposal for donations or dedications of interest in real property:
- (A) Documentation that the property meets the requirements of Subparagraph (l)(3) of this Rule;
  - (B) A US Geological Survey 1:24,000 (7.5 minute) scale topographic map, county tax map, USDA Natural Resource Conservation Service County Soil Survey Map, and county road map showing the location of the property to be donated, along with information on existing site conditions, vegetation types, presence of existing structures, and easements;
  - (C) A current property survey performed in accordance with the procedures of the North Carolina Department of Administration, State Property Office as identified by the State Board of Registration for Professional Engineers and Land Surveyors as set forth in 21 NCAC 56 .1600.
  - (D) A current appraisal of the value of the property performed in accordance with the procedures of the North Carolina Department of Administration, State Property Office as identified by the Appraisal Board as set forth in 21 NCAC 57A .0501; and
  - (E) A complete attorney's report on title with a title commitment for policy in the name of the State of North Carolina in the dollar amount of the appraised value.
- (m) ALTERNATIVE BUFFER MITIGATION OPTIONS. Some or all of a buffer mitigation requirement may be met through any of the alternative mitigation options described in this Paragraph. Any proposal for alternative mitigation shall meet the requirements of Paragraphs (c), (e), (f), and (g) of this Rule, the requirements set out in the named Subparagraph addressing that option, and the following requirements:
- (1) Any proposal for alternative mitigation shall be provided in writing to the Division and shall meet the following content and procedural requirements for approval by the Division:
    - (A) Projects that have been constructed and are within the required monitoring period on the effective date of this Rule are eligible for use as alternative buffer mitigation. Projects that have completed monitoring and released by the Division on or before the effective date of this Rule are eligible for use as alternative buffer mitigation for a period of 10 years from the effective date of this Rule;
    - (B) The mitigation area shall be placed under a perpetual conservation easement or similar legal protection mechanism to provide for protection of the property's nutrient removal and other water quality functions; and
    - (C) A completion bond payable to the Division sufficient to ensure that land purchase, construction, monitoring, and maintenance are completed.
    - (D) A non-wasting endowment or other financial mechanism for perpetual maintenance and protection shall be provided.
  - (2) ALTERNATIVE BUFFER MITIGATION – NON-STRUCTURAL, VEGETATIVE OPTIONS
    - (A) Coastal Headwater Stream Mitigation. Wooded buffers planted along Outer Coastal Plain headwater stream mitigation sites may be approved as riparian buffer mitigation as long as the site meets all applicable requirements of Paragraph (i) of this Rule. In addition, all success criteria including woody species, stem density, diffuse flow, and stream success criteria specified by the Division in any required written approval of the site shall be met. The area of the buffer shall be measured perpendicular to the length of the valley being restored. The area within the proposed buffer mitigation shall not also be used as wetland mitigation. The mitigation provider shall monitor the site for at least five years from the date of planting by providing annual reports for written Division approval.
    - (B) Buffer Restoration and Enhancement on Non-Subject Streams. Restoration or enhancement of buffers may be conducted on intermittent or perennial streams that are not subject to riparian buffer rules. These streams shall be confirmed as intermittent or perennial streams by Division staff using the Division publication, Methodology for Identification of Intermittent and Perennial Streams and Their Origins (v.4.11, 2010) available at no cost at <http://portal.ncdenr.org/web/wq/swp/ws/401/waterresources/streamdeterminations>. The proposal shall meet all applicable requirements of Paragraph (i) of this Rule.

- (C) Preservation of Buffer on Non-subject streams. Preservation of buffers on intermittent or perennial streams that are not subject to riparian buffer rules may be proposed in order to permanently protect the buffer from cutting, clearing, filling, grading, and similar activities that would affect the functioning of the buffer. These streams shall be confirmed as intermittent or perennial streams by Division staff using the Division publication, Methodology for Identification of Intermittent and Perennial Streams and Their Origins (v.4.11, 2010). The preservation site shall meet the requirements of Subparagraphs (i)(1), (i)(3), (i)(6) and Parts (l)(3)(D), (E), (F), (H) and (J) of this Rule. Preservation shall be proposed only when restoration or enhancement with an area at least equal to the footprint of the buffer impact has been proposed.
- (D) Preservation of Buffers on Subject Streams. Buffer preservation may be proposed in order to permanently protect the buffer from cutting, clearing, filling, grading, and similar activities that would affect the functioning of the buffer beyond the protection afforded by the existing buffer rules on sites that meet the definition of a preservation site along streams, estuaries, or ponds that are subject to buffer rules. The preservation site shall meet the requirements of Subparagraphs (i)(1), (i)(3), (i)(6) and Parts (l)(3)(D), (E), (F), (H) and (J) of this Rule. Preservation shall be proposed only when restoration or enhancement of an area at least equal to the footprint of the buffer impact has been proposed.
- (E) Sewer easement within the buffer. If the proposed mitigation site contains a sewer easement in Zone 1, that portion of the sewer easement within Zone 1 is not suitable for buffer mitigation. If the proposed mitigation site contains a sewer easement in Zone 2, the portion of the sewer easement in Zone 2 may be suitable for buffer mitigation if:
- (i) the applicant or mitigation provider restores or enhances the forested buffer in Zone 1 adjacent to the sewer easement;
  - (ii) the sewer easement is at least 30 feet wide;
  - (iii) the sewer easement is required to be maintained in a condition that meets the vegetative requirements of the collection system permit; and
  - (iv) diffuse flow is provided across the entire buffer width.
- The proposal shall meet all applicable requirements of Paragraph (i) of this Rule for restoration or enhancement. The proposal shall meet all applicable requirements of Part (m)(2)(C) of this Rule for preservation.
- (F) Enhancement of grazing areas adjacent to streams. Buffer credit at a 2:1 ratio shall be available for an applicant or mitigation provider who proposes permanent exclusion of grazing livestock that otherwise degrade the stream and riparian zone through trampling, grazing, or waste deposition by fencing the livestock out of the stream and its adjacent buffer. The applicant or mitigation provider shall provide an enhancement plan as set forth in Paragraph (i). The applicant or mitigation provider shall demonstrate that grazing was the predominant land use since the effective date of the applicable buffer rule.
- (G) Mitigation on ephemeral channels. For purposes of riparian buffer mitigation as described in this Part, an "ephemeral channel" is defined as a natural channel exhibiting discernible banks within a topographic crenulation (V-shaped contour lines) indicative of natural drainage on the 1:24,000 scale (7.5 minute) quadrangle topographic map prepared by the U.S. Geologic Survey, or as seen on digital elevation models with contours developed from the most recent available LiDAR data. Ephemeral channels only flow for a short period of time after precipitation in the immediate area and do not have periods of base flow sustained by groundwater discharge. The applicant or mitigation provider shall provide a delineation of the watershed draining to the ephemeral channel. The entire area proposed for mitigation shall be within the contributing drainage area to the ephemeral channel. The ephemeral channel shall be directly connected to an intermittent or perennial stream and contiguous with the rest of the mitigation site protected under a perpetual conservation easement. The area of the mitigation site on ephemeral channels shall comprise no more than 25 percent of the total area of mitigation. The proposal shall meet all applicable requirements of Paragraph (i) of this Rule for restoration or enhancement. The proposal shall meet all applicable requirements of Part (m)(2)(C) of this Rule for preservation.

- (H) Restoration and Enhancement on Ditches. For purposes of riparian buffer mitigation as described in this Part, a "ditch" is defined as a man-made channel other than a modified natural stream that was constructed for drainage purposes. To be used for mitigation, a ditch shall meet all of the following criteria:
- (i) be directly connected with and draining towards an intermittent or perennial stream;
  - (ii) be contiguous with the rest of the mitigation site protected under a perpetual conservation easement;
  - (iii) stormwater runoff from overland flow shall drain towards the ditch;
  - (iv) be between one and three feet in depth; and
  - (v) the entire length of the ditch shall have been in place prior to the effective date of the applicable buffer rule.

The width of the restored or enhanced area shall not be less than 30 feet and shall not exceed 50 feet for crediting purposes. The applicant or mitigation provider shall provide a delineation of the watershed draining to the ditch. The watershed draining to the ditch shall be at least four times larger than the restored or enhanced area along the ditch. The perpetual conservation easement shall include the ditch and the confluence of the ditch with the intermittent or perennial stream, and provide language that prohibits future maintenance of the ditch. The proposal shall meet all applicable requirements of Paragraph (i) of this Rule for restoration or enhancement.

(3) ALTERNATIVE BUFFER STORMWATER TREATMENT OPTIONS.

- (A) For all structural options: Riparian buffer restoration or enhancement is required with an area at least equal to the footprint of the buffer impact, and the remaining mitigation resulting from the multipliers may be met through structural options;
- (B) Structural measures already required by other local, state or federal rule or permit cannot be used as alternative buffer mitigation, except to the extent such measure(s) exceed the requirements of such rule or permit. Stormwater Best Management Practices (BMPs), including bioretention facilities, constructed wetlands, infiltration devices and sand filter are all potentially approvable (BMPs) for alternative buffer mitigation. Other BMPs may be approved only if they meet the nutrient removal levels outlined in Part (3)(C) of this Subparagraph. Existing or planned BMPs for a local, state, or federal rule or permit may be retrofitted or expanded to improve their nutrient removal if this level of treatment would not be required by other local, state, or federal rules. In this case, the predicted increase in nutrient removal may be counted toward alternative buffer mitigation;
- (C) Minimum treatment levels: Any structural BMP shall provide at least 30 percent total nitrogen and 35 percent total phosphorus removal as demonstrated by a scientific and engineering literature review as approved by the Division. The mitigation proposal shall demonstrate that the proposed alternative removes an equal or greater annual mass load of nutrients to surface waters as the buffer impact authorized in the authorization certificate or variance, following the calculation of impact and mitigation areas pursuant to Paragraphs (d), (e), and (f) of this Rule. To estimate the rate of nutrient removal of the impacted buffer, the applicant or mitigation provider shall use a method previously approved by the Division. The applicant or mitigation provider may propose an alternative method of estimating the rate of nutrient removal for consideration and review by the Division;
- (D) All proposed structural BMPs shall follow the Division's 2009 Stormwater Best Management Practice Design Manual available at no cost at <http://portal.ncdenr.org/web/lr/bmp-manual>. If a specific proposed structural BMP is not addressed in this Manual, the applicant or mitigation provider shall follow Chapter 20 in this Manual for approval;
- (E) All structural options are required to have Division approved operation and maintenance plans;
- (F) All structural options are required to have continuous and perpetual maintenance and shall follow the Division's 2009 Stormwater Best Management Practice Design Manual;
- (G) Upon completion of construction, the designer for the type of BMP installed shall certify that the system was inspected during construction and that the BMP was constructed in substantial conformity with plans and specifications approved by the Division;

- (H) Removal and replacement of structural options: If a structural option is proposed to be removed and cannot be replaced on-site, then a structural or non-structural measure of equal or better nutrient removal capacity in a location as specified by Paragraph (f) and (g) of this Rule shall be constructed as a replacement;
  - (I) Renovation or repair of structural options: If a structural option must be renovated or repaired, it shall be renovated to provide equal or better nutrient removal capacity than as originally designed;
  - (J) Structural options as well as their operation and maintenance are the responsibility of the landowner or easement holder unless the Division gives written approval for another responsible party to operate and maintain them. Structural options shall be located in recorded drainage easements for the purposes of operation and maintenance and shall have recorded access easements to the nearest public right-of-way. These easements shall be granted in favor of the party responsible for operating and maintaining the structure, with a note that operation and maintenance is the responsibility of the landowner, easement holder or other responsible party; and
  - (K) Bonding and endowment. A completion bond payable to the Division sufficient to ensure that land purchase, construction, monitoring, and maintenance are completed and a non-wasting endowment or other financial mechanism for perpetual maintenance and protection shall be provided.
- (4) OTHER ALTERNATIVE BUFFER MITIGATION OPTIONS. Other riparian buffer mitigation options may be considered by the Division on a case-by-case basis after 30-day public notice through the Division's Water Quality Certification Mailing List in accordance with 15A NCAC 02H .0503 as long as the options otherwise meet the requirements of this Rule. Division staff shall present recommendations to the Environmental Management Commission for a final decision with respect to any proposal for alternative buffer mitigation options not specified in this Rule.
- (n) ACCOUNTING FOR BUFFER CREDIT, NUTRIENT OFFSET CREDIT AND STREAM MITIGATION CREDIT. Buffer mitigation credit, nutrient offset credit, wetland mitigation credit, and stream mitigation credit shall be accounted for in accordance with the following:
- (1) Buffer mitigation used for buffer mitigation credit shall not be used for nutrient offset credits;
  - (2) Buffer mitigation or nutrient offset credit shall not be generated within wetlands that provide wetland mitigation credit required by 15A NCAC 02H .0506; and
  - (3) Either buffer mitigation or nutrient offset credit may be generated on stream mitigation sites as long as the width of the restored or enhanced riparian buffer meets the requirements of Subparagraph (i)(1).

*History Note: Authority 143-214.1; 143-214.5; 143-214.7; 143-214.20; 143-215.3(a)(1); 143-215.6A; 143-215.6B; 143-215.6C; 143-215.8A; 143-215.8B; 143-282(c); 143B-282(d); S.L. 1998-221; S.L. 1999-329, s. 7.1; S.L. 2001-418, s. 4.(a); S.L. 2003-340, s. 5; S.L. 2005-190; S.L. 2006-259; S.L. 2009-337; S.L. 2009-486; S.L. 2014-95; Temporary Adoption Eff. October 24, 2014.*